

**CHEMICAL & PHYSICAL
APPARATUS
AND ASSAY GOODS.**


**EIMER & AMEND,
NEW YORK**

1892

This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.

GoogleTM books

<https://books.google.com>





Established 1851.

ILLUSTRATED
WHOLESALE CATALOGUE
— WITH —
PRICES CURRENT
— OF —
Chemical & Physical Apparatus
AND ASSAY GOODS.



IMPORTED AND MANUFACTURED BY

EIMER & AMEND,


205, 207, 209 & 211 THIRD AVE.,

18th St. Station Elevated R. R.,


NEW YORK.

☆ C. MEISSNER

Digitized by Google



PRESS OF
GEO. GOTTSBERGER PECK,
11 MURRAY ST., N. Y.



INTRODUCTION.

IN publishing this new edition of our Chemical Apparatus Catalogue it gives us pleasure to state to our friends and patrons that, the former buildings proving too small for the rapid growth of the business, we have rebuilt on our old site a substantial 7 story fire-proof building, and have now returned to the new quarters. This house built solely for the requirements of our business, is provided with everything appertaining to it, so that our facilities are now unlimited, enabling us to ship orders very promptly. It will give us pleasure to have purchasers call and examine our stock.

We have fully illustrated and enlarged this list by more than 100 pages, in order to make it the most complete of its kind in the United States. The arrangement of the catalogue is mostly alphabetical, but apparatus belonging together have been grouped as much as advisable to enable comparison.

For Chemicals we have provided a special list.

We are

Agents for

Joseph Kavalier's Bohemian Glassware.

Carl Zeiss' Microscopes, Objectives, etc.

Schmidt & Haensch's Optical Goods, Polariscopes, etc.

F. & M. Lautenschlaeger's Berlin Bacterioscopic Apparatus.

Greiner & Friedrich's German Glassware.

Carl Schleicher & Schuell's Chemically Pure Filter Papers.

H. Trommsdorff's Strictly C. P. Chemicals.

E. March's Söhne's German Chemical Stoneware.

H. Fleitman's Patent Wrought Nickelware.

G. Kern & Sohn's German Balances and Weights.

Prof. Jolly's Balances.

F. Desmoutis, Lemaire & Co.'s Chemically Pure Hammered Platinum Laboratory Ware.

Messrs. Hunt & Clapp, Pittsburgh Testing Laboratory, 95 5th Ave., Pittsburgh, are our agents for the iron trade of the Pittsburgh district, and carry a line of our goods to supply immediate wants promptly.

We think it important to state that we have been able to reduce, in many instances very materially, the **PRICES**, and that in making this reduction the quality of the article has not suffered—but, on the contrary, has—whenever possible—been improved. We suggest comparison of our prices with those of other dealers—feeling confident that in this respect they will bear the closest scrutiny.

Being direct Importers and Manufacturers, we feel sure that we can meet any

competition, as we believe that our stock is the largest and best selected of any in this line and buyers will readily realize the importance of thus being able to make all their purchases in one house. We claim to be the only one carrying a full line of non-blistering **hammered Platinum** ware, as also all makes of Balances, and we earnestly solicit a careful examination of the **quality** of our

BEAKERS,

COMBUSTION TUBING,

PORCELAIN WARE,

PLATINUM,

WOOD AND METAL WORK,

FILTER PAPERS,

COPPER GOODS,

GRADUATED WARE,

HORN GOODS,

SCORIFIERS,

BALANCES AND WEIGHTS,

STONEWARE,

CHEMICALS and ACIDS, etc., etc.,

which are the best in the market, and which no money could procure of better quality. They are kept in stock at the annexed low prices. Second quality goods we do not deal in. We may add, that we have increased our facilities for Glass-blowing to such an extent, that we are able to produce any and every piece of glass manufacture, even the most complicated gas apparatus, as perfect and accurate, and at about the same price as made in the best establishments of the kind in Europe.

Terms are Net Cash.

All goods are packed with utmost care by experienced hands in such a manner that everything should arrive safely, which we consider most important.

No charge is made for packing; we charge only for the necessary cases and for those, what they cost us.

Fragile goods we insure against breakage for 2 to 5% premium, but are not otherwise responsible, after having delivered them in good condition to the Transportation Co.

Universities, Colleges, Schools and Scientific Societies of the United States, are by authority of Act of Congress, June 22d, 1874, permitted to have all Instruments, Apparatus, books, etc., intended for their educational purposes and not for sale, imported free of duty. We have special facilities to attend to this, and shall be pleased to receive orders which we fill at the original prices of European dealers.

When articles out of our line are ordered, the greatest care will be used in their selection, but, having been purchased expressly to fill orders, these goods of course, cannot be returned.

No goods are sent to strangers unless the order is accompanied by proper references or cash. Not less than \$5.00 worth will be sent C. O. D., and that only if at least half cash has been forwarded with the order.

Very respectfully,

EIMER & AMEND.

Eimer & Amend's Prices Current.

○* 5000. **Absorptiometer**, according to Bunsen.....\$80 00

Absorption Apparatus, according to Winkler.

do **Burette**, according to Lunge.

do do do Bunte.

} See Gas Analysis.

And other Absorption apparatus.

* 5001. **Absorption Tubes**, Bunsen's, with bulb, plain,.....35 cts. graduated, 1 30


* 5002. do do do straight, plain. 30 cts do 1 00

* 5003. Absorption Tube, according to Soxhlet-Winkler.....50 cts. each.

* 5004. **Acetometer**, Otto's, for determining percentage of Acetic Acid in Vinegar, 80 cts.
Other Acetometers, see Alcalimeters and Hydrometers.

* 5005. **Acid Bottles**, (Cobalt Bottles), with long stoppers, reaching to the bottom,
and ground caps. Shape a or b.


Contents,	1-2	1	2 oz.
	.32	.35	.40



5000



5002



5001



5003



5005a



5005b



5004




5008



5006



5007



5009

* 5006. Acid Bottles, with **Pipette**, capacity one ounce.....50 cts.

—* 5007. Acid **Bottle Ball Stopper**.

	1	2 oz.
	.40	.45

* 5008. Acid **Brushes**, made of spun glass, long or short.....25 cts.

* 5009. Acid **Dishes**, of porcelain.

Diameter,	4	4½	5½	6½ inches.
	.85	\$1 00	1 15	1 40 each.
	3 partitions.	3 partitions.	6 partitions.	6 partitions.

Acid **Jars**, see Cylinders.

Acid **Measures**, see Graduates.

5010. **Acidimeter**, according to Gall, for determining the quantity of acid in must and wine; consisting of a graduated burette, volume pipette and mixing flask, in wooden box; with instructions for use. \$3 00
 Ammonia Test Liquor for Acidimeter, per quart, 75 cts.
 Litmus Tincture for Acidimeter, per pint. 50 cts.
 Other Acidimeters, see Alcalimeters and Hydrometers.

— 5011. **Acid Measures**, of lead.

8 oz.	pt.	qt.	$\frac{1}{2}$ gal.	1 gal.	2 gal.
1.50,	2.00,	2.25,	3.00,	4.50,	6.00.

Other Measures see Graduates, Cylinders and Measures.

○* 5012. **Acid Pitchers**, of stoneware, with 1 handle, from 1 gallon up, also with 2 handles.


Capacity,	1,	2,	4,	6,	8	
Price,	.20,	.25,	.30,	.40,	.50c.	pinta. each.
Capacity,	1 $\frac{1}{2}$,	2,	2 $\frac{1}{2}$,	3,	4,	5,
Price,	.65,	.80,	.95,	1.10,	1.25,	1.75,
						2.25 each.
						6, gallons.




5012



5013



5014



5015

○* 5013. **Acid Pots**, of stoneware, cylindrical or conical.

Capacity,	2 $\frac{1}{2}$,	4,	5,	6,	7 $\frac{1}{2}$,	10,	
Price,	1.00,	1.40,	1.85,	2.35,	2.80,	3.75,	gallons. each.

- * 5014. **Acid Pump**, E. & A., to pump Acid or Distilled water from Carboys, substantial and effective. The Liquid is delivered quickly and in a constant stream which can be checked instantly. Size for Laboratories and Stores. \$ 5 00
 Bellows for same. 5 00

5014a Ditto, all rubber, same price.


- * 5015. **Acid Pump**, Matthew's patent, for factory use. 15 00
 Acid Syphons, see Syphons.

○* 5016. Acid Pumps, earthenware, for chemical factories.

No.	1,	2,	3,
Diameter of Piston,	2½,	3½,	4, inches.
Length of stroke,	8,	9,	10, "
Price complete,	58.00,	70.00,	78.00,

5016a. Ditto, horizontal action, \$75.00 to \$150.00 extra.

○ 5017. Mounting in Wood and Iron, extra to order, at lowest rate.



5016

5019a

5019b

○* 5018. Acid Vessels, with or without outlet near the bottom.

Capacity,	12,	20,	25,	30,	38,	45,	50,	55 gallons.
Price,	3.75,	5.50,	7.50,	9.25,	11.00,	13.00,	15.00,	17.50 each.
Capacity,			65,		70,		75	gallons.
Price,			20.00,		22.00,		25.00	each.

The last three sizes are made to order only. Stop-cocks ground in airtight in outlet if so ordered.

* 5019. Adapters, for connecting retorts with receivers, straight or bent, German or Bohemian.

	½,	1,	1½,	2,	2½,	3 inches.
	.15,	.20,	.25,	.30,	.45,	.65 each.

Aeolipile, see alcohol blast lamps.

Agate Mortars, see Mortars.

- * 5020. **Air Bath, Fresenius**, of heavy copper, single walls, front door, two openings on top, draft hole near the bottom, perforated shelf and extra iron bottom. The whole is resting on four legs which can be taken out, to set the Bath upon a stove.

Size, 6x8	8x10	10x12 in.	Larger sizes to order.
5 00	7 00	10.00.	

- * 5021. Air Bath as above, on 4 legs, with extra sliding rod for Bunsen's Burner. The whole is arranged to be fastened against the wall, as well as to stand upon a table.


Size, 6x8	8x10 inches,	Larger sizes to order.
7.00,	10.00.	

If fitted with Glass or Mica Window 50 cents extra. With burner and fork, \$1 75 extra.


5022. Air Bath, made of **Sheet Iron**, size 6½ inch, by 5 by 6 inch, with sliding front of glass. Price \$ 3 00

- * 5023. Air Bath for drying precipitates etc., made of heavy copper; large size, with 3 drying chambers, separate doors, with registers for each chamber and with movable shelves; the size of the chambers is 7 inch wide by 7 inch deep, and each has 2 tubulations on top, one for the draught, and the other for inserting a thermometer. The size of the whole apparatus is 21 inch long, 8½ inch high and 7 inch deep, resting on an iron support of similar dimensions and shape, but open in front to receive the heating apparatus. Price \$24 00

For others, see Drying Ovens.



5020




5023



5021



5024




5026

AIR PUMPS.

- * 5024. Air or Pneumatic Pump, barrel 8x1½, to exhaust or condense, (stop cock \$1.00 extra) \$ 6 00
5025. Air or Pneumatic Pump, with stop-cock, mounted on wood and iron frame, to be used on the floor or upon a low table. \$ 9 00
- * 5026. Air Pump, Liebig's, for organic analysis, with two stop-cocks, for exhausting and transferring. \$10 00

- * 5027. Air Pump, barrel of brass, finely finished, 8 in. long, by $1\frac{1}{2}$ in. diameter, with well ground plate, $6\frac{1}{2}$ in. diameter, with stop-cock, set screw and guard screw, mounted on fine polished mahogany base, with qt. bell glass receiver.

Each	\$15 00
Air Pump, ditto, without stop-cock	13 50
Barometer gauge additional	5 00




5027

- 5028. Air Pump, brass cylinder, 8 inches long by 2 inches diameter, plate 9 inches in diameter, polished mahogany base, similar to 5029

\$26 00

Barometer gauge additional

5 00




5029

- * 5029. Air Pump; polished mahogany base and pillar, brass cylinder, 8 in. long by $2\frac{1}{2}$ in. diameter; plate 10 in. diameter; the piston is packed in a manner to prevent leakage with slight friction, the valves are accessible. The cup around the piston should be partly filled with oil to prevent leakage and to lubricate the piston

\$38 50

Barometer gauge additional

5 00



5030

- * 5030. Air Pump; on solid mahogany table, highly polished, thirty-one by nineteen inches, brass cylinder twelve inches long by four inches diameter, brass tubes and stop-cock, heavy plate twelve inches diameter; the plate is forty-three inches from the floor..... \$120 00


Barometer gauge additional..... 5 00

5031. Air Pump, as large as above but with rotary movement for hand and power. \$160 00

- * 5032. Air Pump, Mercury, according to Geissler, Weinhold's modification, with one drying apparatus and mercury gauge: a style and size which is mostly in demand at present giving the best results.
Price.....\$100 00

5033. Air Pump or Vacuum Pump, according to Geissler, exhausting with mercury, yielding a perfect vacuum in considerable less time than the Sprengel's Pump.


Similar to 5032, but without lift. It is used by the Electric Light Companies for exhausting the lamp globes. Complete on wooden support \$35 00



5036

5034. The glass parts alone,
\$27 50.


5035. Air Pump, ditto, of smaller dimensions for exhausting the gases of blood etc., mounted,...
\$25 00.




5032

- * 5036. Air Pump, mercurial, according to Doepler; complete on wooden support for 25 lbs. Mercury, (any size from 15 to 100 lbs. mercury to order.)
Price 22 50

5037. Air Pump, ditto, without the stop-cocks	\$20 00
5038. Air Pump, according to Sprengel, exhausting by means of mercury, complete, with support	\$8 00
* 5039. Air Pump, ditto, with scale	10 00
5040. Air Pump, ditto, glass parts only.	4 50



5039



5041

- * 5041. Air Pump, with drying apparatus, adjustable mercury reservoir, etc., **Weinhold's** modification..... \$35 00
 Air Pump, Bunsen's and Fischer's etc., for use with water. See Filtering Pumps.

* 5042. Air Pump plate on triangular base to receive exsiccator and bellglass.

Diameter of plate, 8, 10, 12 inches.

\$3 00, 10 00, 12 00.

5043. Air Tester, Wolpert's, in case. \$3 25

* 5044. Air Thermometer Tube.

1 in. 1½ in. 2 in. 2½ in.


.25, .25, .30, .40.

5045. Alcoholometer Manual, with tables indicating the true percentage at all temperatures between 32° and 100° Fahr. each 25 cts.

Alcoholometers, see Hydrometers.

Alcoholometer Jars, see Cylinders.

Alcohol Lamps, see Lamps.



* 5046. Alembics, of thin blown glass, in one piece.

4 oz. 8 oz.

Price, .55. .80.

* 5047. Alembics, with head ground on and glass stopper.

4 oz. 8 oz.

.75. 1.00.

* 5049. Alembics, of best heavy Bohemian glass, top ground air-tight to the body.

Capacity, 4 ounce, ½ pint, pint, quart,


\$1 00 1 35 1 60 2 00

5049. Alembic Sallerons, all glass, for determining alcohol in wine, beer, cider, etc., complete with areometer and graduated glass. \$ 6 00

* 5050. Alembic Sallerons, of copper, s. c. Monitor still. 10 00

ALKALIMETERS.

* 5051. Alkalimeter, according to Berzelius	\$0 70
* 5052. Alkalimeter, Bunsen's	1 00
* 5053. Alkalimeter, according to Fresenius & Will	45
* 5054. Alkalimeter, by Kipp , with glass stop-cock.....	1 90
* 5055. Alkalimeter, according to Rohrbeck	1 90
* 5056. Alkalimeter, according to Professor Mohr	75
* 5057. Alkalimeter, according to Professor Schroetter	1 90




5051




5055



5056




5052



5053




5054



5057




5058



5059



5061



5062

- * 5058. Alkalimeter, after **Rose and Geissler** with ground tube as stop-cock... \$1 50
 * 5059. Alkalimeter, **new form, Geissler's**..... 2 00
 5060. Alkalimeter, modified by **Dr. Chas. U. Shepard**, the drying bulbs have ground joint, otherwise like 5059..... 2 00
 * 5061. Alkalimeter, **Fritsch's** for minerals.. 54
 Geissler's, Mohr's, Gay Lussac's, Bink's, etc., see Burettes.
 Alkaloids in collections, see Collections and chemical catalogue.

5061a. **Amalgamator**, hand.....small, \$7 00. Large, \$9 50

- * 5062. **Anatomical Jars**, of **Bohemian glass**, with air-tight ground glass stoppers full width of jar. Glass hook inside the stopper to suspend the preparations.
 about 2½x2½ 3x3 4x4 3x6 6x3 4½x6 8x10 in.
 .40 .60 \$1 00 1 25 1 50 1 60 6 00

- * 5063. **Anatomical Jars, of improved style, top plate with hook, ground to the body and made air-tight by a rubber washer.**

Size, 3 inches wide by 4 inches high	Capacity, $\frac{1}{2}$ pint	Each	
" 3 " " 7 " "	pint	"	.35
" 3 " " 10 " "	quart	"	.45
" 4 " " 6 " "	quart	"	.55
" 4 " " 8 " "	3 pint	"	.55
" 4 " " 11 " "	$\frac{1}{2}$ gallon	"	.65
" 6 " " 8 " "	1 " "	"	.70
" 6 " " 12 " "	1 " "	"	\$1 15
" 6 " " 15 " "	1 " "	"	1 35
" 6 " " 18 " "	1 " "	"	1 45
" 9 " " 8 " "	2 " "	"	1 60
" 9 " " 12 " "	1 " "	"	2 00
" 9 " " 18 " "	2 " "	"	2 25
" 9 " " 23 " "	3 " "	"	3 40
	5 " "	"	4 00

- 5064. Above jars, if provided with perforations in cover, will furnish excellent gas generators or wash bottles.

1 perforation	.65
2 " "	\$1 50
3 " "	2 25


5065. **Anemometers, for measuring drafts in furnaces and chambers.**..... \$25 00

Annealing Cups, U. S. Torrey & Eaton's...... dozen. \$1 75

- * 5066. **Annealing Cups, French, very smooth inside.** Each, 15 cts. Dozen, \$1 35

- 5067. **Annealing Cups, English.**

No.	A.	B.	C.	D.
Diameter on top,	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$ in.
Price, each,	.10	.10	.10	.10



- * 5068. **Anthracen Bath of heavy brazed copper, with silvered crucible of 1 liter capacity.**.....\$10 00

- * 5069. **Anvil, for blow-pipe analysis, Plattner's.**..... .50

5069a. **Anvil, extra heavy.**..... .60

5070. **Anvil, with steel hammer.**.....\$1 00

- * 5071. **Anvils, flat cast steel mirror polished face.**

1	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	4 inch.
.65	\$1 00	1 35	1 70	2 00	2 60

- * 5072. **Anvils, with point to set in table, mirror polished face.**

1 $\frac{1}{2}$	2	3	4	5	6 inch.
1 $\frac{1}{2}$	3	7	18	32	44 lbs.per lb. 50 cts.


- * 5073. **Anvil, heavy, for use on table.**

Length of face, 2 $\frac{1}{2}$	4	10	15	20	30	50 lbs.
\$1 00	1 75	2 25	2 75	3 25	4 00	5 25


APPARATUS,

ANALYTICAL, EXPERIMENTAL, ETC.


- * 5074. Apparatus for the detection of arsenic, according to Marsh, on polished wooden support, latest form complete with glass stop-cock.....\$2 20
5075. Apparatus, for the detection of arsenic, according to Marsh, unmounted, the glass part alone..... .40
- * 5076. Apparatus, for the detection of arsenic, according to Fresenius..... 1 00
- * 5077. Apparatus, for the detection of arsenic, with Rose's lamp and support table.. 7 50
- * 5078. Apparatus, for the detection of arsenic, according to Fresenius & Otto.. .60
- * 5079. Apparatus, for blow-pipe analysis, in polished wooden box, containing ten blow-pipe re-agents, box for platinum wire, pair of forceps, and Plattner's blow-pipe, with platinum plate room for anvil and agate mortar. Complete filled. Price.....\$4 50




5076



5077




5083



5074



5078









5079

5080. Apparatus, ditto, without re-agents..... 4 00
5081. Apparatus, ditto, the case alone, without the blow-pipe, etc..... 1 75
5082. Apparatus, for quantitative blow-piping, according to Prof. Plattner, (see Appendix).....\$40 00 and \$175 00

See Appendix for blow-pipe apparatus.

- * 5083. Apparatus, for the determination of sulphur by bromine, Ledebur's; complete as per engraving but without the supports (support \$4 00 extra.) \$7 50
- The tube with 2 stop-cocks, filled with glass beads, alone..... 4 50

- * 5084. Apparatus, for volumetric estimations of carbonic acid; for sugar refineries; according to **Gawalovski**; with 2 measuring and 1 filling tube, etc., complete.....Price 4 50
- * 5085. Apparatus, for the determination of atmospheric moisture; according to **Ruedorf**.....Price 6 00
- * 5086. Apparatus, for taking the specific gravity of gases; according to **Chancel**. Price.....each, 4 00
- * 5087. Apparatus, for determining the specific gravity of cement; according to **Schumann**.....each, 2 25




- * 5088. Apparatus, for fractional distillation **Regnaud's** of copper, and brass. Without thermometer, \$15 50, Thermometer, \$2 00.
5089. Apparatus, for fractional distillation under diminished pressure..... 3 00
Other apparatus for fractional distillations, see Flasks and Tubes.
- * 5090. Apparatus, for the determination of carbon in steel, after **Fresenius**, with platina holders for the + pole 4 00


- * 5091. Apparatus, for the **estimation of carbon** in pig-iron after Ullgreen, complete.
 Price\$18 00
 (See also under Carbon, Eggertz's, etc.)
- * 5092. Apparatus, **Scheibler's standard**, for **estimation of Ca. Co.** in bone-black,
 accuracy guaranteed, with latest improvements..... 25 00



5095



5091




5092




5094

5093. Apparatus, Scheibler's, for the estimation of Co, in saturation gases ; with printed instructions..... 38 00
- * 5094. Apparatus, for **generating carbonic acid gas, etc.**, evolution flask, with rubber stopper, funnel tube and delivery tube.
- | | | | | |
|---------------------|---------------------|---------|----------|----------|
| $\frac{1}{4}$ pint. | $\frac{1}{2}$ pint. | 1 pint. | 2 pints. | 4 pints. |
| .60 | .70 | .85 | \$1 00 | 1 25 |
- * 5095. Apparatus. for constant generating of carbonic acid, hydrogen, sulphuretted hydrogen, etc., a heavy glass jar, bell glass, lead tripod, brass plate and brass stop-cock.
- | | | | | | | | |
|---------|--------|------|------|------|------|-------|--------|
| Height, | 6 | 8 | 9 | 10 | 12 | 15 | 20 in. |
| | \$3 75 | 4 50 | 5 00 | 6 00 | 8 00 | 10 00 | 12 00 |

- * 5100. Apparatus, for estimating carbonic acid, according to Winkler; complete in case and supporting frame.....\$15 00
The glass parts alone 9 00
- * 5101. Apparatus for the determination of Oxygen; according to Lindemann, improved by C. Winkler; completed in case and supporting frame.....\$18 75
The glass parts alone 11 25
- * 5102. Apparatus, for generating hydrogen, carbonic acid, etc., for laboratory use, in larger quantities; same as used in the Zürich laboratory. Heavy cylindrical glass jars; very practical; does not get out of order; current of gas instantaneous.
Capacity, $\frac{1}{2}$ 1 2 galls.
Price, \$4 00 6 00 8 00



5100




5101



5102



5104



5103

- * 5103. Apparatus, for making carbonic acid water, according to Prof. Liebig, complete, with under plate, tumbler, filling funnel, and instructions for use.
Capacity, 1 gal. \$12 00 each.
- * 5104. Apparatus, for making carbonic acid water, etc., as above, French, made of glass, wicker covered, with instructions.
- | | Capacity, qt. | 2 bot.
3 pts. | 3 bot.
4 pts. | 4 bot.
1 gal. | 5 bot.
5 pts. | 8 bot.
1 gal. |
|---------------------|---------------|------------------|------------------|------------------|------------------|---------------------|
| Gazogène, | \$5 50 | 6 50 | 9 00 | 10 50 | — | — |
| — 5105. Seltzogene, | 5 00 | 5 50 | 6 50 | 8 00 | 11 50 | each. wire covered. |

- * 5106. Apparatus, for displacing by boiling and collecting air or gases contained in water, according to **Jacobsen and Behrens**. Glass parts.....\$1 75 each.
Glass parts, with supports 4 00 each.

5107. Apparatus, for **generating chlorine gas**, a ring neck-flask, with perforated rubber stopper, safety tube, washing bottle, delivery tube, etc. etc.



Capacity,	$\frac{1}{4}$	$\frac{1}{2}$	1	2	4 pints.
	.70	.80	.90	\$1 25	1 50

- * 5108. Apparatus, as above, with sand bath and tripod additional.

For	$\frac{1}{4}$	$\frac{1}{2}$	1	2	4 pints.
Price,	.30	.35	.45	.55	.65

5109. Apparatus, for **generating hydrogen** or sulphuretted hydrogen, a heavy evolution bottle, with rubber stopper, safety tube and drying tube (see fig. 5076.)

$\frac{1}{4}$ pint.	$\frac{1}{2}$ pint.	1 pint.	1 quart.	$\frac{1}{2}$ gal.
.60	.75	\$1.00	1 20	1 50



- * 5110. Apparatus, for electrolytic generation of **pure hydrogen**..... \$4 25






- * 5111. Apparatus, for electrolytic generation of **pure oxyhydrogen**..... 4 25

5112. Apparatus for **generation H_2S** in larger quantities, for laboratory use.

Capacity,	1,	2,	3 galls.
Price,	4.00,	6.00,	10.00.

- * 5113. Apparatus for making chlorine water, ammonia, or hydrochloric acid, a quart flask, three one pint Woulff's bottles, all connections rubber, and rubber stoppers.

5114. Without stand.....	\$4 25
5115. With tripod and sand bath.....	5 00
5116. With iron ringstand and sand bath.....	5 50
5117. With iron ringstand, sand bath and burner.....	6 25
* 5118. Apparatus, after Bunsen and Fresenius, for the absorption of chlorine, without stand.....	1 00
5119. Apparatus, with clamp and stands.....	3 00
* 5120. Apparatus for transferring gases in Urea estimations, Hüfner's. Price.....	5 25




* 5121. Absorption Apparatus, according to Dr. C. Winkler. Price, large.....	\$2.25.	Small	\$0 75
* 5122. Apparatus for the volumetric determination of Cl, after Bunsen, complete, with support.....	4 50		
* 5123. Apparatus, according to Mitcherlich, for phosphorus detection, complete with supports.....	12 00		
5124. Apparatus without the supports, the glass parts alone.....	8 00		
* 5125. Apparatus of lead for etching with hydrofluoric acid, small, \$3 50 large, 5 00			


- * 5126. Apparatus for the volumetric estimation of Oxygen, on support \$15 00
The glass parts alone..... 8 00

APPARATUS—HOFMANN'S.


- * 5127. Apparatus for the decomposition of water, according to Prof. Hofmann, showing that water is composed of 2 vol. H and 1 vol. O ; with two stop-cocks with stand of wood or iron..... \$7 50
5128. Apparatus, 2 tubes graduated, mounted..... 10 00
5129. Apparatus not mounted, plain..... 4 50
5130. Apparatus graduated, not mounted, with extra stopcock 7 00
* 5131. Apparatus, for demonstration that in uniting H and O to water a condensation of $\frac{1}{8}$ takes place. Tube with platina electrodes, stop-cock, steam cylinder and glass worm, complete on stand..... 10 00




5126




5127



5135




5131



5132

- * 5132. Apparatus, Hofmann's, to show that H and O combine only in the same proportions as they are generated from H₂O consisting of 2 tubes with 2 stop-cocks and Platina Wires. Each..... \$1 50
5133. 1 tube with one stop-cock and Platina Wires. Each..... 3 00
5134. Set of 3, with supports..... 21 00
* 5135. Apparatus, for the decomposition and recomposition of water, called Prof. Hofmann's Lecture Eudiometer, with stop-cock near the bottom of one of the tubes, and another at the top of the other Tube, with platina electrodes..... 7 50






5136. The same, the glass part alone.....	5 00
* 5137. Apparatus, Hofmann's, for H Cl. decomposition , with platina and carbon electrodes.....	8 50
5138. Glass part only.....	6 00
5139. Apparatus, set of 3, two of No. 5137 and one of No. 5127 but on iron support.....	24 50
5140. The same, the 3 glass parts only.....	17 50
* 5141. Apparatus, for decomposition of water, ammonia, and H Cl. according to Prof. Hofmann, a V. tube with platina electrodes, on iron stand, Small.....	3 50
5142. Large.....	5 00
5143. Apparatus, the glass part alone \$2 00.....	resp. 2 75
5144. Apparatus, Hofmann's, showing the oxydation and reduction of copper and copper oxide by heat and hydrogen.....	2 50



5145. Apparatus to estimate the **Density of Vapors**; Hofmann's.


a, the barometer tube finely graduated in 1-5 c-c and in m-m.....	5 50
b, the outside cylinder for same.....	1 50
c, the small boiler on support with gas lamp.....	10 00
d, the condenser with worm of copper, complete with all the necessary attachments, and with a support which is arranged so, that the condenser may be raised or lowered.....	12 00
e, the measuring apparatus.....	35 00
f, the clamp support for a & b.....	3 75
Small bottles, glass-stoppered to receive small quantities of liquids. Per doz.	2 00
* 5146. Apparatus, Hofman's to prove, that two volumes of H combined with 1 volume of O, produce 2 volumes of water-gas measured at 100° C.	85 00
5147. The Tube with jacket, support and cylinder.....	25 00
5148. Copper Steamboiler with stop-cocks, gauge and burner.....	60 00

- * 5149. Apparatus for decomposing Nitric Acid by heat (see Hofm. Einleit. 1871, p. 202). without platinum flask 9 00
 5150. Platinum flask for above, about 75 to 100,0 per grm. 50
 5151. U-shaped Tube, Glass Condenser and Support. 3 50
 5152. Funnel Tube with stop-cock 1 00
 5153. Clamp Support 1 75
 * 5154. Apparatus for the decomposition of water and collection of the gases separately in graduated tubes 1 35
 5155. The same, with glass foot to set upon the table. 1 70
 * 5156. Apparatus, Hofmann's, proving the amount of hydrogen in 1 vol. H Cl. 6 00







- * 5157. Apparatus, to show that 1 vol. of N. unites with 3 vols. of H, to 2 vols. of ammonia, the tube with 2 stop-cocks. 4 50
 5158. The same, with support. 6 50
 5159. Apparatus to show that ammonia is composed of 1 vol. Nitrogen and 3 vols. H, the tube 2 50
 * 5160. Apparatus, with support table and cylinder 5 50
 * 5161. Apparatus, Hofmann's, to demonstrate that H Cl. is composed of 1 vol Cl. and 1 vol. H. The tube alone. 2 50
 5162. The same with supports and tubes. 7 50
 5163. The same with cylinder and battery complete 12 00
 5164. The same, Cylinder with enlargement to receive the tube. 1 00

* 5165. Apparatus, Hofmann's, for proving that H and Cl. unite to H Cl. without condensation. The tube alone.....	\$2 75
5166. The tube with support.....	4 75
5167. Small bulbs for CS. Doz.....	50
* 5168. Apparatus, Hofmann's, to show pure and combined gases under the influence of temperature and pressure. Glass parts on support.....	29 50
5169. The copper steam boiler of (10 Liter 2½ gallons capac.) complete with burner. 49 50	
* 5170. Apparatus, Hofmann's, for demonstrating invariability of composition of H Cl. Tube with support.....	4 50
5171. Tube alone.....	2 50




* 5172. Apparatus, showing that oxygen has the same volume as carbonic acid and sulphurous acid formed from it. The tube alone.....	6 00
5173. The Tube with support.....	9 00
* 5174. Apparatus, to experiment with liquid sulphurous acid, with cylinder.....	5 50
* 5175. Apparatus, demonstrating the phenomena of combustion, the Tube alone with platina burner.....	5 00
5176. The Tube with support.....	7 25

- * 5177. Apparatus for the decomposition of hydrochloric acid (leaving H. and Cl. mixed) as detonating mixture. See Roscoe & Schorlemmer's Treatise on Chemistry..... \$6 00
- * 5178. Receiving tubes for same. Each..... 25
- * 5179. Apparatus, according to Bunsen, for electrolytical generation of Hydrochloric Acid, with carbon electrodes..... 4 50
- * 5180. Apparatus to heat liquids of a high boiling point; consisting of a tube with four bulbs ground into the neck of a round bottomed flask.
Capacity, 2, 4, 8, 16 oz.
.75, 1.00, 1.15, 1.38.
- * 5181. Apparatus for absorbing and for direct analysis of gases dissolved in water; according to Thorne. Price each 6 00
- * 5182. Apparatus for determining the quantity of nitro-glycerine in dynamite; according to Hempel; the glass parts only. Per set. 7 50



- * 5183. Apparatus for absorption, according to Gore; without frame and baseboard
Price..... 6 00
Frame, additional..... 2 00
- * 5184. Apparatus according to Mohr, for the absorption of ammonia, etc. Price, each 2 00
- * 5185. Apparatus for the Condensation of Ammonia and the demonstration of the principle of Carre's Ice-Machine. Price, each..... 2 50
- * 5186. Apparatus for measuring absorption, according to Richter; consisting of a cylindrical jar, graduated bell-glass, gas-bottle, etc., complete with support..... 7 50
5187. Apparatus, not graduated..... 6 50

- * 5188. Apparatus for Pneumato-Hydrostatic Illustrations; of glass ; with 3 Geissler's stop-cocks..... \$4 50
- * 5189. Apparatus for endiometric analysis, Bunsen's; with graduat. gas reservoir of 120 c. c. for transfer to the gas collecting tubes, with 3 pinch-cocks and delivery tubes..... 3 50
5190. Apparatus, for the estimation of human milk after Soxhlet, complete in velvet-lined case..... 13 50
- * 5191. Apparatus, according to Soxhlet, for the areometric determination of fat in Milk, complete with 2 lactometers, instructions and tables..... 30 00




- * 5192. Apparatus for the estimation of melting points; made of glass ; according to Anschuetz and Schultz ; capacity 150 c. c. \$2 50 250 c. c. \$3 00
- * 5193. Apparatus for distilling water or spirits: a tin-lined copper retort, with zinc cooler, heavy tin worm, a receiving funnel for cold water, and an outlet for the hot water. All stills being tubulated, of superior make and arranged to be set into a water bath.


Contents,	$\frac{1}{2}$,	1,	2,	3,	5 gal.
	8.00,	10.00,	12.50,	15.00,	18.00.

See also Retorts.

- * 5194. Apparatus, for carbon. acid estimation, according to Classen (fresen. Zeitschr. 1876, p. 288) Complete with support.....\$4 00
The glass parts alone..... 2 00
- * 5195. Apparatus, for vapor density determination after Hofmann, improved by Schiff. Price.....\$22 50
- * 5200. Apparatus, for chemical laboratories of large colleges and universities, very complete, with Prof. Mohr's and other latest improvements. A steam pressure Apparatus with water baths, sand baths, hot air baths, drying closets for filters, etc., etc., will be imported or built to order at the lowest price. This style is adopted by most of the European universities. As per sketch, all metal parts..... \$500 00



5194




a

c


5200

d

b



5195



5205

Parts separately:


- 5201. The pressure apparatus, a.....\$200 00
- 5202. The sand bath apparatus, b..... 30 00
- 5203. The water bath of tinned copper, c..... 50 00
- 5204. The double wall drying apparatus with 23 chambers made of copper well tinned, each chamber with separate draught, d..... 220 00
- * 5205. Apparatus, for laboratory work..... 200 00
- 5206. Apparatus, smaller than the preceding150 00

- * 5207. Apparatus for generating oxygen, a copper retort with delivery tube fitted by ground joint and gallow screw.


Capacity of retort,	$\frac{1}{2}$ pint.	pint.	quart.	$\frac{1}{2}$ gallon.
Price of retort,	\$2 25	2 50	2 75	3 75

For others, see Retorts.

- * 5208. With ring stand and Bunsen's burner.....1 pint, \$3 75 2 pints, \$4 00
 5209. With ring stand and Berzelius's lamp.....1 pint, 6 50 2 pints, 6 75
 * 5210. Apparatus, for generating oxygen, retort of sheet iron with folding support, the best form known, see fig. 5214..... 5 00
 5211. Without support, $\frac{1}{2}$ gallon..... 4 00



5207-5208







5212

- * 5212. Apparatus, for generating oxygen, complete, as shown in cut with conical oxygen retort of copper, tripot stand, lamp, wash bottle, 25 gallon bag, etc.....\$20 00
 5213. Apparatus, for generating oxygen, with conical retort of iron..... 19 00

*5214. The same with cylindrical retort and round rubber bag for oxygen treatment. \$25 00

* 5215. **Apparatus for generating sulphuret of hydrogen, according to Kipp**; the most improved form for a constant supply of H_2S . Generator, provided with Geissler's stop-cocks, safety tubes, etc., complete.

Contents, $\frac{1}{2}$ pint.	$\frac{1}{2}$ pint.	1 pint.	1 quart.	$\frac{1}{2}$ gallon.
\$3 00	3 50	4 00	5 00	7 00




* 5216. Apparatus, **Babo's** for generating **Sulphuret of Hydrogen**; very handy where a frequent supply of small quantities of H_2S is needed; complete; mounted on improved stand, with Rubber stoppers, Pinch-cocks and Delivery tube ... \$3 25

5217. The semi-circular tube alone. 1 00

* 5218. Apparatus, for generating **oxygen and sulphuret of hydrogen**; **Fresenius**.

Pint, \$1 50	Quart, \$2 00.	Half gallon, \$2 50
--------------	----------------	---------------------

- * 5219. Apparatus, for **generating carbon, acid, hydrogen and sulphuretted hydrogen gas** (as used in the Bonn laboratory); consisting of a cylindrical glass jar on foot 24 inches high x 4 inches diameter, a cylindrical reservoir suspended inside, which is contracted at the lower end to support the substance necessary for generation and a delivery tube with stop-cock on top; the whole of glass. Similar to fig. 5102. \$12 00
5220. Apparatus, smaller, the outside jar, 13 inches high x 3 inches diameter \$4 00
5221. Apparatus, for **generating hydrogen or H_2 S.** in larger quantities, glass parts with rubber connections, \$5 00



5224

5222. Apparatus, complete on stand with washing and drying arrangements. \$20 00
5223. Apparatus, for **generating hydrogen**, of copper, with bell, basket and stop-cock, 1 gallon size. \$9 00

APPARATUS FOR GAS ANALYSIS.

- * 5224. Apparatus, for the analysis of gases, especially furnace gases, **according to Orsat**, the large, improved apparatus, consisting of 5 pipettes, 1 measuring burette, with platina spiral, rubber bags, etc., complete. \$70 00

See Winkler's Gas Analysis, page 198.


5225. Apparatus, with **palladium tube** instead of platina spiral. 60 00

- * 5226. Apparatus, for gas analysis in general, especially for furnace gases; according to Orsat-Muencke; complete in case 3 pipettes and 1 measuring burette, 25 50


The glass parts alone 13 00

5227. Ditto, Fisher's modification, very compact and handy for travelling, similar but half the size of above, complete in case 20 50

Glass parts alone 14 50



5226



5228

- * 5228. Apparatus, for gas analysis, designed by Dr. Arthur H. Elliot, expressly for the analysis of illuminating and furnace gases, very valuable for gas works and iron companies. Lately improved form, with bulbs and shortened tubes.

5229. Apparatus, as per diagram (bottles and tubing \$2.00 extra) \$13 00

5230. Apparatus, with water-jacket and rubber stoppers 15 00


5231. Apparatus, portable, in case, complete 24 00

5232. Explosion burette for above, \$8.00 extra.

5232a. Apparatus, Elliot, Mackintosh's modification, glass parts 24 00

* 5233. Apparatus, for the analysis of gases according to Professor W. Hempel, the most perfect and most complete apparatus designed for exact and rapid determination as described in his "Neue Methoden für Analyse der Gase," its great advantages are:

1. Only one sample volume of gas necessary to determine all gases it contains.
2. All possible re-agents can be used with it.
3. No waste of chemicals.
4. No losses by absorption, etc.
5. Almost absolute accuracy and one-tenth the time formerly necessary.
6. Does not need refilling and cleaning after each test it stays as it is, always ready for further tests.



The apparatus includes: 4 gas burettes, 3 single gas pipettes, 2 compound pipettes, 1 explosion pipette, palladium tube and 12 connections, which we furnish all mounted with support table for pipettes, for.\$43 00


Re-agents, electric battery and Rhumkorff's coil, as used with Hempel's apparatus are charged extra at reasonable rates.

Additional parts lately designed by the author.


See following page.

5234. Hydrogen pipette on support	\$ 3 00
* 5235. Absorption pipette mounted and filled with pearls	3 50
* 5236. Compound pipette, mounted, for solid substances.....	4 25
* 5237. New form explosion pipette, mounted.....	6 50
5238. The complete apparatus arranged for absolute determinations over Mercury.....	\$100 00
5239. Ditto, the complete apparatus with barometer.....	150 00


Price of single parts see gas burettes and gas pipettes.



5235



5236




5237

APPARATUS

for determination of Gases, according to Bunsen; see "Gasometrische Methoden."


○* 5240. Absorptiometer for estimating the coefficient of absorption See fig. 5000.....	\$80 00
* 5241. Absorption Tube, straight, graduated in m.m. See fig. 5002.....	1 00
* 5242. Absorption Tube, with bulb, graduated in m.m. See fig. 5001.....	1 30
5243. Caliber Measure, with handle and ground plate	1 20
5244. Diffusion Apparatus.....	6 00

- * 5245. Eudiometers, graduated in millimeters.
 300 500 700 800 m.m. long.
 Price, \$2 50 3 00 3 50 4 00 each.
5246. Funnel, with stop-cock to fill above tubes.
 Capacity, 50 100 200 C.C.
 Price, \$1 50 1 75 2 10
- 5247. Cathetometer, with telescope ; base u. levelling screws.....\$35 00 to 45 00
5248. Glass-dividing Arrangement, complete 27 50
- * 5249. Apparatus, for preparing pure hydrogen. 4 25
 See fig. 5110.
- * 5250. Apparatus, for preparing pure oxyhydrogen. 4 25
 See fig. 5111.
- * 5251. Apparatus, for determining the specific gravity of gases by the rapidity of discharge ; with iron mercury cistern..... 22 50
- * 5252. Apparatus, to measure the volume of gases with mercury trough of glass and wood..... 7 50
5253. Leyden Jar, with platinum coating 3 50
5254. Porcelain Tube, for electric sparks 5 50
- * 5255. Mercury Trough, with glass sides, according to size..... 6 00 to 7 50
5256. Syphon Barometer, with graduation.. 12 00




- * 5257. Syphon Barometer, with support 15 00
5258. Steam Apparatus, complete with stands, etc 18 00
 See also gasometer, photometer, induction coils, dipping batteries and pinchcocks.
5259. Thermometer, 50 C.C., 1-5 to insert in open limb of barometer.\$7 50
5260. Blowpipe, with small lamp attached for closing and sealing glass tubes..... 1 50
5261. Iron Support, extra heavy, with adjustable holder for the eudiometer tubes.
 Price 5 00
5262. Tong for holding tubes, etc., in drawing out. 75
5263. Apparatus, for estimating the density of illuminating gas by the velocity of discharge (Bolley's handbook on technical gas industry), according to Schilling.
 Price \$20 00
5264. Apparatus, Winkler's, for gas analysis, the glass parts..... 8 00
- * 5265 Apparatus, Winkler's, for gas analysis, complete with support..... 10 80


- * 5278. Apparatus, **Urinary, Roberts'** for testing urine. This desirable apparatus consists of the following parts: 1 set Neubauer's Urinometers, in two spindles, one ranging from 1,000 to 1,020 and from 1,020 to 1,040 complete, with necessary Test Glasses; 4 Urine Glasses conical, with lip and foot, 6 Test Tubes, of annealed glass, 6 inches long; 1 Alcohol Lamp complete; 5 Bottles, with engraved labels, of 5 ounce capacity containing the following pure re-agents; Acetic Acid, Nitric Acid, Liquor Potassæ, Liquor Ammonii, Fehling's Solution. 1 Burette with spring clamp, graduated from 0 to 250 grains or 25 CC; 1 Bunsen's Burette Holder; 3 Pipettes, 5 to 6 inches long; 3 Stirring Rods; Graduate: 1 Flask with flat bottom; 1 Ring, to support Flask; 1 box Litmus Paper. The whole is tastefully and conveniently arranged on a circular stand of two tiers, made of polished wood, exactly to suit the wants of the physician in office.....\$16 00



5279



5278




5280

- * 5279. **Approximate Tube** for urinary tests, Murray's..... \$1 25
 5279a. Apparatus for estimating urea, Marshall's, \$3 00. Fowler's, \$2 50.
 * 5280. Apparatus, for estimating urea; ureometer; according to Dr. Dore-mus..... 1 25

Small Support 25 cts., Large Support, \$1.00 extra.

- 5280a Ditto, ditto, on glass foot..... 1 50

- * 5281. Apparatus for the estimation of sugar in urine, "**Dr. Einhorn's Fermentation Saccharometer**," set of 2 in case, with graduated tube. 1 50
Single tubes 75 cts. each.
5282. Nos. 5280 and 5281 with Esbach's Albumenometer and Squibb's Urinometer with Thermometer, form a very valuable test set for physicians.
Complete 6 50
- * 5283. Apparatus, for estimating urea ; ureometer ; according to Dr. Hüfner..... 3 00
- * 5284. ditto, improved form on stand with graduated tube, etc..... 5 00
Other Urinary Apparatus see supplementary list.
- * 5285. Apparatus, for the **determination of carbon** according to Prof. Liebig, combustion furnace with combustion Tube, chloride calcium tube and potash bulbs, complete. \$4 10
See also carbon determination.



5281



5283




5284



5285




5286



5287

- * 5286. Apparatus, for the **determination of Nitrogen** in organic analysis, according to Will & Varrentrapp, consisting of a combustion furnace with combustion tube and nitrogen bulbs, complete \$3 75
- * 5287. Apparatus, for the **determination of Nitrogen** in organic analysis, according to **Dumas**, a combustion furnace, combustion and delivery tube, porcelain pneumatic trough, graduated eudiometer tube, and wooden support for same, complete \$7 50


- * 5288. Apparatus, for vapor density determinations, Victor Meyers, inner tube..... \$1 00
 Outer bath 1 00
 Small glass-stoppered vials, dozen..... 1 20
- * 5289. Apparatus for Nitrogen Determination, Azotometer or Nitrometer, according to Shiff..... 3 50
- * 5290. Ditto, ditto, according to Lunge, 100 c.c. with support, new form..... 8 50
 See also No. 5268 and 5375.
- * 5291. Ditto, ditto, according to Knopp, modified by Wagner..... 20 00
5292. Ditto, ditto, according to Professor Johnson, complete with jacket..... 12 00
 Support for same, \$4 50 extra.
 Ditto, ditto according to Kjeldahl, see Appendix, page 291.



- 5293. Apparatus, to heat substances under pressure, made of hydraulic metal, lead lined, to stand 2,000 lb. pressure, capacity 1 pint..... \$30 00
- 5294. Ditto, with bath..... \$12 00 extra.
- * 5295. Apparatus, for the analysis of Soils, according to Schultz..... \$2 50
- * 5300. Apparatus, for the analysis of Soils, according to Noebell..... \$4 00
5301. Apparatus, with support..... \$6 00
5302. Apparatus, with aspirator and jar..... \$11 50
- * 5303. Apparatus, for mechanical analysis, according to Thoulet..... \$7 50

APPARATUS FOR THE ANALYSIS OF MILK.

- * 5304. Apparatus, for testing milk, **Marchand's**, specially arranged for milk inspectors. The cream tubes, pipettes, etc., are packed inside a brass jar, with alcohol cup for raising cold milk to the temperature desired and to make the apparatus portable.....\$10 00
- * 5305. Cream Tubes, separately.....each, 60 cts., on foot, \$1 00
- * 5306. Cream Tubes, giving direct percentage of cream.....50 cents.
- 5307. Cream Tubes, giving direct percentage of cream, large with glass foot.....\$1 00
- 5308. Cream Tubes, according to **Gerber**.....each 60 cents.
- 5309. Lactodensimeters, N. Y. Board of Health.....each 50 cents.
- 5310. Lactodensimeters, N. Y. Board of Health, with thermometer.....\$2 50
- 5311. Lactodensimeters, **Quevennes**, with thermometer\$2 00 each.




5304




5315



5306



5305



5312



5313


- * 5312. Creamometer, **Chevalliers**, with red lines.....\$1 00
- * 5313. Lactoscope, **Professor Feser's**, in polished wooden case with metal foot, latest form.....\$3 40
- 5314. Lactobutyrometer, **Caldwell's**, graduated tube with rubber stopper, 2 pipettes and one cylinder, complete.....\$2 50
- * 5315. (Pioscope) milk tester, **Professor Heeren's**, for approximate tests...50 cents.
- * 5316. Lactobutyrometer, after **Professor Soxhlet**, with guaranty of correctness by the Professor, with 2 normal hydrometers, support, rubber bulbs, cooler, 12 numbered bottles, wash-bottles, pinchcocks, etc., complete See fig. 5191.
The two hydrometers alone\$12 00

- * 5317. Complete milk-testing apparatus, for inspectors, etc., consisting of Feser's lacto-scope, lactodensimeter, thermometer, cylinder, complete with instructions in leather case.....\$12 50


See also, Hofmeister dishes, Soxhlet's extraction apparatus.

- * 5318. **Apparatus for generating Gasoline Gas**, (see also furnaces for gasoline gas) will furnish gas for blast purposes, glass-blowing, and if connected with a gas-holder like No. 6484, will answer to perfection; if burned in a modified Bunsen burner, like coal gas.

- a. Small generator.....\$6 00
 ○ Small generator, complete with blower, tubing, etc.....\$13 00
 ○ b. Large generator... \$15 00, complete with blower, \$22 00



5317



5319

- * 5319. **Electro-Plating Apparatus**, for silver-plating, etc., including the following :

2 No. 1, Smee Batteries	\$6 00	1 Sand Brush	\$ 45
1 Extra Glass Cup.....	50	1 Fine Brush	45
2 Rods, 18 inches long, with connections	1 00	3 Burnishers, assorted.....	3 00
2 ten feet Conducting wires.	20	1 Pound Hanging Wire.....	60
1 Book of Instructions	1 00	1 Box of Pumice Stone.....	25
1 Glass Funnel	65	1 " Whiting.....	25
1/2 Pound Quicksilver.....	40	1 " Rouge.....	50
1 Glass Rod	25	1 " Crocus.....	25
1 Graduate Glass.....	60	1 Quart Silver Solution.....	2 50
1 Scratch Brush.....	1 00	1 Silver Anode.....	1 00

Complete Outfit.....\$20 00.

Apparatus compounded, according to Fresenius, Bunsen, Hempel, Winkler, etc., set up according to their instructions correctly, ready for use with tubes filled, etc., at very reasonable rates.

Apparatus, for qualitative analysis, volumetric analysis, blow-piping, for assaying, etc. (*See Appendix.*)


Apparatus, of any description to order.

APPARATUS FOR THE INVESTIGATION OF MICROORGANISMS.


According to Doctor Robert Koch.

- * 5320. **Steam Sterilization Apparatus**, as designed by Dr. R. Koch. Large size, felt covered, with stop-cock and gauge, price \$18 00, with thermometer, \$20 00.

Directions for using: Fill the apparatus with water to point indicated on gauge, place the helmet on, having previously inserted in it a thermometer; apply heat, and when the thermometer has reached 100° C., (which will be indicated by escaping steam) then the material should be put in, but no sooner. The hooks on the side serve as supports for the material, or the latter is placed in the inner vessel.




5320



5321

- * 5321. **Steam Sterilization Apparatus**, for Blood Serum, as designed by Dr. R. Koch, with gauge, stop-cock and felt covering. Price.....\$20 00

Directions for using: Fill both cover and apparatus with water, being careful to keep the inner space perfectly dry. By means of two burners raise the temperature to 60° C., the blood serum contained in the sterilization glasses which have been sterilized in apparatus 5323 is placed in the hollow space of the apparatus, the helmet placed on, and the inner temperature raised as quickly as possible to 58° C. (consequently it is not advisable to place too many tubes in at one time.) The blood serum must remain perfectly liquid, therefore the temperature must not be raised above 60° C.



5322

- * 5322. **Apparatus for Solidifying Blood Serum**, as designed by Dr. R. Koch, to take from 50 or 100 tubes, the whole apparatus covered with felt, having glass cover and movable legs.
Price.....

large, \$20.00


Directions for using: The blood serum having been sterilized in apparatus No. 5321 is put in this apparatus (laying the tubes in a slanting position) and heated to 65° to 75° C. The serum as a result of this treatment must become a transparent solid, therefore the heating has to be continued, and the tubes frequently examined, until this result has been attained. The small quantity of water which forms is allowed to remain as it serves as a Nutritive (Nährboden.)

N. B.—Prices given are for the large size made of tin, or the small size made of copper. The small size of tin is 20 per cent less. The large size of copper 50 per cent additional.


- * 5323. **Double-Wall Sterilization Apparatus**, for sterilizing at higher temperatures, according to Dr. Koch. Large size with 3 shelves, iron rod and fork to support burner, hooks to fasten against the wall, and 4 legs to set on table, complete. Large \$25.00. Small, \$15.00

This apparatus is used to sterilize the vessels, intended to receive the matter to be worked with, viz.: The receivers for the blood serum, Erlenmeyer's flasks, glass plates for the nutritive gelatine, supports, etc. The sterilization tubes closed by a stopper of pure cotton are placed in the galvanized frame (see No. 5324), the frame is put into the apparatus and heated for one hour to 140° C. (the cotton will carbonize slightly). The glass plates for the water investigations are placed into the covered iron box (see No. 5325), and heated as above.


The Erlenmeyer's flasks closed with cotton stoppers are heated directly in the apparatus to 140 C.




5323




5326



5324



5327




5325


- * 5324. **Basket of Tinned metal** for receiving the sterilization tubes.....each \$1 00
(As described in 5323).
- * 5325. **Metal Box** to receive the glass plates to be sterilized (see 5323).....each 2 00
10 glass plates to fit 50
- * 5326. **Vegetation Apparatus** of lead lined metal with glass and felt covering on legs, large size, complete, with water-gauge and stop-cock..... 30 00
- * 5327. **Thermostat** (Temperature regulator) according to Prof. Reichert.... 2 20 *250*

N. B. — Prices given are for the large size made of tin, or the small size made of copper. The small size of tin is 20 per cent less. The large size of copper 50 per cent additional.

* 5328. Thermostat, according to Bunsen Kemp, in metal frame.....	\$3 50
5329. Ditto, all glass.....	2 25
5330. Ditto, simplest form.....	1 85
* 5330a. Meat Press. $\frac{1}{2}$ gall. $\frac{1}{2}$ gall. 1 gall.	
	\$3.00. 4.00. 7.00.
—* 5331. Hot Water Funnel, on legs, with funnel made of heavy copper.....	5 00
* 5332. Support for nivellation with mirror plate large size.	
* 5332. Wooden Support \$5.50. Metal Support. see fig. 5332.....	8 00
* 5334. Belljar and Reservoir, with knob. see fig. 5332.....	1 25
Circular Level.....	2 25



5332



5331




5336



5328




5335




5330a



5339




5337a



5337b

* 5335. Bacterioscopic tubes.	100 CC.	200 CC.	500 CC.	
	.50.	.65.	\$1.00.	
* 5336. Bacterioscopic flasks.	100 CC.	200 CC.	300 CC.	500 CC.
	.25.	.30.	.40.	.50.
* 5337. Ditto, like a or b with side neck.	100 CC.	200 CC.	300 CC.	500 CC.
	.50.	.65.	.75.	\$1 00.
5338. Cultivation tubes according to Pasteur with ground cap and ground tube. Each.....				\$1 25
* 5339. Cultivation flasks with ground helmet.	50 CC.	100 CC.		
	.40.	.50.		
* 5340. Wetchamber, (a set of two flat dishes one with knob being a cover, see fig. 5332).....	3 inches	25c.	10 in.	1 25

5341. Wetchamber, without knob, set of two. 3 in 25c. 4 in. 40c. 6 in 55c. 10 in, \$1 15
5342. Plates for counting Bacterias 1 25
5343. Slides for gelatine, plain.....doz. 1 25
Ditto, ground edgedoz. 2 50
Smaller sizes for the microscope see under Microscopic slides.
5344. Glass block with cavity and ground plate.....doz. 3 00
5345. Glass Benches bent of one piece or glass plates cemented on, to support the slides with nutritive gelatine.....per doz. 2 50
5346. Glass Dishes with straight sides of best white glass, flat bottom for Wet-chambers.
Diameter, 2½, 3, 4, 5, 6½, 7½, 8½, 9½, 10½, 16 in.
.12, .20, .30, .40, .50, .65, .75, 1.00, 1.85, 5.00.
Round bottom glass dishes same price.
5347. Glass Stirrers, assorted sizes. \$0 60
With Platinum wire fused in.....each 25 to 30
5348. Glass Jars for solidifying the preparations, see Anatomical Jars.
- Erlenmeyer's Flasks, see Flasks Erlenmeyer's




5349


- * 5349. Air Tester, according to Dr. Hess, complete.....\$18 00

Directions for using: The completely rigged tube is placed for 1 hour in the steam sterilization apparatus 5320 (should the latter prove too short, a piece of pipe has to be attached) and thoroughly sterilized; after this operation the rubber stopper with the tube is removed and so much nutritive gelatine placed in the large tube that the bottom is well covered if in a horizontal position. Replace the stopper with the tube, put it back into the sterilization apparatus in vertical position for 25 minutes, then take the tube out, place it perfectly horizontal and allow the gelatine to solidify. To test the air, the small side tube which has been filled with pure cotton is brought into connection with the aspirator, the rubber cap taken off, so that the membrane with the small opening is exposed; then aspirate slowly a certain volume of air through the large tube, replace the rubber cap, disconnect the aspirator and allow the germs to develop.


- * 5350. **Areometer, Nichols, of glass** \$2 00
 5351. Ditto, ditto, in case 5 00
 5353. Ditto, ditto, Nichols, of brass 3 25
 * 5354. Ditto, ditto, ditto, with glass footed jar to float it 3 75
 5355. A Set of Decimal Weights for do. 20,0 to 1 Milli. in block, Price 2 20
 In case 3 00
 5356. **Arsenic Plates, of glazed porcelain, round, with rim and handle.**
 Diameter. 1, 1½, 2 inches.
 15 cts. 20 cts. 25 cts.
 * 5357. **Arsenic Tubes all forms, of German glass.**
 Per dozen, a, b, c, d 50 to 75 cts.
 5358. **Asbestos, etc. Board 1-32, 1-16, ½, 3-16, ¼ inch, 1 yd. wide.** 30 cts. per pound.
 5359. Ditto, 1-16 in. Thick cut.
 4x4, 6x6 inches.
 60 cts. doz. 1.25 doz. or 50 cts. per pound.




5362




5364




5365



5363




5354



5361



5350



5357

5360. **Asbestos, paper, per sheet...** 5 cts. pound, \$2 40
 * 5361. **Aspirator with syphon and funnel tube, Liebig's form, according to size.** Quart, \$1 50. ½ Gallon, \$2 00. Gallon 2 50
 * 5362. Ditto, ditto, of Zinc japanned 10 Litres capacity \$5 00
 * 5362a. Ditto, ditto, 20 Litres 9 00
 * 5363. **Aspirator, double, metal frame, glass receivers, best Laboratory aspirator revolving on axes for continuous suction 10 Liter capacity** 70 00
 * 5364. **Aspirator, after Magnus, double; for continual suction; without changing connections, reservoirs of zinc of 10 Liter capacity each.** Price. 25 00
 * 5365. **Aspirator of Zinc double with two tripots to be reversed for continuous suction.**
 Capacity, 10 Liter, 20 Liter.
 \$9 00 12 50.

- * 5366. **Aspirator Bottles**, tubulated on foot, of very heavy German glass, with large tubulature for stopper.

Contents,	4 oz.	$\frac{1}{2}$ pint.	1 pint.	1 quart.	$\frac{1}{2}$ gal.	1 gal.	2 gal.	3 gal.	8 gal.
	.36,	.40,	.45,	.60,	.80,	\$1.20,	2.50,	3.50,	10.00.

5367. Ditto, ditto, with narrow outlet to connect with Rubber Tubing direct.
 pint. quart. $\frac{1}{2}$ gal.
 .45, .60, .80,

- * 5368. Ditto, ditto, with stopper and glass stop-cock ground into the outlet.

Contents,	$\frac{1}{2}$ pint.	1 pint.	1 quart.	$\frac{1}{2}$ gal.	1 gal.	2 gal.	3 gal.	8 gal.
	\$2.00,	2.15,	2.25,	2.50,	3.50,	4.50,	5.00,	12.00.

- * 5369. Ditto, ditto, with two necks.

Contents,	1 pint.	1 quart.	$\frac{1}{2}$ gal.	1 gal.	2 gal.
	\$1.00,	1.25,	1.75,	2.25,	3.00.

Ditto, ditto, with 3 necks 10 per cent. higher.


5370. **Aspirator Bottles with two tubulatures** near the bottom, one opposite the other.

Capacity,	1 quart.	$\frac{1}{2}$ gal.	1 gal.	2 gal.
Each.	\$1.00,	1.50,	2.00,	3.25.

Assay Flasks, see Flasks.

- * 5371. **Attachment of Iron**, with 2 Brass screws, indispensable to attach a rod vertically or horizontally to any Iron Support.

Small.	Large.
.25,	.30 cts.



- * 5372. Ditto, Universal double joint. \$0 50

5373. **Azotometer, Johnson's**, complete with jacket. 12 00

- Ditto, ditto, mounted on heavy iron support. 15 00

- * 5374. **Azotometer, G. Lunge's**, see "Winkler's Gas Analysis" the glass parts.

50 CC. in 1-5.	100 CC. in 1-5.
\$5 00.	6 00.

- Ditto, with support. 7 50. 8 50

See figure 5268.

- * 5375. **Azotometer or Nitrometer; Lunge's**, for testing the commercial value of Saltpeter. 100 CC. in 1-5 with patent stopcock. \$6 50

- Ditto, with support. 9 50


See figure 5290.

- * 5376. **Azotometer or Nitrometer**, according to **Knopp**; modified by **Wagner**; complete on support. \$20 00

See figure 5291.

- * 5377. **Azotometer**, according to **Schiff**, on wooden base, with reservoir bulb. 3 50
 See Figure 5289.


- * 5378. Azotometer, according to Schulze, (determination of nitric acid) by means of aluminium, complete..... \$9 00




5379

- * 5379. Ditto, for Nitric acid in presence of organic substances, after Schlösing complete as per sketch.... \$15 00

5380. Azotometer or Nitrometer, according to Allen; divided in 50 CC. in 1-5 CC..... \$4 00



5378



5381


- * 5381. Azotometer or Nitrometer, according to Zulkowski.

a, without stop-cocks but with graduation	\$1 75
b, without stop-cocks and without graduation	1 00
c, with stop-cocks and with graduation	4 00
d, with stop-cocks and without graduation	3 00
Support for set of 2	3 50



BALANCES OF PRECISION.

For Assaying, Analytic, and all other scientific work, manufactured and adjusted by Becker & Sons, Henry Troemner and the best German scale builders, sold at manufacturer's lowest cash figures. These Balances are too well known to say more about their quality here. We mention only, that we take any guaranty for their utmost adjustment and accuracy.

- 5382. **Assay Balance**, on polished mahogany box, beam, column and pans folding in drawer, for a charge up to 40 grains in each pan ; sensible to 1-200 grain ; complete with set of fractional grain weights.....\$30 00



5383




5384

- * 5383. **Becker's No. 1, or Troemner's No. 1. Assay Balance**, in French polished glass case, sliding frame counterpoised ; can be charged up to twenty-five grammes in each pan ; deviation of needle on scale, 5 divisions for 1 milligramme ; steel knives with agate bearings..... \$55 00


With rider arrangement, \$10 00 extra.

- * 5384. **Assay Balance**, Becker's No. 2, or Troemner's 132, in glass case, polished mahogany, expressly constructed for travel, case, beam, column, and pans folding in mahogany box, sensible to 1-20 milligramme, complete..... 65 00
- 5384a. Ditto, ditto, with weights from 20 grammes down to 1-10 milligramme, and rider arrangement... 75 00

- * 5385. **Assay Balance, Troemner's, No. 2, with rider apparatus, beam made of aluminium, divided into 1-10 milligrammes.**
All bearings agate, needle deviates 20 full divisions for 1 milligramme... \$80 00
- * 5386. **Assay Balance, Troemner's, No. 3.** In use at the U. S. Assay Office, New York, St. Louis, and at the U. S. Mints at New Orleans, Philadelphia and Washington, etc., etc., etc.
- This Balance is of great sensibility, the needle indicating 40 full divisions for one milligramme and graduated into 1-10 milligrammes. All bearings are of "agate." Open beam of pure aluminium, has improved arrest for rider. Mahogany case, with glass top, bottom of case is black Belgian marble (will not break). Balance is sensible to 1-100 milligramme..... 95 00
- * 5387. **Becker's No. 5, same accuracy**..... 95 00




5385



5386-5387


- * 5388. **Assay Balance, Troemner's, new, extra fine, Oertling's style, No. 5** is of the very finest and most delicate construction. The beam and its hangings are of pure aluminium, all bearings of 'agate' with 'agate' knives. Has a double column with improv'd eccentric lift, working perfectly smooth and regular, releasing the pans first then the beam, by the one operation. Both arms of the beam are graduated into 100 equal parts; glass case of the finest finish, large and roomy, with glass top to admit light freely, bottom of case is heavy plate glass. The Balance has the highest attainable sensibility, the needle indicating 50 divisions for one milligramme.....




5388

- 5388a. **E. & A.'s Alumin Beam**..... 175 00
..... 125 00

- 5389. **Assay Balance, Becker's new, short arm, mounted like 5393,** with glass top and bottom, bearings and edges agate, beam graduated on both arms in 1-50 milligr. Needle deviates 50 divisions for 1 milligr. \$135 00
- 5390. **Assay Balance, Oertling's make, same style as 5388 imported to order,** his finest double column assay balance \$250 00
- * 5391. **Becker's No. 6 or Troemner's No. 3, Analytical Balance for** a charge up to 100 grammes in each pan, in French polished glass case, front sliding frame counterpoised, all bearings steel, sensible to $\frac{1}{4}$ milligramme with its full charge, with arrest for pans, \$45 00 resp. \$40 00.
Ditto, ditto, with rider arrangement 50 00
This Balance is the most economical for private and smaller Laboratories.




5391



5392


- * 5392. **Analytical Balance Becker's No. 7 or Troemner's No. 2, for a charge** up to 100 grammes in each pan in fine French polished glass case, front sliding frame counterpoised; all bearings agate planes with new improved arrangements for arrest of pans and beam; sensible to 1-20 milligramme with its full charge. Provided with apparatus for specific gravity, rider and weighing tubes, beam divided in 1-10 parts of milligrammes, pans $2\frac{1}{2}$ inches in diameter \$85 00
- Ditto, ditto, with agate knife edges 95 00

- * 5393. **Analytical Balance, Becker's, new pattern, Short beam, for rapid weighing, capacity 200 grammes sensitive to 1-10 milligramme, built very substantially, with glass plate in bottom of case, agate knife edges, beam graduated on both arms, width of pan support, 4 in.....** \$125 00




5393

- 5394. Ditto, with adjustable shelf for supporting beaker for specific gravity..... \$138 00
- 5395. Ditto, ditto, best German make..... \$100 00
- 5400. Ditto, ditto, most elegantly mounted, with heavy plate glass doors, opening all around, gilded trimmings, agate knife edges..... 150 00
- * 5401. **Short Arm Balance, Troemner's, No. 8. (New.) Balance with Beam 8 in. long—divided into 1-10 milligrammes—capacity 200 grammes in each pan—sensitivity 1-20 milligramme. Pans 3 in. diameter, improved pan holder and pan arrest—elegant polished mahogany case with counter-poised sliding door. All bearings are 'Agate' planes, etc. etc. Price** \$95 00



5401

- 5402. Balance, Analytical, Troemner's No. 9, balance same as the above—capacity 100 grammes in each pan—sensibility 1-20 milligramme—has 6 in. Beam, 2½ in. pans. All bearings "agate" planes, etc., etc. Price.....\$80 00
Agate knife edges \$10 extra.
Aluminium Beam \$10 extra.
- * 5403. **Aluminium Balance**, Troemner's No. 6, (New.) Balance of the very finest construction—capacity 200 grammes in each pan and sensible to the 1-20 milligramme—new and improved rider arrangement—both arms of the beam are divided—all bearings are of "agate" all knife edges also of agate, no steel used whatever.—The Beam, Bows, Pans, etc., made of pure aluminium all the other parts are plated with gold making the entire Balance proof against rust or corrosion—the advantage of aluminium is great lightness with rigidity, ensuring highest attainable sensibility with a heavy load etc., etc., pan supports are made to prevent elongation when loaded—mahogany case etc., with glass top to admit light freely. Beam 12 in. Pans 3 in. Price (long or short arm)150 00
- 5404. **Becker's No. 8 or Troemner's No. 1, Analytical Balance**, for 200 grammes in each pan; sensible to 1-20 milligramme with its full charge. Provided with arrest for pans, apparatus for specific gravity, rider and weighing tubes, beam divided in 1-10 parts of milligrammes, pans 3 inches in diameter\$104 00
- 5405. **Becker's No. 9.**—Ditto, with adjustable shelf for supporting beaker with water when taking specific gravities\$117 00
With agate knife edges, \$10 00 extra.



5403

- 5406. **Becker's No. 10.**—Balance for scientific use, for a charge up to 500 grammes in each pan; sensible to 1-10 part of a milligramme with its full charge; glass case as those before, all bearings agate planes. Provided with arrest for pans and beam, apparatus for taking specific gravity, rider and weighing tubes, beam divided in 1-10 parts of milligrammes, pans 4 inches in diameter. \$132 00
- 5407. **Becker's No. 11.**—Ditto, with adjustable shelf for supporting beaker with water when taking specific gravities\$145 00
- 5408. **Becker's No. 13.**—Balance for scientific use, in glass case for a charge up to 10 kilos in each pan, sensible to 1 milligramme with that charge, pans 9 inches in diameter\$420 00

Balances imported duty free from all the celebrated European makers, viz.: Becker's Sons, Oertling, Bunge, Verbeek & Petzhold, Sartorius, G. Kern & Son, for whom we are the sole agents in the United States. All of above balances if provided with agate knife edges \$10 00 extra.

Note.— See also Supplemental Catalogue, page 275.

BALANCES.


For Pharmaceutical, Bullion, Specific Gravity, Gold, Sugar and other purposes where accuracy is required.

- * 5409. Balance, sensitive to 1-50 grain, (1 milligramme) and 1-20 for the larger sizes, Dutch style, with adjusting screw, on polished mahogany box. The finest and best adapted balance made for general laboratory work, assaying, etc. The accuracy, practical arrangement and reasonable price make this balance highly recommendable.


To Weigh,	3 oz. or ○ 75 grm.	6 oz. or ○ 180 grm.	10 oz. or ○ 300 grm.	20 oz. or ○ 600 grm.	50 oz. or ○ 1500 grm.
— 5410. With set screws,	\$11.00	15.00	18.00	22.00	26.00
—* 5411. In glass case front sliding door,	12.50	17.00	20.00	24.50	28.75
	\$22.00	25.00	28.50	34.00	39.00

The 180, 300 and 600 gramme sizes without the glass case are the assayers pulp scales.

The 300 and 600 gramme sizes in Glass case are the Sugar balances.



5409



5411


- 5412. Becker's No. 29.—Bullion and Specie Scale, carrying 500 ounces in each pan; sensible to 1 grain with that charge, all bearings, planes, with new improved construction for the arrestation of the beam. Provided with arrest for pans, set screws and level... \$165 00
- 5413. Becker's No. 30.—Ditto, ditto, in glass case, sensible to $\frac{1}{4}$ grain... \$250 00
- 5414. Ditto, ditto, for 2000 ounces in each pan, sensible to 2 grains with that charge... \$220.00
- 5415. Becker's No. 32.—Same, in glass case, sensible to 1 grain... \$310 00
- 5416. Becker's No. 33.—Ditto, ditto, for 3,500 ounces in each pan, sensible to 2 grains with that charge... \$600 00
- 5416a. Becker's No. 34.—Same, in mahogany glass case, French polished, with counterpoised front sliding frame, sensible to 1 grain with that charge... \$750 00

○* 5417. Diamond Scale, small folding in case for carrying conveniently in pocket.
Price \$15 00

—* 5418. Balances, according to Prof. Mohr's system, for assaying, laboratory and prescription work, all brass, beams with prismatic steelbearings; sensible to 1-20 of a grain, by a charge up to two pounds, beam perforated with balancing wires..... 16 50




5417




5420

—* 5419. Ditto, ditto, ditto, without balancing wires; sensible to 1-20 grain..... 15 50

—* 5420. Ditto, ditto, ditto, with solid beam; sensible to 1-20 grain..... 14 50



5418



5419

We have movable hard rubber pans for Balances mentioned above; they are used to protect the metal pan from acids, etc., for which we make an additional charge of 75 cents per pair, if ordered with Balance.

Above scales if ordered nickel plated.....20 per cent. extra.

— Polished mahogany cases with two drawers for above..... \$5 00-

* 5421. Scales, hand of brass, best German,

Length of Beam,	4,	4½,	5,	6,	6½,	7½,	inches,
Price,	\$1 20	1 30	1 60	1 75	2 00	2 25	piece.

Length of Beam,	8½,	9½,	10½,	11½,	12	inches.
Price,	\$2 50	2 80	3 50	3 75	4 00	piece.

* 5422. Scales, with saddle, weight very exact, 5 grs. in 1-10 grs. piece, 3 00

— 5423. " " " " " 30 " ½ " " 3 50

— 5424. " " " " " 25 centimeters, in ½ centigramme " 3 00

— 5425. Saddle Scales, of new construction, very accurate beam graduated on both sides to weigh grammes and grains with one sliding weight.

Length of beam,	7	8	9	10	11	inches.
-----------------	---	---	---	----	----	---------

To Weigh. {	1-10 to 5 grs.	½-30 grs.	½-60 grs.	1-120 grs.	1-240 grs.
	and	and	and	and	and
	½ milli. to 25 centi.	5-15° centi.	5-500 centi.	1 deci. 10, o.	1 deci.-15, o.
	\$3 40,	4 25,	5 00,	6 00,	7 00.

* 5426. Balances, with sliding weight on graduated side beam. Beam divided for grain and metric system. Plated pans 4 inches diameter, to weigh up to 8 oz. The scale is sensitive to 1 grain, and is accompanied by a set of weights (grammes or grains), fitted into the base.

Price, complete.....\$8 00


○ 5426a. Ditto, without slide, Laboratory scale, pans 6 inches, ½ gr. to 1 lb..... 9 00




5421




5422



5426



5429



5420

— ○ 5427. Balance, (solution scale) same as above to weigh up to 1 Kilo.....\$12 50

○ 5428. Ditto, ditto, to weigh up to 5 Kilo..... 18 00

* 5429. Ditto, ditto, for coarse weighing, platform scales, French manufacture, weighing up to

up to	1	2	5	10	20	40	pounds.
Diameter of pans,	4½	5	5½	7½	8½	10½	inches.
	\$2 60,	2 90,	3 50,	4 65,	5 50,	8 00.	

5429a. Balance, iron double platform, with tin scoop, tare and set weights included with weights to 4 lb. \$2 00, 8 lb. \$3 00.

* 5430. Balance for druggists; platform scale, in handsome case, with marble top, pans brass or nickel plated.

Carrying capacity,.....10, 15, 20, 30 pounds.

Size of Pans,.....7, 8, 9, 10 in.

— Care wood, marble top,.....12 00, 14 00, 16 00, 19 00.


Nickel plated pans \$1.50 to \$2.00 additional.

- * 5430a. **Balances for prescriptions or physician's office**, with lever on Walnut box with drawer, weighing exact for $\frac{1}{4}$ grain, this is a much better balance than is sold in the trade generally.


Length of beam, 5 $\frac{1}{2}$, 7, 8 inches.

\$3.50, 5.00, 6 00. including set of Weights.


- * 5431. **Balance, Plattner's, for blow-pipe analysis**; portable in polished wooden box, best German make, complete, especially arranged for traveling, sensible to 1.5 milligr. \$20 00
5432. Ditto, ditto, with set of weights, 1 milligr. to 1000 milligr. 23 00
- 5433. **Folding Glass Case** for above according to Plattner. 15 00
5434. **Balances, Plattner's, Lingke's (Freiberg) make**; beam turning on agate; all metal parts gilded, sensitive to 1-20 milligramme; with portable glass case. Price... \$75 00




5430a.




5436



5431



5437



5435

- * 5435. **Balance, Jolly's Spiral**, for rapid determination of specific gravity of minerals, etc. \$17 00
- * 5436. Ditto, ditto, for determination of specific gravity according to Prof. Mohr, for solid and liquid bodies, best German manufacture, in polished box, glass body with thermometer. \$20 00
- * 5437. Ditto, ditto, Westphal's system, the latest, handiest, and most improved form, for quick determination, in polished wood box, for liquids only, glass body with thermometer. \$15 00

This and all our other specific gravity balances are provided with Reimann's Patent Thermometer body which can be replaced when broken.

This balance overcomes all trouble with incorrect hydrometers, and forms an easy means for standardizing hydrometers.

5438.	Ditto, arranged to weigh specific gravity of liquids up to 3,500.	\$25 00
5439.	Balance, ditto, according Reimann, for the determination of specific gravity of liquids directly by the means of weights. In box.	\$15 00
5440.	Reimann's Thermometer body for above balances	3 00
5441.	Set of Riderweights for above	1 00


WEIGHTS.

Gramme and Grain Weights for Scientific work.

No. 1 Quality.

In polished boxes, lined with velvet, every piece fitted separately, brass weights lacquered, the fraction of the grammes are platinum, except below 20 milligrammes, which are made of platinum or aluminium, *adjusted to the utmost accuracy.*

— 5442.	One gramme to 1 milligramme, all of aluminium.....	\$5 00	
— 5443.	One gramme to 1 milligramme, all platina.	7 00	
		Ours have the riders.	
		Becker's make.	Our make.
○ 5444.	One platinum gramme and down to 1-10 milligramme.....	\$10 50	7 50
○ 5445.	10 grammes and down to 1-10 milligramme.....	12 00	9 00
○ 5446.	20 grammes and down to 1 milligramme and riders..	14 00	9 00
○ 5447.	50 grammes and down to 1 milligramme and riders.	16 00	12 00



5448.

○ * 5448.	100 grammes and down to 1 milligramme and riders	18 00	\$14 00
○ 5449.	Becker's No. 6.—Two hundred gramme piece and down to 1 milligramme and riders	24 00	18 00
○ 5450.	Becker's No. 7.—Five hundred gramme and down to 1 gramme, and riders.		28 00
○ 5451.	Becker's No. 8.—Five kilo piece and down to 1 milligramme.		70 00
○ 5452.	Ten grain piece and down to 1-100 grain, with riders.		7 00
○ 5453.	Becker's No. 10.—One thousand grain piece and down to 1-1000 grain, with riders.	\$18 00 our make,	\$12 00
○ 5454.	Our make.—One thousand grain piece and down to 1-10 grain, with riders.		11 00
— ○ 5455.	Weights, Assay ton, from 4 A. T. down to 1-20.		6 00
5456.	Set of blow-pipe weights to Plattner's balance, 1000 milligrammes to 1 milligramme, in sliding box		\$3 00
— 5457.	Standard Troy ounce weights, 10 ounce to 1-10 grain, in case.		
	Price	\$15 00, in block,	\$14 00
— 5458.	Ditto, ditto, ditto, 2 ounce to 1-10 grain, in case.	10 00,	9 00
— 5459.	Ditto, ditto, ditto, 1 " " " "	8 00.	

5460. Weights, single, analytical.

1.0; 0.5; 0.2; 0.1; 0.05; 0.02; 0.01; 0.005; 0.002; 0.001.
 .95 .75 .45 .30 .30 .25 .20 .20 .20 cts.

5461. Ditto, ditto, complete set, comprising two each of 0.2; 0.02; 0.002, and one each of the remainder. \$4 50

5462. Weights, set of milligrammes in 1-10th comprising 0.0005; 0.0002; 0.0002; 0.0001; per set \$1 00

○ **5463. Riders, 2 milligrammes, 10 milligrammes, 12 milligrammes.....each, 25.cents.**

5464. Weights, fractional grains,

	1	2	1
	10 grain.	20 grain.	50 grain.
Per set			

.....\$1 50

5465. Weights, ditto,

1	2	1	1
1-100 grain.	1-200 grain.	1-500 grain.	1-1000 grain.
Per set of 4			


.....\$2 00

5466. Weights, Normal, Sugar, 26,048 or 13,024each, \$1 00

Gramme and Grain Weights for Fine Weighings. No. 2 Quality.



5467-5468



5477-5477a.

* **5467. Weights, gramme, of best German make, well adjusted ;**
 these weights stand between the analytical and the common weight, and fill a long needed want as they are accurate and cheap.

In polished wooden block, the smaller weights under glass cover.

Sets of 20 50 100 200 500 1000 grammes down to 1 milligr.
 \$2 20 2 50 2 85 4 00 6 00 8 00

5468. Weights, ditto, in polished wooden velvet lined cases.

20 50 100 200 500 1000 grammes to 1 milligramme.
 \$3 50 • 3 75 5 00 6 50 8 00 10 00

These weights suit Balance No. 5409.

○ **5469. One ounce troy down to 1-10 grain.....\$4 00**

○ **5470. " " ½ " N. Y. College of Pharmacy standard..... 3 50**

○ **5471. Becker's No. 22.—One thousand grains down to 1-10 grain..... 7 75**

○ **5472. Ten ounce Troy, down to 1-10 grain..... 10 00**

○ **5472a. Two ounce pieces and down to ½ grain..... 5 00**

○ **5473. Becker's No. 30.—One fifty ounce piece and down to ½ grain..... 18 00**

○ **5474. " 100 " " ½ " 25 00**

○ **5475. Becker's No. 33.—Two five hundred ounce pieces..... 52 00**

Weights for coarse weighing, No. 3 quality, in Wooden block for weighing out samples of ores, fluxes, metals, etc., where great accuracy is not essential.

a. Troy Weights.

5476. Troy, German silver, ½ grain up to 2 grains, per set\$0 20

* **5477. Ditto, German silver, 1 grain up to 10 grains, per set 15**

* **5477a. Ditto, ditto, ½ grain up to 2 drams..... 25**

5478. Ditto, ditto, 1-2 grain up to 1 oz. (the small ones of German silver,) per set.....75 cents.

TROY WEIGHTS. — CONTINUED.

—* 5479. Ditto, in nests, $\frac{1}{4}$ oz. up to 8 oz., per nest	\$2 00
— 5480. Ditto, ditto, $\frac{1}{4}$ oz. up to 1 lb., (12 oz.) per nest	2 50
— 5481. Ditto, ditto, $\frac{1}{4}$ oz. up to 2 lb., (24 oz.) per nest	5 00

b. Avoirdupois Weights.

—* 5482. Avoirdupois, 1-16 oz. up to 1 lb. in wooden block, per set	\$2 00
— 5483. Ditto, 1-16 oz. up to 2 lbs. per set	3 00
— 5484a. " 1-16 " 4 " "	5 00
—* 5484. Ditto, brass cased, $\frac{1}{4}$ oz. up to 1 lb., per set	1 25
— 5485. Ditto, ditto, $\frac{1}{4}$ oz. up to 2 lbs., per set	2 00
○ 5486. Ditto, brass, solid, $\frac{1}{4}$ oz. up to 1 lb., per set	2 00
○ 5487. Ditto, ditto, $\frac{1}{4}$ oz. up to 2 lbs., per set	3 00
5488. Ditto, of iron, in sets from 1-2 oz. to 1 lb.	50
5489. " " " " 1 " 2	75
5490. " " " " 1 " 4	1 25
5491. " " " " 1 " 8	2 00

Ditto, ditto, single weights up to 50 lb. at reasonable rates.

**c. Gramme Weights.**

In Polished Wooden Block, the Larger Weights of Brass.

5492. One centigramme, up to 1 gramme, in paper box, German silver	\$0 50
5492. One " " 20 " "	45 in box
5493a. Ditto, ditto, in covered box, 50,0 to 1 centigrammes	1 35
5494. One centigramme, up to 100 grammes, in covered box	\$1 70
— 5495. One gramme, up to 500 grammes, in block	1 80
— 5500a. One gramme, up to 1,000 grammes = 1 kilo. (up to 2 kilo, \$5.00)	3 00
* 5501. Aluminium Grain Weights, $\frac{1}{4}$ to 5 grains, per set	30
* 5502. Square Aluminium Grain Weights, $\frac{1}{4}$ to 10 grains, per set	40
○ 5503. Weights, for gold, from pennyweight and fractions, up to 2 oz. Becker's make.	
Price	\$4 00

*○ 5504. Balloons of collodion, hydrogen balloons.


Diameter, 12	16 inches.
75 cts.	\$1 00.

5505. Balloons of gold beater's skin \$1 25 to 3 00

* 5506. Ditto of glass, with short or long neck.

$\frac{1}{4}$	1	2	5	10 gals.
\$1 00	1 50	2 00	2 50	5 00

- * 5507. Ditto, of glass, with stop-cock, for weighing gases.....\$1 65
 * 5508. Ditto, new style, with 2 very light stop-cocks. 1 50
 * 5509. Ditto, of glass, for determining the specific gravity of vapors.
 30 CC. 50 CC. 100 CC. 150 CC.
 .40, .50, .60, 75 cts.
 5510. Balloon of thin rubber, with brass socket and brass stop-cock, capacity $\frac{1}{2}$ gallon,
 round or oblong \$1 85
 5511. The Balloon alone50
 — * 5512. Barometer, Bunsen's Syphon, graduated in millimeters, for boil-
 ing point, determinations, etc \$10 00
 — 5513. Ditto, with support..... 12 00
 — 5514. Barometer, plain on polished wood paper scale, and thermometer..... 6 00
 — 5515. Ditto, Milk glass scale..... 10 00
 ○ 5516. Ditto. U. S. Signal Service standard..... 40 00
 — 5517. Ditto, Aneroid..... 6 00
 ○ 5518. Ditto, ditto, Watch size..... 20 00
 5519. Ditto, ditto, Goldschmidt's standard, for travelling; heights to 4,000 meters, most
 exact..... \$50 00



5520. Barometer Tubes, for Syphon Barometers, graduated in Millimeters, \$3 00
 5521. Plain, each..... 1 00
 5522. Ditto, straight, one end sealed, 33 to 36 inches long, Torricelli's Tube.
 each..... 35
 5524. Ditto, with steel stop-cock.... 2 00
 * 5525. Barometer Tube, with Bulb sealed on one end, each..... 40
 * 5526. Baskets, of lead, for holding pieces of zinc or sulphide iron, for genera-
 tors..... 50
 5527. Baskets, ditto, on three legs..... 75
 (Baths, drying, sand, water, etc., see there).
 * 5528. Battery Jars, round, of glass, best make.
 Width, 4, 4, 5, 5, 6, 6, 5, 8, 9 inches.
 Height, 4, 5, 6, 7, 8, 9, 9, 12, 12½ inches.
 Price, 20c. 25c. 30c. 35c. 40c. 75c. 40c. \$1.25 1.50 each.
 * 5529. Battery Jars, square, of Hard Rubber, 2x3x5 in., each..... 65 cts.
 5530. Battery Jars of glass, square, 1½x5½x6 in., so-called Hellgate cell..... 40 cts.
 2½x5x6½ in 45 cts.
 3½x4½x6½ in..... 50 cts.

GALVANIC BATTERIES.

—* 5531. Galvanic Battery, Zinc-carbon.

With extra heavy cast Zincs.


No.	1,	1½,	1¾,	2.
Jar,	4x4,	4½x5,	5x6,	8x8 inches.
Capacity,	pint	quart,	½ gall.	1 gall.
Price,	\$1 00,	1 50,	2 50,	4 00.
Carbon,	10,	25,	35,	45.
Zinc,	40,	50,	1 00,	2 00.
Porous Cup,	10,	12,	20,	25.
Jar,	20,	25,	30,	40.

—* 5532. Battery, ditto, Bunsen's style with rolled Zincs.


No.	0,	1,	1½,	2,	3.
Jar,	4x4,	4½x5,	5x6,	6x8,	8½x12.
Capacity,	pint,	quart,	½ gall.	1 gall.	2 gall.
Price,	\$1 00,	1 50,	2 00,	3 00,	5 75.

—* 5533. Ditto, ditto, Grenet's Battery, always charged and ready for use. This battery especially adapted for experimental and illustrative purposes.


No. 1.—6 inches high, ½ pint.....	\$1 60
No. 2.—8 " 1 "	3 00
No. 3.—10 " 1 quart	3 50
No. 4.—12 " ½ gallon	4 75
Battery, Grenet's, double Zinc and carbons.	
12 inches high, ½ gallon.....	8 50
14 " 1 "	12 00
14 " 1 " single zinc.....	10 50




5533



5532



5534




5531

—* 5534. Ditto, Smee's.

No. 1, carbon plates, 3½x5 inches, per cell.....	2 50
— 5535. No. 2. " 4x8 " "	3 50
— 5536. Smee battery, small, ½ pint.....	75
○ 5537. Ditto, with Platinized Silver plates, instead of carbons.	

Nos.	1,	2,	3.
Sizes.	3x5,	3½x7½,	4x8 inches.
Price.	\$3.00,	3.75,	5.25.

* 5538. Battery, gravity, with improved adjustable Zinc hangers and connections. (This is the most practical for quantitative Copper and Iron precipitations with Platina Cone and Spiral.) Jar 5½x9 in., capacity, 6 pints.....	\$1 00
— 5539. Ditto, Jar, 5x7	75
— 5539a. " " 6x8.....	1 15
Single parts, Copper, 5½x9, 5x7, 6x8.	
Jar, .15, .15, .20.	
Zinc, .40, .25, .35.	
Zinc hanger, .35, .25, .40.	
Zinc hanger, .20, .20, .25.	
— 5540. Ditto, ditto, so-called Crawfoot 5½x9.....	86
— 5541. Ditto, ditto, ditto, Jar, 5x7.....	70
Single parts, Jar, .35, .25.	
Zinc, .40, .30.	
Copper, .18, .15.	



5542




5538




5543




- * 5545. Battery, ditto, **Prism Leclanché**, complete \$1.20. Prisms, 75c., rubber bands, 10c., carbon, 30c., jar, 25c., cover, 10c., zinc, 10c., sal ammoniac, 10c.
- * 5546. Ditto, ditto, large Zinc-carbon dipping Battery; with Windlass lift. Six large cells in polished frame zincs and carbons, $2\frac{1}{2} \times 5 \times 6$ in. \$28 00
- * 5547. Battery, dipping improved French form, this battery can be readily changed to either quantity or intensity each cell is independent allowing any number of them to be used at one time.




5545



5546



5548



5547

- * 5548. Battery, Galvanic; Dipping battery according to Bunsen; especially adapted for use by lecturers, the connection surfaces are covered with platinum to prevent oxidation.

a, of 4 elements, with frame and dipping arrangement	\$25 00
b, of 6 elements, " " " " "	30 00
c, of 9 elements, " " " " "	35 00

For every additional element, \$5.00 extra.

The charging mixture used with this battery is a solution of $3\frac{1}{2}$ parts of Potass. Bichromate and 4 parts of concentr. Sulphuric acid in 18 parts of water.

○* 5549. Battery, Thermo-electric, with gas regulator; an improvement on Clamond's system, containing 120 thermo-elements. This so-called Rheomotor, which may be kept in constant operation at a very small expense for gas (0.150 cub. meter per hour), is well adapted as a continual source of a galvanic current.

a, for electro-metallurgical decompositions.

b, for electro-gilding, electro-silvering and for galvanoplastic.

○ c, for use in the physical laboratory and on the lecture table. Price\$90 00

○ Ditto, ditto, the same with 150 thermo-elements. Price... ..100 00

Any part of the above-named batteries, as Zincs, Carbons, Porous Cups, Platinum, Jars, Clamps, Connectors, Insulated Wires, etc., can be obtained separately at the lowest rates.


Battery fluid, acids, and chemicals, see Chemical List.

BEAKERS, or BEAKER GLASSES.—BOHEMIAN.


From the Factory of Joseph Kavalier for whom we are sole American Agents.

The Beaker glasses from this well-known manufacturer are produced by wood gas firing, and are so much superior to any other make that it is needless to say more about it here. We simply state that they consist of pure Potassium glass, and of a quality least affected by chemicals and heat.

We beg to call the attention of our customers to the fact that our numbers for Beakers are the original Bohemian. We mention this because some parties have changed the numbers, calling the regular No. 0, No. 1.



5549



5550-5561

Usual form not lipped.			Capacity.													Price per nest.				
5550.	No. 000.	0, 3 in nest,	$\frac{1}{2}$ to 1 $\frac{3}{4}$ ounces													\$ 18				
5551.	"	1..3, 3 "	2 $\frac{1}{2}$ to 7 "													35				
5552.	"	1..4, 4 "	2 $\frac{1}{2}$ to 10 "													55				
5553.	"	1..5, 5 "	2 $\frac{1}{2}$ to 15 "													70				
5554.	"	0..5, 6 "	1 $\frac{1}{2}$ to 15 "													80				
5555.	"	1..6, 6 "	2 $\frac{1}{2}$ to 22 "													1 00				
5556.	"	00..6, 8 "	1 to 22 "													1 20				
5557.	"	1..8, 8 "	2 $\frac{1}{2}$ to 40 "													1 60				
5558.	"	00..8, 10 "	1 to 40 "													1 80				
5559.	"	00.10, 12 "	1 to 6 pints													3 00				
* 5560.	"	000.12, 15 "	$\frac{1}{2}$ to 1 gallon													4 00				
5561. Ditto, single.																				
No.	000	00	0	1	2	3	4	5	6	7	8	9	10	11	12					
Capacity.	$\frac{1}{2}$	1	1 $\frac{1}{2}$	2 $\frac{1}{2}$	4	7	10	15	22	30	40	60	80	100	130 oz.					
Price.	5	7	8	10	13	17	22	28	34	45	55	65	75	90	cfs.					

Beakers, extra tall, Bohemian.

* 5562. No. 1..6, 6 in nest,	Capacity, 6 to 13 ounces.....	Per nest, \$1 50
5563. " 1..8, 8 "	" 6 to 80 "	" 2 40
5564. " 7..8, 2 "	" 60 to 80 "	" 90

Beakers, Griffin's, low, wide shape, with lip.

	Capacity.	Price per nest.
5565. No. 000..0, 3 in nest	$\frac{1}{2}$ to 3 ounces.....	\$ 25
5566. " 1..2, 2 "	5 to 8 "	30
5567. " 1..3, 3 "	5 to 12 "	50
5568. " 1..4, 4 "	5 to 20 "	80
5569. " 1..5, 5 "	5 to 25 "	1 10
* 5570. " 1..6, 6 "	5 to 40 "	1 55
5571. " 1..8, 8 "	5 to 70 "	2 50
5572. " 000.12, 15 "	$\frac{1}{2}$ to 200 "	5 25

*** 5573. Ditto, single.**

No. 000 00 0 1 2 3 4 5 6 7 8 9 10 11 12	
Capacity, $\frac{1}{2}$ 1 $\frac{1}{2}$ 2 $\frac{1}{2}$ 5 8 12 20 25 40 55 70 80 120 150 200 oz.	
Price, .7 .9 .11 .12 .18 .25 30 .40 .50 .60 .70 .80 .90 1 00 1 20	

Beakers, low, wide shape, like the Griffin's form, but without lip.

* 5574. No. 1..2, 2 in nest.	Capacity, 4 to 7 oz.....	Price per nest. .35
5575. " 1..3, 3 "	" 4 to 10 oz.....	" " .50
5573. " 1..4, 4 "	" 4 to 12 oz	" " .85


5577. We also import a less expensive beaker of good German glass at 20 % less price than our best Bohemian.



5562-5564



5565-5573



5574-5576



5579a



5581

5578. Beaker glasses, provided with ground labels, for writing upon with a pencil.
Each 10 cts. additional.

5579. Beakers, of finest Royal Berlin porcelain.

No. 1, capacity, 6 ounces.....	45 cts. each.
No. 2, " 12 "	60 "
No. 3, " 16 "	90 "

* 5579a Ditto, of thin copper, shape, same as the lipped Griffin's Beakers. These Beakers are very handy in the Laboratory. Water will boil very quickly.

Capacity, 250 CC.—75 cts. 500 CC.—\$1 00. 1,000 CC.—\$1 25.

5580. Ditto, nickel plated, for sugar analysis.

Capacity, 250 CC.—90 cts. 500 CC.—\$1 25. 1,000 CC.—\$1 50.

Beakers, heavy for sugar salving, small, \$3.00 per doz. Large, \$5 00 per doz.

* 5581. Beehive Shelves, of glass.....small, 25 cts., large, 35 cts.

5582. Beehive Shelves, of japanned zinc.....35 cts.

5582a. Ditto, of porcelain.....50 cts.

Bellglasses —All with large rim ground air-tight to glass plates.

* 5583. Bellglasses, flat, with knob.

Approximate inside height, 1½,	2½,	3½,	4,	5½,	5, in.
Inside diameter,..... 3,	4,	5,	6,	7,	8, in.
Price.....\$0 45	.60	.75	.85	1 00	1 25
Approximate inside height, 6,	7,	9½,	11	inches.	
Inside diameter..... 9,	10,	12,	16	inches.	
Price..... \$1 40	1 60	2 00	3 50		

* 5584. Ditto, tall; with knob.

Inside diameter, 3,	3½,	4½,	6,	6½,	7½,	8½,	9 in.
Inside height, 6,	7,	8,	12,	14½,	16½,	18½,	21 in.
Contents, 1 pint. 1 quart. ½ gal. 1 gal. 1½ gal. 2 gal. 3 gal. 5 gal.							
Price, \$0 30 .40 .60 .85 \$1 10 1 50 3 75 5 00							

* 5585. Bellglasses, ditto, open top, not stoppered, wide opening, or narrow neck for brass cap. The height and diameter corresponds with the tall knobbed.

Contents, 1 pint. 1 quart. ½ gal. 1 gal. 1½ gal. 2 gal. 3 gal. 5 gal.							
.35 .45 .65 .90 \$1 20 1 75 3 00 5 00							

5585a. If fitted with brass cap and brass stop-cock, from \$1 20 to 1 75 extra.

5585b. Ditto, ditto, graduated, from \$1 00 to 3 00 extra.

* 5586. Ditto, ditto, ditto, with ground in glass stopper.

Contents, 1 quart. ½ gal. 1 gal. 1½ gal. 2 gal.				
.75 \$1 00 1 40 2 00 2 50				

* 5587. Ditto, ditto, swelled, with knob.

Contents, 1 pint. 1 quart. ½ gal. 1 gal. 1½ gal. 2 gal. 3 gal.						
45 .55 .85 \$1 15 1 50 2 25 3 25						



5583



5592




5594



5587



5584



5589



5590



5586



5585

5588. Bellglasses, for Bunsen's pump, ground air-tight to a plate; with plate.. \$1 75

* 5589. Ditto, ditto, with plate, rubber stopper, 2½ inch funnel, suction tube, and platina cone.....\$3 00

* 5590. Ditto, ditto, belljar, with tubulature near bottom and fitted as above... 4 00

* 5590a. Belljars, flat, with cover (and knob) for covering specimens and bacterioscopic work. See figure 5332.

5591. Bellglasses, reversed, on large foot, otherwise similar to 5584.

½	1	1½	2 gall.
\$1 25	1 75	2 50	3 00 each.


* 5592. Ditto, ditto, small. for microscopic analytical work, about 1 oz. capacity, with bell, plate and cup.....60 cts.

5593. Ditto, ditto, 4 oz capacity.....50 cts.


* 5594. Bellows, double blast, large size; foot bellows.....\$5 00

Bellows, ditto, for powerful steady and equal blast.


○* 5595. No. 9, Foot Blower.	\$4 00
○ 5596. " 9a " medium size.	5 00
○ 5597. " 9b " large size.	7 00
○ 5601. Extra rubber disks, each.	40, .65 and .90 cts.
○ 5602. Extra nets, each.	35
Bellows for same. No. 9.	3 00
" 9a.	3 25
" 9b.	3 50
Reservoir, No. 9.	2 00
" 9a.	3 00
" 9b.	4 50
○* 5603. Bellows, ditto, with reservoir, separate.	




5605




5604



5603



5595



5609



5607

○* 5604. Bellows, new pattern on iron legs.

No. 9, Foot Blower, new pattern.	5 00
" 9a " medium size.	6 00
" 9b " large "	8 00

○* 5605. Ditto, ditto, Fletcher's Hand Blower, a very small pattern of the foot blower

When not in use it shuts up flat for the pocket. Price.....\$3 00

○ 5606. In case for travellers, with spare rubber disc.

3 25

*** 5607. Ditto, black rubber, with netting for use with blow-pipe or other small blasts.**

4 00

Ditto, ditto, large, with table, (see Blast Table).

Berzelius' Lamp, see Lamps.**○* 5609. Bells, Electric, triple contact.**

2½,	3½,	5,	6,	7,	8,	9 in.
\$1.50,	1.75,	4.00,	4.25,	5.25,	6.25,	7.25.

○* 5610. Bells, Electric, boxed.

2½,	3½,	4,	5,	6,	8 in.
1.25,	1.50,	1.75,	3.50,	5.00,	7.00.

* 5611. Binding Posts, with wood screw, single connector..... 20

* 5612. Ditto, ditto, double connector..... 25

Binding Screws, for connecting poles of electric batteries.

* 5613. a. Single ones, plain.....10 cts. Finished.....12 cts.

* 5614. b. Double ".....15 " ".....20 "

All others, for Bunsen's, Daniell's, and Smee's battery on hand, from 25 to 75 cts.

5615. Bladders, all sizes, assorted; Pig or Beef. Per dozen.....75 to \$1 00

* 5616. Bladder, or Rubber bag, with brass socket and brass stop-cock for gas experiments.


3 pint.

\$1 50,

6 pint.

1 75.

* 5617. Blast Attachment, for blow-piping with gas, platina plated blow-pipe tip, etc.....\$1 00

**BLAST LAMPS.**

* 5618. Blast Lamp, self-acting, for alcohol, made of heavy copper.....\$1 50

5619. Ditto, extra large, 8 oz. capacity..... 3 00

* 5620. Ditto, ditto, for alcohol, æolipile with horizontal flame..... 3 00

* 5621. Ditto, ditto, Bunsen's, for gas and air, most improved form, complete. 3 70

- * 5630. No. 3a, constructed on the same principle as No. 1a, but with bench light arranged to swivel so as to carry a light to the blow-pipe jet.....\$7 00

Blast Furnace, (see Furnaces).


Blast Blow-pipes, (see Blow-pipes and Blast Lamps).

- * 5631. **Blast Lamp or Automaton Hand Blow-pipe.**


The No. 6b requires a $\frac{1}{4}$ bore gas-pipe and tap. The No. 6c requires for its fullest power a $\frac{1}{2}$ inch clear bore gas-pipe and tap, and is adapted for the heaviest brass finishers' work. The Nos. 6a and 6b require Blower No. 9. No. 6c requires Blower No. 9b. For Blowers, see Bellows.

No. 6b. Aut. Hand Blow-pipe.....\$3 50


No. 6c. Aut. Hand Blow-pipe.....5 00




5631



5633



5630



5632

5632. **Blast Lamp or Automaton Hand, Blow-pipe on Stand.** The Stand shown in the engraving is adapted to either the No. 6b or 6c. The operator is thus enabled to use the blow-pipe on the table. The swivel gives great latitude of adjustment, the blow-pipe is easily detached and capable of use in the hand.

No. 6d. Aut. on Standard see fig. 5631.....\$4 50

No. 6e. Aut. 6c on Standard.....5 50

- * 5633. **Blast Lamp, Fletcher's, or Compound Blow-pipe.** For glass-workers and experimental laboratories.


This is a double concentric blow-pipe. The gas and air are changed automatically from the larger to the smaller blow-pipes by a slight movement of the lever at the back, the same movement also adjusting both gas and air to each other for each blow-pipe. The combination of two blow-pipes in this manner gives a great range of power, from a delicate pointed jet, to a brush flame using 35 feet per hour.

No. 20. Compound Blow-pipe.....\$10 00


- * 5634. **Blast Lamp or New Melting arrangement.** For melting up to 3 ounces of gold or silver rapidly, without the use of a furnace. For coal gas only. When the metal is melted in the shallow crucible of compressed charcoal, tilt the whole apparatus over so as to fill the ingot mould. The No. 9 Blower should be used with the 8d Melting Arrangement. \$3 00
 No. 8d. Melting Arrangement. 1 25
 Ingot mould, if ordered separately. \$35 00
- * 5635. **Blast Table, of best and solid make, with all the latest improvements, French pattern.** \$25 00
- * 5636. **Ditto, ditto, German glass blowers' style.** 25 00
- Blow-pipe Apparatus, according to Prof. Plattner (see Appendix.)**



5634




5636



5635



5641



5637



5639

- * 5637. **Blood Circulating Apparatus, a hydrostatic toy ; small.** \$4 00
 5638. **Ditto, ditto, large** 10 00
- 5638a. **Blower, Roots improved, for smelting and glass blowing.**
 Price small, 45 00, large, 80 00
- Blower, Professor Richards, water blast, (see Apparatus, page 32, No. 5273.)**
- * 5639. **Blow-pipe, Black's conical form, of japanned tin, with movable tip of brass** 30 cts.
5640. **Ditto, ditto, without tip** 25 cts. The tip alone 10 cts.
- * 5641. **Blow-pipes, of brass, jewelers, form plain.**
- | Length, | 8 | 9 | 10 | 11 | 12 in. |
|---------|--------|------|------|------|----------------|
| | .15 | .18 | .20 | .25 | .30 cts. each. |
| | \$1 50 | 1 80 | 2 00 | 2 40 | 2 60 doz. |
5642. **Same as 5641, with mouth-piece, 25 cts. higher.**

* 5643. Blow-pipes, ditto, with air chamber.

Length,	8	10	12 in.
	.20	.25	.35 cts. each.

5644. Same as 5643, with mouth-pieces, 25 cts. extra.

* 5645. Ditto, ditto, according to Professor Plattner and Berzelius; brass, of best German make; soldered platinum plate trumpet mouth-piece; can be taken apart in four pieces. \$1 40

5646. Ditto, ditto, with movable platina tip, Lingke's pattern. 2 00

* 5647. Ditto, ditto, nickel plated, rubber mouth-piece. 2 25

5648. Blow-pipe, ditto, with blast attachment for gas. 3 25

(All Plattner's Blow-pipes fitted with trumpet, flat or round mouth-piece, according to order.)


⊙ * 5649. Ditto, ditto, Fletcher's patent.

Two jets; cold blast and hot blast; nickel plated; mouth-piece in case... \$1 50

Mouth-piece alone, for use with other blow-pipes. 60 cts.



5645



5649




5651



5650


5643



5654



5647



5657

⊙ * 5650. Blow-pipe, Fletcher's, with hot blast. 75 cts.

* 5651. Blow-pipe, Plattner's, with double bellows on universal support. \$9 00

5652. Ditto, new form, for blow-piping as well as for larger flames, for glass blowing, etc., with 3 jets. \$8 50

Bellows for same. 4 00

Complete with rubber tubing. 11 00

⊙ 5652a. Blow-pipe, Fletcher's, with folding stand and two jets. It can be used either with the mouth, or the small hand blower can be attached, and the blowing done by pressure.

⊙ 5653. The Stand, with blow-pipe. \$1 50

⊙ * 5654. The Stand, Blow-pipe and Hand bellows in case. 4 00


⊙ 5655. The Lamp for same. 75 cts.

⊙ 5656. Ditto, ditto, for solid fats, cheaper construction. 35 cts.

* 5657. Blow-pipe, oxyhydric; on stand; all brass, with movable holder for the lime cylinder. \$5 50

5658. Ditto, with two stop-cocks. 7 50

- * 5659. **Blow-pipe, Bunsen's**, for gas, on iron support.....\$3 00
 ○ * 5660. **Blow-pipe, for Brazing**, with two lever stop-cocks, as in engraving..... 3 00
 ○ 5661. **Brazing Blow-pipe**, without stop-cocks..... 2 00
Other Blow-pipes (see Blast Lamps.)
 ○ 5662. **Blow-pipe Cabinet**, expressly arranged for travelling and prospecting, according to Professor Plattner, made by Lingke in Freiberg. This is the most complete and most perfect outfit for quantitative and qualitative blow-piping. It includes the well-known Lingke's portable Balance with folding glass case. All apparatus fitted in polished trays and boxes, which are contained in a leather-covered chest, 12x12x14 inches square.....\$175 00
 5663. Ditto, for qualitative work, in polished wooden case.....\$40 00
Blow-pipe Balance, Plattner's. (See Balance, Plattner's.)
 * 5664. **Blow-pipe Lamp, Plattner's polished brass**, or black japanned, without swivel.....\$3 50
 5665. Ditto, ditto, **nickel plated**, with patent swivel..... 4 35



- * 5666. **Blow-pipe Lamp, Plattner's, Freiberg make**; watch-glass and dish holder, arm with wire triangles, chimney and holder, etc; the whole of German silver Price.....\$10 00
 ○ * 5666a. Ditto, ditto, **Fletcher's**.....zinc, 35, brass, 75 cts.
 See also figure 5654.

Other Blow-Pipe Apparatus (See Appendix).

- * 5667. **Blow-pipe Tip** for Plattner's Blow-pipe, stamped, of pure platinum, very heavy, without seam, each..... 50 cts.
 * 5668. **Blow-pipe Spoons**, ivory, each..... 24 cts.
 5669. **Boiling Sheet**, of Russian Iron on four legs.....\$1 25
Boilers, (See Steam Boiler).
 * 5670. **Bologna Flasks**, of heavy glass, will break when a hard angular body is dropped into them.
 Each 10 cts. Per dozen.....\$1 00

5671. Bolt Heads, of hardest, best annealed Bohemian glass.


Capacity,	4	8	16	24	32	64 oz.
	.50	.60	.75	\$1 00	1 20	1 50

* **5672. Ditto, ditto, of hard, fusible Bohemian glass, with extra long necks.**

Length of tube, about	20	24	28	36 in.
Capacity of bulb,	4	8	16	32 oz.
Price, each,	.90	\$1 00	1 25	1 50

5673. Botanical Case, in morocco leather ; containing one pair of forceps, one pair scissors, dissecting knife, needle holder ; with needles, and lense.


Price.....\$5 00

* **5673a. Ditto, ditto, larger set, two lenses, etc** 7 00


5672



5676



5673a.



5674



5675



5677

BOTTLES.**Bottles, acid or cobalt, (see Acid Bottles.)**O* **5674. Ditto, ditto, green, round shoulder, narrow mouth.**

	$\frac{1}{2}$	1	2	3	4	6	8	16 oz.	1 qt.	$\frac{1}{2}$ gal.	1 gal.	2 gal.
Doz.	.15	.18	.20	.25	.28	.32	.40	.50	\$1 20	1 75	2 50	8 00

* **5675. Ditto, ditto, square, flint glass, narrow mouth.**

	$\frac{1}{2}$	$\frac{1}{4}$	$\frac{1}{2}$	1	2	3	4	6	8	12	16	32 oz.
	.20	.20	.20	.25	.30	.35	.40	.50	.55	.75	.90	\$1 50 doz.

* **5676. Ditto, ditto, wide mouth, flint glass. Square or round.**

	$\frac{1}{2}$	1	2	3	4	6	8	12	16	32 oz.
	.20	.25	.30	.35	.40	.50	.75	.90	\$1 20	2 00 doz.

Ditto, ditto, green glass.

	$\frac{1}{2}$	1	2 gal.
	.25	.40	.75 each.

* **5677. Ditto, ditto, extra wide mouth.**

	1	2	4	8 oz.
	.35	.45	.60	.90 cts.

- * 5678. **Bottles, glass stoppered, of German glass, with well ground stoppers, narrow mouth, so-called Tinctures.**

$\frac{1}{2}$	$\frac{1}{4}$	$\frac{1}{2}$	1	2	4	6	8	12	16	32 oz.	$\frac{1}{2}$	1	2 gal.
.60	.65	.70	.80	\$1 00	1 25	1 40	1 60	2 00	2 50	3 90	doz.	.45	.90 \$1 50 each.

- * 5679. **Ditto, ditto, of Bohemian glass, with flat cut polished stopper.**

$\frac{1}{2}$	1	2	4	6	8	12	16	32 oz.
\$1 00	1 25	1 40	2 00	2 25	2 50	3 00	3 75	5 00 doz.

- 5680. **Ditto, Tinctures, Blue or Black glass.**

$\frac{1}{2}$	1	2	4	8	16 oz.
\$1 25	1 60	1 75	2 40	3 50	5 00 doz.

- * 5681. **Ditto, ditto, German salt mouth, high stopper.**

$\frac{1}{2}$	1	2	4	6	8	12	16 oz.
.95	\$1 00	1 10	1 20	1 40	1 75	2 00	2 40 3 00 4 00 doz.

- * 5682. **Bottles, salt mouth, German, with flat glass stopper; a handsome, solid bottle.**


$\frac{1}{2}$	1	2	4	6	8	12	16 oz.
\$1 30	1 40	1 50	1 60	1 80	2 20	2 65	3 00 3 50 4 00 doz.



5678



5681



5679



5682



5683



5687



5688

- * 5683. **Ditto, ditto, of Bohemian glass, with flat cut polished stopper.**

$\frac{1}{2}$	1	2	4	6	8	12	16	32 oz.	$\frac{1}{2}$	1	2 gal.
\$1 40	1 60	1 80	2 25	2 65	3 00	3 75	4 00	5 00	9 00	12 00	

- 5684. **Ditto, ditto, E. A. style, extra wide mouth to allow a good size spoon to pass; 3 oz. capacity; a very practical bottle for the Laboratories and for Microscopists.**

Size, 2 in. diameter, 3 in. high, per dozen.....\$3 00

- 5685. **Ditto, ditto, salt mouth, Bohemian, of blue glass.**

Capacity, 1	$\frac{1}{2}$	4	8 oz.
Doz.	\$2 00	2 25	3 00 4 00

5686. **Ditto, ditto, wide mouth, with wood top.**

Capacity, $\frac{1}{2}$	$\frac{1}{4}$	1	2	4	6	8 oz.
Doz.	.60	.65	.75	.85	\$1 00	1 25 1 60

- * 5687. **Ditto, ditto, glass stoppered, square for travelling cases, etc.**

$\frac{1}{2}$	1	2	3	4	8 oz.
Size, $1\frac{1}{2} \times 1\frac{1}{2} \times 3\frac{1}{2}$ in.	$1\frac{1}{2} \times 1\frac{1}{2} \times 4$ in.	$1\frac{1}{2} \times 2 \times 4\frac{1}{2}$ in.	$1\frac{1}{2} \times 3 \times 4\frac{1}{2}$ in.	$1\frac{1}{2} \times 4 \times 4\frac{1}{2}$ in.	stoppers included.
Doz.	\$1 00	1 10	1 20	1 40	1 60 2 00

- * 5688. **Ditto, ditto, tinctures, mushroom stoppered; best French flint glass; elegant shape.**

Contents, 1	2	4	6	8	16	32 oz.	$\frac{1}{2}$	1	2	3 gal.
Dozen,	\$1 00	1 10	1 20	1 50	1 75	1 85	2 25	3 60	5 40	11 70 24 00

Bottles, ditto, if extra heavy double thick, finest ware made, 30% additional.

—* 5690. **Bottles, mushroom stoppered, salt mouth, same as above.**

Contents,	1	2	4	8	16	32 oz.	$\frac{1}{2}$	1	2 gal.
Dozen,	1 00	1 20	1 50	2 00	2 25	3 00	4 50	7 20	18 00

5691. If extra heavy double thick, 30% additional.

This is the best quality made.

* 5692. Ditto, ditto, glass stoppered, with good pouring lip and large ground glass cap, best German; or without lip and small cap.

Contents,	4	8	16	32 oz.
Each,	.40	.60	.70	.90
Dozen,	\$4 00	6 50	7 00	8 25

○* 5693. Ditto, salt mouth, of acid proof stone ware, for shelves, glazed inside and outside, with air-tight ground covers, for keeping heavy chemicals.

Capacity,	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2 gallons.
Price,	\$1 10	1 25	1 40	1 55	1 70	1 85	2 20 each.
Capacity,	2 $\frac{1}{2}$	3	4	5	6	6	gallons.
Price,	\$2 65	3 00	3 75	5 00	6 00	6 00	each.

5694. Bottles, extra wide mouth, Bohemian glass, for Leyden Jars.

$\frac{1}{2}$ Pint,	Pint,	Quart,	$\frac{1}{2}$ gal.	1 gal.
.15	.20	.25	.35	.50c. each.

* 5695. Ditto, sample, for oils and other liquids.

1,	2,	4,	8 oz.
.75	.85	\$1 00	1 40 dozen.



All bottles will be furnished with handsome glass labels for exhibition or collections at from 15 to 25 cents additional charges.

— 5700. Bottles, of lead, for Hydrofluoric acid.

$\frac{1}{2}$	$\frac{1}{2}$	1	2 lb.	$\frac{1}{2}$	1	2	3	5 gal.
.75	\$1 00	1 50	2 00	2 50	3 25	5 25	6 00	7 75

—* 5701. Bottles, for keeping Oxide of Copper prepared for analysis.

Capacity,	8	16 oz.
Price,	.50	.75

○* 5702. Bottles for Re-agents; the cheapest made. These bottles have the chemical names and equivalents distinctly blown in the glass. All letters are ground to make them perfectly visible. Capacity, 4 $\frac{1}{2}$ oz. Height 5 $\frac{1}{2}$ in. Price per dozen, assorted from list, net. \$1 75

- * 5703. **Bottles for Re-agents**, if provided with cap 60 cts. extra, per dozen.
 ○ 5704. Ditto, ditto, the full set of 40 bottles, No. 1-40, complete, net. \$5 83
 ○ 5705. Ditto, ditto, packed in shipping order 6 00

The above set of 40 bottles, No. 1-40 filled with chemically pure re-agents, according to Fresenius; the bottles included, net. \$12 00

Sealed and packed in shipping order 14 00

- | | |
|---------------------------------|--------------------------------|
| 1. Hydric Sulphide, (Amber.) | 20. Baric Chloride. |
| 2. Hydric Chloride. | 21. Calcic Chloride. |
| 3. Hydric Acetate. | 22. Calcic Sulphate. |
| 4. Hydric Sulphate. | 23. Calcic Hydrate. |
| 5. Hydric Nitrate. | 24. Magnesian Sulphate. |
| 6. Potassic Ferrocyanide. | 25. Mercuric Chloride. |
| 7. Potassic Sulphocyanide. | 26. Argentic Nitrate, (Amber.) |
| 8. Potassic Carbonate. | 27. Plumbic Acetate. |
| 9. Potassic Sulphate. | 28. Ferrous Sulphate. |
| 10. Potassic Iodide. | 29. Ferric Chloride. |
| 11. Potassic Ferricyanide. | 30. Alcohol. |
| 12. Potassic Hydrate. | 31. Ammoniac Sulphocyanide. |
| 13. Potassic Acid Chromate. | 32. Baric Hydrate. |
| 14. Di Sodiac Hydric Phosphate. | 33. Baric Carbonate. |
| 15. Ammoniac Hydrate. | 34. Sodiac Hydrate. |
| 16. Ammoniac Sulphide (Amber.) | 35. Ether. |
| 17. Ammoniac Chloride. | 36. Cupric Sulphate. |
| 18. Ammoniac Carbonate. | 37. Platinic Chloride. |
| 19. Ammoniac Oxalate. | 38, 39, 40, Blank. |

As the above mentioned set of 40 bottles was not selected with the requirements of qualitative and quantitative analysis as at present in use, we have rearranged and made a set to meet the present requirements increasing the thickness of the bottles, as those usually sold are found to be too light in glass, the set comprises, $\frac{1}{2}$ pint tinctures, $\frac{1}{2}$ pint tinctures, 4 oz. salt mouths.

- 5706. 1 set of 40 extra stout re-agent bottles, glass labeled. \$7 17
 ○ 5707. Ditto, packed in shipping order. \$7 40
 ○ 5708. 1 set, ditto, filled completely. \$16 00
 ○ 5708a. Set ditto, filled, sealed and packed in shipping order. \$18 00

8 oz. Bottles.

- | | |
|--------------------------------------|---|
| 102. Acid Sulphuric (dil.) H_2SO_4 | 24. Magnesian sulphate $MgSO_4$ |
| 105. Acid Hydrochloric HCl | 25. Mercuric chloride $HgCl_2$ |
| 121. Acid Nitric HNO_3 | 86. Mercurous nitrate $Hg_2(NO_3)_2$ |
| 108. Ammoniac Hydrate $(NH_4)_2O$ | 37. Platinic chloride $PtCl_4$ |
| 116 Blank | 27. Plumbic acetate $Pb(C_2H_3O_2)_2$ |
| | 96. Potassic acid chromate $K_2Cr_2O_7$ |

4 oz. Bottles.

- | | |
|--|--|
| 69. Acid Sulphuric conc. H_2SO_4 | 11. Potassic ferrocyanide K_4Cf_2 |
| 17. Ammoniac chloride $(NH_4)_2Cl$ | 10. Potassic iodide KI |
| 19. Ammoniac oxalate $(NH_4)_2C_2O_4$ | 59. Sodiac carbonate Na_2CO_3 |
| 31. Ammoniac sulph. cyanide $(NH_4)_4CNS$ | 60. Sodiac acetate $NaC_2H_3O_2$ |
| 82. Ammoniac molybdate $(NH_4)_6MoO_4$ | 65. Sodiac phosphate Na_2HPO_4 |
| 18. Ammoniac carbonate $(NH_4)_2CO_3$ | 56. Uranic acetate $(UO)_2C_2H_3O_2$ |
| 66. Acid acetic $HC_2H_3O_2$ | 35. Ether $(C_2H_5)_2O$ |
| 30. Alcohol $(C_2H_5)_2OH$ | 40. 1 blank |
| 26. Argentic nitrate $AgNO_3$ (amber). | 4 oz. Salt mouth Bottles. |
| 20. Baric chloride $BaCl_2$ | 301. 4 oz. Sodiac carbonate Na_2CO_3 |
| 23. Calcic hydrate CaH_2O | 310. 5 oz. Borax $Na_2B_4O_7 \cdot 10H_2O$ |
| 36. Cupric sulphate $CuSO_4$ | 315. 4 oz. Ferrous sulphate $FeSO_4$ |
| 29. Ferric chloride Fe_2Cl_3 | 314. 4 oz. Potassic cyanide KCN |
| 1. Hydric sulphide H_2S (amber). | 311. $3\frac{1}{2}$ oz. Phosphorous Salt |
| 16. Ammoniac sulphide $(NH_4)_2S$ (amber). | $Na(NH_4)HPO_4 + 4H_2O$ |
| | 312. Test paper. |

Other 4 oz. labeled Reagent bottles in stock.

- 5709a Same set, of German make, with black enameled labels. \$25 00 filled, \$35 00

56. No Symbols Uranic Acetate.	78. $\text{Pb } 2\text{C}_2\text{H}_3\text{O}_2 \cdot 2\text{Pb O.}$ Basic Plumbic Acetate.
57. $\text{Hg (NO}_3)_2$ Mercuric Nitrate.	79. No Symbols. Millon's Reagent.
58. No Symbols. Fehling's Solution.	80. $\text{C}_2\text{H}_2\text{O}_4$ Hydric Oxalate.
59. Na_2CO_3 Sodio Carbonate.	81. Sn Cl_2 Stannous Chloride.
60. $\text{Na C}_2\text{H}_3\text{O}_2$ Sodio Acetate.	82. No Symbols. Ammonic Molybdate.
61. Na O H Sodio Hydrate.	83. C S_2 Carbon Di Sulphide.
62. No Symbols Baryta Mixture.	84. $(\text{C}_2\text{H}_5)_2\text{O}$ Ether.
63. H NO_3 Acid Nitrous.	85. Na H S O_3 Sodio Hydric Sulphite.
64. H_3PO_4 Symbols only.	86. $\text{Hg}_2(\text{N O}_3)_2$ Mercurous Nitrate.
65. $\text{Na}_2\text{H P O}_4$ Sodio Phosphate.	87. No Symbols. Indigo Solution.
66. $\text{C}_2\text{H}_4\text{O}_2$ Acetic Acid.	88. No Symbols. Nessler's Solution.
67. H N O_3 Nitric Acid.	89. $\text{Sr (N O}_3)_2$ Strontic Nitrate.
68. Fe_2Cl_6 Ferric Chloride.	90. No Symbols. Magnesia Mixture.
69. $\text{H}_2\text{S O}_4$ Sulphuric Acid.	91. H_2SO_4 Acid Sulphuric Conc.
70. $\text{Na}_2\text{S O}_4$ Sodio Sulphate.	92. $\text{H C}_2\text{H}_3\text{O}_2$ Acid Acetic.
71. $(\text{NH}_4)(\text{CO}_3)_2\text{H}_2$ Ammonic Carbonate.	93. $\text{C}_2\text{H}_2\text{O}_4$ Acid Oxalic.
72. H Cl Hydrochloric Acid.	94. $\text{C}_6\text{H}_5\text{O (NO}_2)_2$ Acid Picric.
73. $\text{K}_4\text{Fe}_2\text{Cy}_6$ Potassic Ferrocyanide.	95. Na Cl O Sodio Hypochlorite.
75. Na H O Sodio Hydrate.	96. $\text{K}_2\text{Cr O}_4$ Neutral Potassic Chromate.
76. I Iodine.	97. NH_4HS Ammonic Sulphydrate.
77. N H_3 Ammonia.	

○ Net price per dozen, \$1.75.

○ Per gross, \$18.50 Net.

○ 5709. Half-Pint Reagent Bottles 1-4 Liter, or 8 oz. Height, 6½ inches.

101. H_2SO_4 Sulphuric Acid (Concent.)	122. $(\text{N H}_4)_2\text{S}$ Ammonic Sulphide, (Amber.)
102. $\text{H}_2\text{SO}_4 + \text{Aq.}$ Sulphuric Acid, (Dilute)	123. Ba CO_3 Baric Carbonate.
103. $\text{H N O}_3 + \text{Aq.}$ Nitric Acid, (Concent.)	124. $\text{Ba O H}_2\text{O}$ Baric Hydrate.
104. $\text{H N O}_3 + \text{Aq.}$ Nitric Acid, (Dilute.)	125. $\text{C}_2\text{H}_5\text{O}_2$ Glycerine.
105. $\text{H Cl} + \text{Aq.}$ Hydrochloric Acid, (Conc't.)	126. $\text{C}_2\text{H}_5\text{O}$ Alcohol.
106. $\text{H Cl} + \text{Aq.}$ Hydrochloric Acid, (Dilute.)	127. $\text{C}_2\text{H}_4\text{O}_2$ Hydric Acetate.
107. H_2S Hydric Sulphide.	128. $\text{K}_4\text{Cfy.}$ Potassic Ferrocyanide.
108. $\text{H}_2\text{N H O}$ Ammonic Hydrate.	129. $\text{Na}_2\text{H P O}_4$ Sodio Phosphate.
109. $\text{H}_2\text{N Cl} + \text{Aq.}$ Ammonic Chloride.	130. $(\text{N H}_4)_2\text{C}_2\text{O}_4$ Ammonic Oxalate.
110. $(\text{H}_4\text{N})_2\text{CO}_3 + \text{Aq.}$ Ammonic Carbonate.	131. $\text{H C}_2\text{H}_3\text{O}_2$ Acetic Acid.
111. $\text{Na O H} + \text{Aq.}$ Sodio Hydrate.	132. $\text{C}_6\text{H}_5\text{O}$ Ether.
112. Na_2CO_3 Sodio Carbonate.	142. $\text{K}_3\text{Fe Cy}_6$ Potassic Ferricyanide.
113. $\text{H}_2\text{N S H} + \text{Aq.}$ Ammonic Sulphydrate.	143. K. I Potassic Iodide.
114. $\text{Ba Cl}_2 + \text{Aq.}$ Baric Chloride.	144. $\text{K}_2\text{Cr}_2\text{O}_7$ Potassic Acid Chromate.
115. $\text{Ca Cl}_2 + \text{Aq.}$ Calcic Chloride.	145. Ag NO_3 Argentine Nitrate, (Amber.)
116. 117, 118. Blank.	146. Fe_2Cl_6 Ferric Chloride.
119. H_2SO_4 Hydric Sulphate.	147. H_2SO_4 Acid Sulphuric, (Dilute)
120. H Cl Hydric Chloride.	148. H Cl Acid Hydrochloric.
121. H N O_3 Hydric Nitrate.	149. H NO_3 Acid Nitric.
	150. K H O Potassic Hydrate.

○ Net price per dozen, \$2.25.

○ Per gross, \$23.00 Net.

○ 5710. Pint Reagent Bottles, 1-2 Liter, or 1 lb. Height, 7½ inches.

201. $\text{H}_2\text{S O}_4 + \text{Aq.}$ Sulphuric Acid, (Dilute)	211. 212. Blank.
202. $\text{H N O}_3 + \text{Aq.}$ Nitric Acid, (Dilute.)	213. $\text{H}_3\text{PO}_4 + \text{Aq.}$ Phosphoric Acid, (Dilute.)
203. $\text{H Cl} + \text{Aq.}$ Hydrochloric Acid, (Dilute.)	214. $(\text{N H}_4)_2\text{S}$ Ammonic Sulphide.
204. $\text{H}_2\text{N H O}$ Ammonic Hydrate.	215. $\text{H}_2\text{S O}_4 + \text{Aq.}$ Sulphuric Acid.
205. $\text{H}_2\text{N Cl} + \text{Aq.}$ Ammonic Chloride.	216. $\text{H N O}_3 + \text{Aq.}$ Nitric Acid.
206. $(\text{H}_4\text{N})_2\text{CO}_3 + \text{Aq.}$ Ammonic Carbonate.	217. $\text{H Cl} + \text{Aq.}$ Hydrochloric Acid.

207. No Symbols.....Dil. Nitro-Hydr. Acid. 269. $(\text{N H}_4)_2 \text{C}_2 \text{O}_4$Ammonic Oxalate.
 208. No Symbols.....Liquor Potassæ. 270. Ba CO_3Baric Carbonate.
 209. No Symbols.....Tinct. Ferri Perchlor. 271. $\text{Na}_2 \text{CO}_3$Sodic Carbonate.
 210. $\text{H}_2 \text{S}$Hydric Sulphide. 272. Na O HSodic Hydrate.

○ Net price per dozen, \$3.25.

○ Per gross, \$33.00 Net.

○ 5711. Quart Reagents.

- | | |
|--|--|
| 1. $\text{H}_2 \text{SO}_4$Sulphuric Acid, Concent. | 7. No Symbols.....Nitro Hydr. Acid, Dilute. |
| 2. $\text{H}_2 \text{SO}_4 + \text{Aq}$Sulphuric Acid, Dilute. | 8. $\text{H}_4 \text{NHO}$Ammonic Hydrate, Concent. |
| 3. H NO_3Nitric Acid, Concent. | 9. $\text{H}_4 \text{NHO} + \text{Aq}$Ammonic Hydrate, Dilute. |
| 4. $\text{H NO}_3 + \text{Aq}$Nitric Acid, Dilute. | 10. $\text{C}_2 \text{H}_5 \text{O}$Alcohol. |
| 5. H ClHydrochloric Acid, Concent. | |
| 6. $\text{H Cl} + \text{Aq}$Hydrochloric Acid, Dilute. | |

○ Net price per dozen, \$4.00.

○ 5712. 1 Oz. Reagents, Tinctures. Height, $3\frac{1}{2}$ inches.

- | | |
|----------------------------------|---------------|
| 325. Ag N O_3 | Symbols only. |
| 326. $\text{Co (N O}_3)_2$ | " " |
| 327. Pt Cl_4 | " " |
| 328. Hg Cl_2 | " " |
| 329. No Symbols..... | Glycerin. |

○ Net price per dozen, \$1.25. ○ Per gross, \$12.00 Net.

○ 5713. 1 Oz. Salt Mouth Reagents. Height, $3\frac{1}{2}$ inches. Symbols only.

- | | |
|--|--|
| 350. $\text{Na}_2 \text{C O}_3$ | 357. $\text{K}_2 \text{O Sb}_2 \text{O}_5$ |
| 351. $\text{Na}_2 \text{B}_4 \text{O}_7$ | 358. K C N |
| 352. $\text{H}_2 \text{O}_2 \text{H}_4 \text{O}_2$ | 359. Ba (H O)_2 |
| 353. $\text{Na C}_2 \text{H}_3 \text{O}_2$ | 360. Ca Fl_2 |
| 354. K N O_3 | 361. $\text{Na (N H}_4) \text{H PO}_4$ |
| 355. Fe S | 362. Mn O_2 |
| 356. K N O_3 | |

○ Net price per dozen, \$1.35. ○ Per gross, \$13.00 Net.



5715



5714

○* 5714. 4 Oz. Salt Mouths, Height, $4\frac{1}{2}$ inches.

- | | |
|--|--|
| 301. $\text{Na}_2 \text{CO}_3$ | 308. Na NO_2 |
| 302. K N O_3 | 309. $\text{Na}_2 \text{CO}_3$ Sodic Carbonate. |
| 303. K C N | 310. $\text{Na}_2 \text{B}_4 \text{O}_7 + 10 \text{H O}$ Borax. |
| 304. $\text{Na}_2 \text{B}_4 \text{O}_7$ | 311. $\text{Na (NH}_4) \text{HPO}_4 + 4 \text{H}_2 \text{O}$ Phosphorous Salt. |
| 305. FeSO_4 Ferrous Sulphate. | 312. Test Paper (No Symbol). |
| 306. $\text{Na (NH}_4) \text{HPO}_4 + 4 \text{H}_2 \text{O}$ | 314. K Cy Potassio Cyanide. |
| 307. Blank. | |

○ Net price per dozen, \$1.93.

○ Per gross, \$20.50 Net.

—* 5715. Bottles, Tinctures for Reagents, glass stoppered, with vitrified label, best German.

White enameled label, with very distinct letters in black, the letters and background are indestructible forming the most perfect reagent bottle made. These bottles furnished duty free to institutions at very reasonable rates. These bottles can also be furnished with transparent letters in white vitrified label. Complete sets like list No. 5706, always on hand.

Contents,	2,	4,	6,	8,	12,	16,	32 oz.
Each.	.50,	.60,	.70,	.80,	.90,	1.00,	1.35.

* 5715b. Above bottles if ordered, duty free, will be provided with labels a, b, c, d, or e, according to selection.

— 5716. **Bottles, Reagents, salt mouth with flat or high stopper, and vitrified labels.**

Contents,	2,	4,	6,	8,	12,	16,	32 oz.
Each,	.60,	.70,	.80,	.90,	1.00,	1.10,	1.50.


5717. **Ditto, ditto, ditto, with vitrified label, glass stopper and ground glass cap, like figure 5692, for fuming substances viz., Acids, Ammonia, etc.**

Contents,	5,	10,	20 oz.
Each,	\$1.00,	1.20,	1.40.


Ditto, ditto, ditto, without label. (See 5692.)

5718. **Bottles Reagent, glass stopper, with engraved label, made to order. Price same as those with vitrified labels. Nos. 5715-5716.****Reagent Bottles Filled. See Reagents and Catalogue of Chemicals.**—* 5719. **Ditto, Ditto, Homœopathic. Best quality.**


Contents,	$\frac{1}{2}$,	1,	2,	3,	4,	6,	8 dram.
Regular form, Gross,	.75,	.85,	1.00,	1.35,	2.00,	3.00,	4.50.
Long style, “	.85,	.95,	1.10,	1.50,	2.20,	3.30,	5.00.



5715b.



5719



5720



5721



5725

Q* 5720. **Bottles. Homœopathic, nickel plated screw cap.**

1 dr.	2 dr.	3 dr.
2.75,	3.00,	3.25.

Bottles, Woulff's. See Woulff's Bottles.

* 5721. **Ditto, ditto, with ground glass cap and glass rod for microscopic work, to hold Balsam Fir, etc. Each 50 cts.**5722. **Ditto, with pipette stopper, one ounce. Each 50 cts.**
Bottles for dry samples and specimens, see specimen tubes.5723. **Bottles, with ground hollow stopper, similar to 5721, allowing a spoon to remain in the bottle, very handy for reagents that are in constant use.**

2 oz.	4 oz.
25 cts.	30 cts.

5724. **Bottles, of Gutta percha for hydrofluoric acid. Of Ceresin, 30% less.**

	1,	4,	8,	16 ounce.
Doz.	3.60,	6.00,	7.50,	10.25.
Each.	.35,	.55,	.75,	1.00.

* 5725. **Ditto, ditto, for very small specimens, rare metals, etc.. glass stoppered.**

Dimensions,	$1\frac{1}{2} \times \frac{1}{2}$,	$1\frac{1}{2} \times 7-16$	$2 \times \frac{1}{2}$,	$2 \times 7-16$ in.
Per dozen,	.50,	.60,	.50,	.60 cts.

Other **Bottles** for specimens, (see Bottles, Homœopathic and Specimen Jars.)

- * 5726. Bottles, for Specific Gravity, unadjusted for self-adjustment, very light in glass, stopper perforated.

Capacity about	10 CC.	25 CC.	50 CC.
Each,	.25,	.30,	.40.

- * 5727. Ditto, ditto, for Specific Gravity, adjusted with utmost accuracy, very light, stopper perforated.

Capacity,	10 CC.	25 CC.	50 CC.	100 CC.
Each,	.70,	.85,	1.20,	1.25.

5728. Ditto, in tin case with tare weight. 1.25, 1.50, 2.25, 2.50.

5729. Ditto, ditto, for Specific Gravity, same as above, but gauged in grains, shape like 5727.

Capacity,	100,	500,	1000 grains.
Each,	.60,	1.00,	1.30.

5730. Ditto, in tin case with tare weight. 1.50 1.75, 2.00.

- * 5731. Ditto, ditto, for Specific gravity; new style, (Geissler's); with fine long thermometer and capillary tube and ground glass cap to prevent evaporation or overflow.

Capacity,	10 CC.	25 CC.	50 CC.	100 CC.
Each,	\$3 00	3 10	3 25	3 50

- * 5732. Ditto, ditto, for Specific Gravity, of light blown glass with a fine thermometer ground into the neck; exactly adjusted to 1,000 grains each.


Price \$2 50

- * 5733. Bottle for taking the Specific Gravity of Solids; according to Regnault.

Small,	Large,
25 CC.	50 CC.
.75	\$1 00 each.

- * 5733a. Ditto, for liquid bodies.

25 CC.	50 CC.
.60	.85



- * 5734. Specific Gravity Bottle, according to Fresenius, for determining the specific gravity of gases in Mineral Waters.

Small,	Large,
.75	\$1 00

- * 5735. Bottles for Spectral Analysis; small, flat, with ground stopper and parallel out surfaces; in two sizes, Diameter about 0.5 or 1 cmr. for estimating the absorption lines of liquids. Price 40 cts. each.

Bottles for determining the specific gravity of gases, after Bunsen, and Pneumatic trough for same, see apparatus, Bunsen's.

- * 5736. Bottle, for constant water-level, 16 oz. capacity, \$1 00..... quart, \$1 25

5737. Ditto, for weighing; glass stoppered; very light in glass, high shape.

2 x $\frac{5}{8}$ in.	2 $\frac{1}{2}$ x $\frac{5}{8}$ in.	3 x $\frac{5}{8}$ in.	4 x 1 in.	5 x 1 in.
.20	.22	.25	.30	40 cts. each.

- * 5738. Ditto, with flat bottom, 25% additional.

- * 5739. Bottles, for weighing; conical, with flat bottom, low shape; glass stoppered.
Capacity, $\frac{1}{4}$ oz. 30 cts. 1 oz. 40 cts. 2 oz. 50 cts.

Bottle Brushes (see Brushes.)

- * 5740. Bottles, for weighing filters, very light glass, extra wide mouth, ground glassstopper.

Height, 2 inch, diameter,	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$ in.
Each,	.30	.35	.40

- * 5741. Bottles, mixing, glass stoppered, graduated in

250 CC. \$1 25. 500 CC. 2 00. 1,000 CC 3 00 each.

- * 5742. Bottles, compressing, for conversions and digestions, of heavy and well annealed glass, used for the analysis of beer, etc. Capacity, 125 CC. with metal frame \$3 00 250 CC. \$3 50

5743. Bottles, glass stoppered, for vapor density determinations, according to Hoffman.
Small, dozen, \$1 25. Large, 1 50.


Boxes, of pasteboard, of round shape.

- 5744. Boxes, plain, red, (American), 3 in nest, 1 doz. nests.....20 cts.

Small,	Medium,	Large,
Ditto, Singly, 25	.30	.35 cts. per gross.

- 5745. Ditto, ditto, bronze (English), 3 in nest, 1 doz. nests.....35 cts.

Small,	Medium,	Large,
Ditto, singly, .30	.35	.40 per gross.



- 5746. Boxes, ditto, flat, 1 is the smallest, 6 the largest.

Nests of 3, Nos. 1-3.....	per nest, 4 cts.
" 3, " 2-4.....	" 4 "
" 2, " 5-6.....	" 5 "

- 5747. Ditto, ditto, high shape.

Nests of 7, Nos. 1-6.....	per nest, 12 cts.
" 7, " 2-8.....	" 16 "
" 3, " 8-10.....	" 15 "

- 5748. Ditto, ditto, of turned wood, plain, for specimens, blow-pipe re-agents, etc.

Contents,	1	2 drams.	$\frac{1}{2}$	1	2	3	4	8 oz.
Per gross,	.30	.50	.60	.80	\$1 10	1 50	2 00	.50 doz.


- * 5749. Flanged, .35 .55 .70 \$1 00 2 15 2 50

5750. Labeled, 25% extra.

5751. Ditto, ditto, of metal or glass, to hold twine 50 cts.

- * 5752. Bricks and Linings, of best fire clay; for building assay furnaces, etc., furnished of any size at reasonable rates.

- * 5776. Bulb Tube, U shaped, according to Todd60 cts. each.
 5777. Bulb Tube, with 10 bulbs; for the determination of sulphur in iron ore by the aid of bromine; according to J. Meyer.\$1 25 each.
 Similar to No. 5778.
 * 5778. Ditto, ditto, ditto, the same, with glass stop-cock.....\$2 50 each.
 * 5779. Bulb Tubes, of hardest Bohemian glass, for ignitions. Bulbs on the end.
- | | | | | | |
|--|-----|-----|-----|-----|----------------|
| | 4 | 5 | 6 | 7 | 8 in. |
| | .15 | .18 | .20 | .25 | .30 cts. each. |
- * 5780. Ditto, bulb in the middle20 cts. each.
 * 5781. Ditto, ditto, ditto, one bulb in the middle. Each.....20 cts.
 * 5782. Ditto, ditto, ditto, two bulbs in the middle. Each.....35 cts.
 5783. Ditto, ditto, of soft glass.
- | | | | |
|--|-----|-----|----------------|
| | 1 | 2 | 3 Bulbs. |
| | .15 | .20 | .25 cts. each. |
- Ditto, ditto, for air thermometers (see figure 5044.)
 5784. Diameter of bulb from 1½ in. 2 in. 2½ in. 3 in.
 .18 .20 .30 .40 cts. each.




BURETTES.

Our Burettes are not what are usually offered but are most accurately graduated and are of the best make for Scientific work.

- * 5785. Burettes, Gay Lussac's, with polished wooden base.
- | | | | |
|------------|------------|------------|------------|
| 25 CC 1-10 | 50 CC 1-10 | 100 CC 1-2 | 100 CC 1-5 |
| \$1 15 | 1 45 | 1 80 | 2 20 |
- * 5786. Ditto, ditto, Bink's English form, with case.
- | | | | | | | |
|------------|------------|-----------|-------------|------------|------------|---------|
| 10 CC 1-10 | 25 CC 1-10 | 50 CC 1-5 | 50 CC 1-100 | 100 CC 1-2 | 100 CC 1-5 | 200 CC. |
| .90 | \$1 10 | 1 25 | 1 40 | 1 80 | 2 20 | 2 50 |
- 5787. Ditto, ditto, ditto, graduated into 125 grains, \$1 00. 250 grains, 1 20.
 —* 5788. Burettes, with Geissler's, Mohr's or Fresenius' perfect glass stop-cocks. Most accurately graduated, style, a, b and c. (For a, stop-cock like 5789.)
- | | | | | | |
|------------|------------|-----------|------------|------------|-------------|
| 10 CC 1-10 | 25 CC 1-10 | 50 CC 1-5 | 50 CC 1-10 | 100 CC 1-5 | 100 CC 1-10 |
| \$1 40 | 1 50 | 1 85 | 2 00 | 2 40 | 2 75 |
- * 5789. Burettes, arranged to be used with glass stop-cock or pinch-cock.
- | | | | |
|------------|------------|------------|-------------|
| 25 CC 1-10 | 50 CC 1-10 | 100 CC 1-5 | 100 CC 1-10 |
| \$1 70 | 2 45 | 2 80 | 3 40 |

- 5790. Burettes, with two stop-cocks, one below and another one at the side for re-filling. Price..... \$1 00 higher.
- * 5791. Burettes, with side tube, to be filled from reservoir.
- | | | | |
|------------|------------|------------|-------------|
| 25 CC 1-10 | 50 CC 1-10 | 100 CC 1-5 | 100 CC 1-10 |
| \$1 20 | 1 60 | 1 80 | 2 20 |
- * 5792. Burettes, with ground glass rod inside as stop-cock, same as used by United States Navy Laboratory, etc.
- | | | |
|------------|------------|------------|
| 25 CC 1-10 | 50 CC 1-10 | 100 CC 1-5 |
| \$1 70 | 2 20 | 2 45 |
- * 5793. Burettes, Mohr's, with tip, for use with pinch-cock.
- | | | | | |
|------------|------------|------------|-------------|---------------|
| 10 CC 1-20 | 20 CC 1-10 | 25 CC 1-5 | 25 CC 1-10 | 30 CC 1-10 |
| .70 | .75 | .80 | .90 | 1 10 |
| 50 CC 1-5 | 50 CC 1-10 | 100 CC 1-5 | 100 CC 1-10 | 100 CC single |
| \$1 20 | 1 30 | 1 60 | 2 00 | 1 25 |



- * 5794. Burettes of new design, having two sides white en-ameled, the remaining sides being transparent, admitting of dark or light liquids, being read with equal rapidity and accuracy.
- | | | |
|------------|------------|----------------------------------|
| 25 CC 1-10 | 50 CC 1-10 | 100 CC 1-5 |
| \$2 00 | \$2 75 | 3 00 with stop-cock, like 5788b. |
| | 1 75 | 2 00 plain, for pinch-cock. |


5795. All our burettes will be provided with funnel top if so ordered at 15 per cent. additional. Floats, 25 cts. Pinch-cocks, 20 cts. extra.

- * 5796. All our stop-cock burettes can be had with our new (patent) absolute tight stop-cocks at small additional expense.
- * 5797. Burettes, Hempel's and Winkler's, for gas analysis, (see Gas Burettes and Apparatus), 1 a, 1 b.

Burette Stands or Holders, (see Supports for Burettes.)

Burette Clamp, Mohr's and Hofmann's, (see clamps.)

- * 5800. Burette, with side tube and stop-cock to connect with a reservoir for refilling ; according to Gavalowski ; for permanganate, etc.
 25 CC 1-10 50 CC 1-5 100 CC 1-2
 \$3 00 3 38 3 75 each.
- * 5801. Burette for dispensing expensive liquids ; graduated up to $\frac{1}{2}$ Litres in $\frac{1}{4}$ Litre ; with Geissler's stop-cock.....\$4 00 each.
 1 Liter.....\$5 00. 2 Liter.....\$6 00 each.
 See also Clamps.
- * 5802. Burette Float, Erdmann's, each.....25 cts.
 See also Floats.
5803. Burette, tip of glass.....each, 5 cts. Dozen, 50 cts.
5804. Burette Tips, with rubber and pinch-cock.....25 cts.
- * 5805. Burette Attachment, three ways for connecting the burette with reservoir to refill, complete.....65 cts.
5806. Ditto, ditto, with one screw-stop and one pinch-cock.....75 cts.
5807. Burette Caps to protect the inside of burettes from dust, etc.
 Each, 10 cts. Dozen, 50 cts.



BURNERS.

- * 5808. Burners, Bunsen's, plain, each.....35 cts
- * 5809. Ditto, ditto, with regulator for the air, the best burner made, all parts interchangeable, large.....45 cts.
5810. Ditto, ditto, ditto, larger tube, $\frac{1}{2}$ in. bore x 5 in., twice the flame of above.....60 cts.
- * 5811. Ditto, ditto, with tripod on top, for heating dishes, etc., each.....75
- * 5812. Ditto, ditto, Bunsen's, especially made to burn gasolene gas and natural gas.....75 cts.
5813. Ditto, ditto, ditto, large size.....\$1 25
5814. Ditto, ditto, ditto, regular style, with air-regulator and stop-cock for gas. Price.....\$1 00
- * 5815. Ditto, ditto, French Pattern, with lever stop-cock, raising air-regulator, at the same time.....\$2 00
- * 5816. Ditto, ditto, full flame, after Terquem ; with arrangement for raising or lowering air-regulator, star chimney, stop-cock, etc.....\$2 50

- * 5817. Burners, ditto, according to Terquem; with stop-cock, adjustable sliding chimney and supports for holding wire nipple; expressly arranged for spectroscopical examinations. \$8 50


Burners, specially constructed for natural gas and gasolene.

See numbers 5812, 5813, 5816, 5817.


- * 5818. Ditto, ditto, Bunsen's, with 3 tubes and regulators. \$1 50
 5819. Ditto, ditto, ditto, 4 tubes and regulators. 2 00
 5820. Ditto, ditto, ditto, 6 " " " 3 00
 5821. Ditto, ditto, ditto, 8 " " " 4 00
 5822. Ditto, ditto, ditto, 10 " " " 5 00
 * 5823. Burner, Bunsen's, after Raab, with screw stop-cock, each burner on movable arm increasing or decreasing the heating surface, flames can also be placed in one row. \$5 00




5818




5824



5817



5823



5823a

- * 5823a. Burners in ring form, to heat and evaporate from the top of liquids, in beakers, etc., according to Professor Wolcott Gibbs.

Diameter of ring, 3 4 5 6 in.

\$2 00 2 25 2 50 3 00


Support, 75 cents extra. If provided with stop-cock, \$1 00 additional.

- 5823b. Ditto, for blast, for fusions, etc., where higher temperatures are required, with 2 stop-cocks and support. 3 in. 5 in.


\$6 00 8 50

- * 5824. Ditto, ditto, Bunsen's, in sets of 4, arranged so that several sets can be put close together to heat long tubes, etc., per set. \$4 50
 5825. Ditto, ditto, same with stop-cock for each burner. 5 50
 5826. Ditto, with adjustable forks on each end to support arsenic tubes, etc. 7 00


- * 5827. Ditto, ditto, Bunsen's. of very low shape, without regulator.....50 cts.
 5828. Ditto, ditto, ditto, with regulator.....60 cts.
 O* 5829. Ditto, ditto, ditto, with upright, blast, for gas and air, net.....\$3 50
 Ditto, ditto, ditto, with small furnace, for blast, see blast lamps.
 * 5830. Burner, safety, self acting stop-cock, closing off gas when flame is blown out or
 to protect and automatically close the gas main of laboratories.....\$15 00
 5831. Burner, for spectroscope, height adjustable with chimney\$2 00
 5832. Burner, microchemical, on tripod base with ring.....2 00
 * 5833. Ditto, ditto, on foot, with stop-cock and glass chimney, can also be used as a min-
 ute burner.....\$2 00
 5833a. Ditto, 2 flames on adjustable stand.....6 00




5833




5834




5837




5840




5830



5827




5829



5839

- * 5834. Burner, Bunsen's, with crown top; so-called small locomotive burner. . 75
 5835. Ditto, ditto, extra large.....3 00
 5836. Ditto, ditto, ditto, low shape.....4 00
 * 5837. Ditto, Finkner's, most improved form, with arrangements to regulate gas and
 air at the same time.....\$2 00
 5838. Ditto, ditto, ditto, with chimney.....2 75
 * 5839. Burner, Erlenmeyer's argand flame, with iron chimney.....3 00
 This burner is provided with wooden handle and regulator for the air, and is
 considered to be the best round flame burner, for crucible operations.
 * 5840. Ditto, ditto, latest form, full flame, with improved air supply and regulation.
 With star, clay and iron chimney.....\$4 00

- * 5841. Burner, **Bunsen**, with constant flame; very practical for laboratory table.
Price\$1 25
- * 5842. Burner, to illuminate working table, a fish tail burner on base and tube
standing 12 to 15 in. high... ..\$1 00
5843. Ditto, ditto, with separate stop-cock..... 1 50
5844. Ditto, ditto, with Argand burner and stop-cock... .. 2 00
- * 5845. Ditto, ditto, **after Kellogg**; for gasolene; indispensable where a Bunsen's
Burner flame is required and no gas available. It gives as much heat as several
Bunsen Burners and is better than an alcohol lamp. There is no smell as the
gas is consumed as soon as produced; no wick necessary. The laboratory
lamp, complete as per drawing.....\$12 00
- 5845a. The Lamp itself\$7 50 Plain Burner.....3 00
Gasolene, 74°, for this lamp, gallon 25 cts., by the barrel..... 15 cts.
See also 6716a.




5850




5846




5849




5842



5841




5845






5847

- * 5846. Burner, for high temperatures; for burning oxygen with illuminating gas, height
adjustable.....\$4 00
- * 5847. Ditto, for gas, with star to support a porcelain plate or chimney, and arrangement
to slide on a fork (iron chimney, 25 cts. extra).....\$1 25
- 5848. Ditto, ditto, with porcelain burner plate (same as figure 5857)..... 2 00
- * 5849. Ditto, ditto, for gas; made of soap-stone; for use in poison cases..... 2 00
See also Lamps and Blast Lamps.
- * 5850. Burner, **New Evaporating**; for Glass and Porcelain Vessels and General La-
boratory Work. This burner is a great improvement on the ordinary coil
burner in use. The flame is blue and smokeless, and the total height of the
burner is about 1½ inch.
- | | | | | | | |
|-------------|------|------|------|------|------|--------|
| Diameter, 4 | 5 | 6½ | 7½ | 9½ | 10½ | 12 in. |
| \$1 00 | 1 50 | 2 00 | 2 75 | 3 50 | 4 00 | 5 00 |

- * 5851. Burners, **Solid Flame Boiling; the best laboratory burner known**; large size for large pans, etc. \$2.00
- * 5852. Burner Nos. 200 and 201. Fletcher's Argand Bunsen. The flame of these burners is shorter, more compact, and higher in temperature than an ordinary Bunsen, and is also free from smell. The air supply is self-adjusting.
- | | Without tripod. | With tripod. |
|---|-----------------|----------------|
| $\frac{1}{2}$ in. size, gas consumption 2 ft. per hour, | No. 200, \$ 50 | No. 201, \$ 65 |
| $\frac{1}{2}$ in. " " " 3 $\frac{1}{2}$ " " | " 75 | " 95 |
| $\frac{1}{2}$ in. " " " 7 " " | " 1 00 | " 1 25 |
| Spider-Ring, (for No. 201, $\frac{1}{2}$ in. only.) | | 30 cents. |
| Attachment for air blast, affording a very strong heat extra. | | 75 cents. |
- * 5853. Burners, Nos. 1 and 2 R. **Fletcher's Radial Burners.**
- | | |
|--|--------|
| No. 1 R. Burner Ring, 3 $\frac{1}{2}$ inches diameter. | \$1 50 |
| No. 2 R. Burner Ring, 5 inches diameter | 2 00 |



5851



- * 5854. Burners, No. 52. **Fletcher's Special High Power.** The laws ruling the construction of heating burners as given in Mr. Fletcher's communication to the Gas Institute, and published in the Transactions for 1883, have been strictly adhered to in these burners, which, for their size, are unapproached in power by any burners in existence. The dimensions of these burners are as follows:

Size across the gauze surface.	Gas consumption in cubic feet.		Gas pipe required.
○ No. 52a. 2 $\frac{1}{2}$ in. diameter.	25 ft.	per hour.	$\frac{1}{2}$ in. clear bore.
○ No. 52b. 4 in. "	40 ft.	"	$\frac{1}{2}$ in. "
○ No. 52c. 6 in. "	90 ft. to 100	"	$\frac{1}{2}$ in. "
○ No. 52d. 8 in. "	200 ft. to 250	"	1 or $\frac{1}{2}$ in. "
○ No. 52a.	No. 52b.	No. 52c.	No. 52d.
\$2 25	3 00	5 50	11 00

The 6 in. and 8 in. sizes have no tripod or support for vessels, as the burners are too small to carry the vessels they will heat.

5855. Burner **Attachment**, plate for expanding the Bunsen burner flame. 25 cts.
 * 5856. Burner **Attachment**, **Wingtop**, fitting our Bunsen's burners; are used for bending glass tubes nice round. Each 25 cts.
 * 5857. Burner, plates of porcelain to attach to Bunsen's burner, in blow-piping. 60 cts.
 5858. Burner **Fork**, to fit No. 5847, Bunsen's burner, for attaching to a support. Each 50 cts.
 * 5859. Burner **Crown**, fitting our Bunsen burners; giving a round flame, for heating dishes. Each 45 cts.
 * 5860. Burner **Chimney**, of Russian iron. Each 20 cts.
 * 5861. Burner **Tips**, with rest for the blow-pipe, to set on top of Bunsen's burners. Each 25 cts.
 * 5862. Burner **Tube**, for blow-piping with yellow flame, fitting inside the tube or passing over it. Each 20 cts.
 5863. Burner **Tripod**, large; to fit on top of Bunsen burners for supporting dishes. etc. Each 30 cts.
 5864. Ditto, ditto, small. 25 cts.
 5865. Bursting squares of thin glass for expansion experiment. Dozen \$3 00
 5866. **Button Brushes**, genuine bristle. 50 cts.
 5867. **Button Forceps**, steel, Swansea style. \$1 00
 5868. Ditto, ditto, Plattner's form. 60 cts.
 5869. **Button Nippers**, plain, 60c. nickel plated, \$1 00



5856



5857



5859



5860



5861




5862



5869a



5873



5877

- * 5869a **Candle Bombs**, small glass bulbs, filled with colored liquids. Dozen ... 40 cts.
 5870. **Calcium Light**, (Drummond light) complete with burner, lime holder, reflector, clamp and rod. \$15 00
 5871. Ditto, ditto, 1-15 and 1-30 gallon, gas bags, with stop-cocks, 2 gas generators, wash bottles, rubber tube connections, additional. \$50 00
 5872. **Calorimeter**, according to Fischer, with one platina cylinder, for the estimation of temperatures above 1,000° C \$30 00
 * 5873. **Calorimeter, ice, according to Bunsen.**
 Price, small, 75 cents. Large, \$1 25 each.
 ○ 5874. **Canada Balsam**, clear, 45 cents, filtered, 75 cents, dry, \$1 25, per pound.
 5875. **Caoutchouc** in sheets, so-called Bandage Gum, very strong, used for making stoppers air-tight, etc. oz. .25, lb. \$2 50
 5876. **Caoutchouc Stoppers** (see Rubber Stoppers), plain or perforated, per lb. ... 2 50
 — * 5877. **Calipers**, self-registering, for taking inside and outside measure of glass tubing, nickel plated.

3	4	5	6 inch.
.75	.85	\$1 00	1 20

- 5878. Candles, standard, for photometric test, per pound, (6 make a pound). . . . \$2 50
Capillary Tubing, see Glass Tubing.

Capsules, for combustion in organic analysis, of porcelain, or platinum. (See Combustion Boats.)

For other Capsules, of porcelain, glass, platinum, silver, etc., etc., (see Evaporating Dishes and Platinum.)

5879. Capsules of very thin glass, $2\frac{1}{2}$ – $2\frac{3}{4}$ inch diameter; used in organic analysis; Hoffmeister's Schälchen, per dozen. . . . \$1 50
* 5880. Capsules, of Royal Meissen porcelain, as used in Columbia College, 2 inches diameter, by 1 inch deep, by 2 inches diameter, No. 1. . . . 20 cts.
5881. Ditto, ditto, ditto, $\frac{3}{4}$ inch deep, by $1\frac{1}{4}$ inch diameter, No. 2. . . . 15 cts.
If numbered with black letters in sets of 1–6, large size per set. . . . \$6 00
5882. Ditto, ditto, Mixing, Plattner's, brass. Each. . . . 25 cts.
* 5883. Ditto, ditto, horn. Each. . . . 15 cts.
5884. Ditto, ditto, ditto, of gilded metal. Each. . . . 45 cts.
○ 5885. **Carbon Plates** for Bunsen, Grenet, Smee, and other Batteries.

In. Thick.	In. Wide.	In. Long.	Price.	In. Thick.	In. Wide.	In. Long.	Price.
1–16	6	10	\$0 45	$\frac{1}{2}$	3	6	\$0 20
$\frac{1}{4}$	9	11	75	$\frac{1}{2}$	9	11	1 10
$\frac{1}{4}$	$1\frac{1}{2}$	$3\frac{1}{2}$	06	$\frac{1}{2}$	$4\frac{1}{2}$	7	30
$\frac{1}{4}$	$1\frac{3}{4}$	$4\frac{1}{4}$	06	$\frac{3}{8}$	$\frac{7}{8}$	6	08
$\frac{1}{4}$	$1\frac{3}{4}$	$4\frac{3}{4}$	06	$\frac{1}{2}$	9	12	1 25
$\frac{1}{4}$	$1\frac{3}{4}$	$5\frac{1}{2}$	08	$\frac{1}{2}$	10	12	1 50
$\frac{1}{4}$	6	10	40	$\frac{1}{2}$	12	12	1 40
$\frac{1}{4}$	6	12	50	$\frac{1}{2}$	6	12	80
$\frac{1}{4}$	12	12	1 00	$\frac{1}{2}$	6	9	60

Carbon Plates, any size, to order.




5880



5883



5886a



5888

- 5886. **Round Carbons**, 12 inches long, for Electric Lamps.
Diameter, 1–16, 1–8, 3–16, 1–4, 5–16, 3–8, 7–16, 1–2, inches.
Price, \$0 05, .05, .06, .06 $\frac{1}{2}$, .08, .11, .13, .15,
Diameter, 9–16, 5–8, 3–4, 7–8, 1, $1\frac{1}{4}$, inches.
Price, \$0.17, .20, .25, .28, .34, .40.

- * 5886a. **Carbon Filter**, of glass, for Gooch filters, etc.

Inside diameter of wide tube, $\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
.20	.22	.25	.30

5887. Carboys, contents, 10 gallons; glass balloon; boxed in case. . . . \$2 00

- * 5888. **Cases of Japanned Tin**, to hold out filters, from $2\frac{1}{2}$ to 6 in. diameter, 6 sizes.
Price. . . . \$2 50

5889. Ditto, ditto, ditto, $2\frac{1}{2}$ inches to 8 inches, 8 sizes. . . . 3 50

Cases for Scales (see Scale Cases.)

5900. Cartesian Imps. . . . 20 cents each.


5901. Ditto, ditto, with joints. . . . 25 cents each.

Complete Set of Apparatus for colormetric carbon tests, according to latest methods.

5902. Dissolving bottles, dozen	\$1 00
5903. Racks, of copper, to hold the dissolving bottles while weighing and dissolving, for 12 tubes	\$1 25
5904. Ditto, ditto, for 25 tubes	\$2 50
5905. Water Tray, of copper, to set copper racks in while dissolving	\$15 00
5905a. Ditto, ditto, small, □ to take 12 tubes	5 00
5905b. Ditto, ditto, round	3 50
5906. Nitric Acid, strictly c. p., specially prepared for carbon tests, in 7 lb. bottles. Per lb.	25 cts.
* 5907. Bottles, with ground in stop-cock as reservoir for acid. Similar to 5368.	
2 pints. 1 2 3 8 gal.	
\$2 25 2 50 3 50 4 50 5 00 12 00	
5908. Copper bath for heating the tests, for 52 tubes	\$15 00
Ditto, ditto, for 100 tubes	20 00
5909. Carbon tubes, for Eggertz color test for the estimation of Carbon in steel.	
25 CC. in 1-10 lbs. in sets of two, \$2 25. In sets of four	\$4 50
30 CC. in 1-10 lbs. " 2 50 " 4 50	
50 CC. in 1-5 lbs. " 2 50 " 5 00	
50 CC. in 1-10 lbs. " 2 75 " 5 50	
100 CC. in 1-5 lbs. " 3 00 " 6 00	
5910. Ditto, Ditto, test tube form.	
5 CC. in 1-10 10 CC. 1-10 15 CC. 1-10 20 CC. 1-10 25 CC. 1-10	
\$0.50, .55, .60, .65, .75 each.	
5911. Ditto, ditto, test tube form, not graduated, in sets of 1 dozen, to agree	\$1 25
* 5912. Carbon Filters. See figure 5886a.	
3 in. × $\frac{3}{4}$ in. bore. 3 in. × 1 in. 3 in. × 1 $\frac{1}{2}$ in. 3 in. × 1 $\frac{1}{2}$ in.	
\$0.20 22, .25, 30.	
5913. Ditto, ditto, of Platinum	42 cents per gramme.
5914. Support for Carbon tubes, test tube form, wood, for 1 dozen	50 cts.
5915. Ditto, ditto, for 24 tubes	\$1 00
5916. A wooden support with the base covered with a milk glass in plate, for 20 tubes	\$3 50
Other sizes furnished to order.	
5917. Color Comparator box, plain, for 2 carbon tubes	4 00
Ditto, ditto, mounted adjustable stand	8 00
5918. Calcium light and reflector for the color reading box	\$20 00
— 5919. Balance, rapid weighing, sensitive to one milligram, E. & A. glass case	20 00
— Without case	11 00
5920. Special spring balance	15 00
5921. Standard steel to order	10 cents per oz. \$1 00 per lb.



5922, (1-3),



5922, (3a-7),

CASSEROLES.

Allow us to call attention to the fact that all our Berlin china is from the Royal factory.

* 5922. Casseroles, of best Royal Berlin china, with porcelain handles.

No.	1,	2,	3,	3a,	4,	5,	6,	7.
Contents,	$\frac{1}{2}$,	$1\frac{1}{2}$,	3,	6,	12,	24,	48,	64 oz.
Diameter,	2,	2 $\frac{1}{2}$,	3 $\frac{1}{2}$,	3 $\frac{1}{2}$,	4 $\frac{1}{2}$,	5 $\frac{1}{2}$,	6 $\frac{1}{2}$,	— in.
Price,	\$0.35,	.40,	.50,	.70,	.85,	1.40,	1.75	3.00

5922a. Ditto, ditto, of Thuringia porcelain, same shape as No. 5922 3a-7.

Capacity, 8 oz., 50 cts.

12 oz., 65 cts.


- * 5923. **Casseroles, of German porcelain, with cover, lip, and wooden handle.**
- | | | | |
|-----------------|-----------------|------|---------|
| Diameter, 3 in. | Contents, 4 oz. | each | 50 cts. |
| " 4 " | " 8 " | " | 60 " |
| " 4½ " | " 12 " | " | 70 " |
| " 5½ " | " 16 " | " | 90 " |
| " 6 " | " 24 " | " | 1 25 |
| " 6½ " | " 32 " | " | \$1 75 |
- * 5924. Ditto, ditto, **Royal Berlin porcelain, deep form.**
- | | | | |
|--------------|-----------------|-------|--------|
| Depth, 6 in. | Contents, 1 qt. | Price | \$2 00 |
| " 7 " | " 1½ " | " | 3 00 |
| " 8 " | " 2½ " | " | 3 75 |
- * 5924a. **Cells, for electric batteries, see porous cups, all sizes, from 4 up to 8 inches.**
- Price.....15 to 80 cts.
- * 5925. **Casserole agateware,**
- | | | | |
|------------------|--------|--------|--------|
| Pint, | 24 oz, | Quart, | ½ gal. |
| Diameter, 4½ in. | 5 in. | 6 in. | 7 in. |
| .25 | .30 | .40 | .50 |
5926. **Chalk Sticks, or Lime Cylinders, prepared for Drummond's calcium light,**
per doz.....\$1 20
5927. **Chamois Skins, of best quality, according to size and dressing....**25 to 60 cts.
- * 5928. **Charcoal Borers, Plattner's, wooden handle.**
- | | |
|--------------------|--------------------|
| 4-cornered, small, | Club shape, large, |
| 50 cts. | 85 cts. |
- For others, see Appendix Blow-piping Apparatus.



5923



5924a



5925



5924



5928

5929. **Charcoal Sticks for cutting glass, each 10 cents, per doz....**\$1 00
5930. **Charcoal, of hard wood, in pieces, for blow-piping, imported or our own make, dozen**.....50 cts.
5931. Ditto, ditto, artificial, ½ x ¾ x 3, dozen.....50 cts.
5932. **Charcoal, for Plattner's Charcoal Holder, square, with groove in centre, each 10 cts.**
Dozen.....75 cts.
5933. **Charcoal Capsules and Crucibles, Plattner's, dozen.....**25 cts.
- (For other blow-pipe goods, see also appendix)
5934. **Charcoal Saws. Each.....**45 cts.
- 5934a. **Charts, technological, all kinds imported to order.**
- Chemicals (see our list of Chemicals).**
5935. **Chimney, of Russian iron, to set on Bunsen's burners.**
- | | |
|----------------|----------------|
| Small, 20 cts. | Large, 25 cts. |
|----------------|----------------|
5936. **Chimney, of clay, according to Prof. Erdman.....**20 cts.
5937. **Ditto, ditto, ditto, with ring or tripot inside**.....25 cts.
- If fitted with iron chimney on top.....25 cents extra
5938. **Chimney, of iron, clay lined, for polariscope lamps.....**\$1 75

5939. Chisels, steel, for breaking minerals.

Length about	$\frac{3}{5}$	$\frac{3}{5\frac{1}{2}}$	$\frac{3}{6\frac{1}{2}}$	1 in. face. 7 $\frac{1}{4}$ inch long.
	.20	.30	.40	.75 cts. each.

** 5940. Chloride Calcium Jars, on foot, with tubulature near the bottom, with narrow or wide neck.

Height,	8	10	12	16	18	24 in.
	.50	.60	.75	\$1 20	1 75	2 50

* 5941. Chloride Calcium Tubes, with one bulb.

Length 3	4	5	6	8	10 in.
.10	.11	.12	.13	.15	.20 cts.

Measure taken from behind the bulb.

* 5942. Ditto, ditto, with two bulbs, in two sizes.

Length 3	4	5	6	7	8	12 in.
.10	.11	.12	.15	.16	.20	.25 cts.


No. 5941 and 5942 if ordered with tube bent in right angle, * 5941a and * 5941b, 25 % extra.

* 5943. Ditto, ditto, plain, U shape, light or heavy in weight. In ordering please state outside diameter of tubes.

3	4	5	6	7	8	10	12 in.
.12	.14	.18	.22	.25	.30	.40	.50 cts.

* 5944. Ditto, ditto, U shape, with three bulbs.

3	4	5	6	7	8 in.
.20	.25	.30	.35	.45	.55



* 5945. Ditto, ditto, ditto, recent form, with side tubes and perforated glass stoppers, to keep dry. The advantages of this tube are readily seen.

5 in.	6 in.
\$1 30	1 40

* 5946. Ditto, ditto, according to Liebig ; plain or with side tube.

5 in.	6 in.
.35	.40

* 5947. Ditto, ditto, according to Prof. Marchand in three sizes.

4 in.	5 in.	6 in.
.30	.35	.40

5948. Ditto, ditto, with permanent side tube, same price.

* 5950. Ditto, ditto, U-shaped, two in a nest, the smaller fitting inside the larger, same as used in School of Mines, per set.....40 cts.

* 5951. Chloride Calcium Tubes, with small inside tube, to collect moisture in first bulbs, according to Prof. Mixer.

	5,	6,	8 in.
	.25,	.30,	.35.

* 5952. Chloride Calcium Tubes, U-shape, with side tubes.

Length,	4,	5,	6,	7,	8 inch.
Diam.	$\frac{1}{4}$,	$\frac{1}{2}$,	$\frac{3}{4}$,	$\frac{1}{2}$,	$\frac{3}{4}$ "
Each.	.15,	.20,	.25,	.30,	.35.

* 5953. Ditto, according to Vollhard.

	5,	6,	8 in.
	.30,	.35,	.40.

5954. Chloride Calcium Tube, with ground stopper and with Geissler's stopcock.
Price, each..... \$ 2 00

○* 5954a. Chlorine Apparatus, of acid proof stoneware, (Generators) with ground air-tight covers.

Capacity, 6, 12, 20, 25, 30, 38, 45, Gallons.

Price. 3.75, 5.50, 7.50, 9.25, 11.00, 13.75, 16.00, each.

○ 5954b. The perforated }
inside vessel } .80, .95, 1.25, 1.55, 1.85, 2.50, 3.10, each additional.

Capacity, 50, 55, 60, 70, 75 gallons.

Price, \$18.50, 21.75, 25.00, 28.00, 31.00. each.

The per. inside vessel, 3.75, 4.35, 5.00, 5.50, 6.25 each additional.


The last three sizes are only made to order.

○ 5954c. Above Chlorine Apparatus if ordered with outlet near the bottom 50 cents.
Each additional, if ordered with ground in stopcock the price of stopcock and 50 cts. for grinding will be added.

○* 5954d. Chlorine Generators, of acid proof stoneware, with 2 tubes ground in.

Capacity, $\frac{1}{2}$, $\frac{1}{2}$, $\frac{3}{4}$, $\frac{1}{2}$, $\frac{1}{2}$, 1, $1\frac{1}{2}$, $1\frac{1}{2}$ Gallon.


Price, 1.25, 1.40, 1.55, 1.70, 2.15, 2.65, 3.00, 3.75 each.




CLAMPS.

* 5955. Clamps, wooden, of improved construction, for holding test tubes.
Each..... 15 cts.


- * 5956. Clamps, Wooden, for holding larger tubes or flasks, with spring.
Each..... 30 cts.
5957. Ditto, ditto, of brass, for holding small and large tubes, etc., Bunsen's form.
Each..... 30 cts.
- * 5958. Clamps of Iron, to fasten apparatus to the table.
2, 2½, 3, 4, 5, 6, 7, 8, 9, 10 in.
.25, .30, .40, .50, .60, .80, 1.00, 1.30, 1.50, 1.80.
- * 5959. Ditto, ditto, of Iron, to attach to a retort stand. **This is a good arrangement to hold burettes, with checknut to adjust position**..... 50 cts.
5960. Ditto, ditto, of brass, with checknut to adjust position..... 75 cts.
5961. Ditto, ditto, nickel plated..... 95 cts.



5956




5962a




5958



5959




5962



5964

- * 5962. Ditto, ditto, Hofmann's style, small, metal, with universal movement..... 75 cts.
- * 5962a. Ditto, ditto, **double, according to Prof. Hofmann, to hold burettes or other tube apparatus, adjustable to any retort stand, etc**..... 70 cts.
5963. Clamp, with fastener, Bunsen's, small universal, complete..... 85 cts.
- * 5964. Ditto, ditto, of Iron, Bunsen's, with universal movement for holding small tubes as well as condensers, to attach to retort stand. Complete with fastener..\$1 00

- * 5965. Clamps, of Iron, **extra large**..... \$1 25
 5966. Ditto, **universal, double jointed**, retort and condenser clamp grasping irregular shaped objects. Complete with attachment 1 65
 Like clamp m, a, s, z, as shown in large cut of universal support. Fig. 8228.
 * 5966a. **Clamp fastener**, or German muffle, for attaching clamps or rods to any iron support. Small..... 20 cts. Large..... 22 cts.
 * 5967. Ditto, ditto, universal to set at any angle. Each..... 40 cts.
 * 5968. Clamps, Hofmann's, of improved make, nickel plated, a screw compressor.
 Small opening, $\frac{1}{2} \times \frac{1}{2}$ Medium, $\frac{1}{2} \times \frac{1}{2}$ Large, $1\frac{1}{2} \times 2\frac{1}{2}$
 .24, .30, .60.
 * 5969. Ditto, ditto, screw compressors of improved construction, can be attached to tubing without opening joints. Each..... 40 cts.
 * 5970. Clamps, Mohr's, for burettes, etc., nickel plated.
 Small... 15 cts. Medium for burettes... 20 cts. Large for $\frac{1}{2}$ in. tubing... 25 cts.
 Extra large for $\frac{3}{4}$ in. tubing... 30 cts. Double extra large from $\frac{1}{2}$ to 1 in. ... 50 cts.
 5971. Clamps, Mohr's, with set screw..... 35 cts.
 5972. Clamp Screw to screw to table very strong..... 50 cts.



- * 5973. Clamps, according to Bunsen, two bars with screws at each end..... 50 cts.
 ** 5973a. Ditto, ditto, of brass, for Bunsen's Battery Carbons.
 No. 1..... 15 cts. No. 2..... 25 cts.
 5974. Clays, Erdmann's, to set upon a tripod, each..... 30 cts.
 5975. Ditto, ditto, iron, with ring on points inside..... 25 cts.
 5976. Ditto, ditto, with tripod..... 50 cts.
 Ditto, ditto, for Combustion Furnaces, see Tiles and Slides.
Cleaners, for test tubes, etc. (see Brushes and Sponge Swabs.)
Clips, for watch glasses, see Watchglass Clips and holders.
Cobalt Bottles, see Acid Bottles shape a and b.
 5977. **Cobalt Colored Glass**. (blue), for observing the potassium flame.
 2 in. square, 3 in. square, $1\frac{1}{2}$ in. square
 8 cts. 10 cts. 10 cts.
 * 5978. **Colanders**, of porcelain, Hemispherical, with and without lip.
 Diameter, $6\frac{1}{2}$, 5, $4\frac{1}{2}$, $3\frac{1}{2}$, $2\frac{1}{2}$, 2 in.
 Price, 75, .55, .45, .40, .35, 30

- * 5979. Colanders, with straight sides and flat bottom.
 Diameter, 12½, 9½, 5½ in.
 Price, \$2.00, 1.50, .75.
- * 5980. Ditto, ditto, with handle. Of stoneware.....\$1.50. Of porcelain.....\$2 50


See also Strainers.

Cold Chisels, see chisels.



- * 5981. Collection of 114 Crystal Models, according to Naumann & Hausmann, made of strong pasteboard the ground forms and combinations in different colors, sizes 5-6 Centimeter.....\$25 00
- 5982. Ditto, according Professor Rose, 108 pieces, of pear wood size abt. 4 Ctm. in wooden box.....\$20 00
- 5983. Set of 368 selected forms of pear wood of great perfection 5 cm. in size, suitable for large Universities.....\$150 00
- 5984. Set of 700 typical models of all crystallized minerals after Professor P. Groth, size 5 ctm. latest selection, imported to order only duty free.....\$450 00
- 59 5. Ditto, of 50 crystal models after Professor Prokorny, made of a nice white mineral composition. These models are perfect and very natural in appearance, their low price will enable students to purchase complete sets.
- a. Collection of 50 pieces, stearin coated.....\$16 00
- b. Collection of 100 pieces " ".....28 00
- c. Collection of 250 pieces " ".....50 00
5986. Set of 25 models of Crystal Glass; in velvet lined box.....25 00
5987. Set of 50 in 5 velvet lined cases, large size.....50 00



5979



5980




5981

5988. Collection of **Diamond imitations**, the 15 largest and most famous diamonds; in case.....\$23 00
- 5989. Collection of 21 imitations of **precious stones**, of colored Bohemian crystal glass; in velvet lined case.....\$17 25
5990. Collection of 100 blow-pipe specimens, in boxes, with glass covers and index.....\$7 00
5991. Ditto, ditto, according to Plattner, 100 specimens in bottles; in box with catalogue.....\$9 00
- 5992. Ditto, of 64 metals, in handsome glass-stoppered vials, and elegant case.....\$20 00
5993. Ditto, of minerals, 100 specimens, in pasteboard boxes.....7 00 12 00
5994. Ditto, ditto, large specimens.....25 00
- Partition boxes, of pasteboard, for 25 models.....1 00

Other Collections, see Appendix and Chemical List.

5995. Collection of minerals to order according selection from \$50 00 to \$300 00.
- 5996. Collection of 52 alcaloids, Mercks, in ½ gramme vials in elegant case.....\$24 00
- 5997. Ditto, of 72 alcaloids and glucosides, Mercks, in ½ gramme vials in elegant case.....\$34 20
- 5998. Ditto, of 42 physiological preparations, Mercks, in elegant case.....24 00
- See also Special List of Chemicals and Minerals.

- * 6000. **Color Comparator**, Prof. Leeds, for the quantitative determination of substances in solution, by the relative depth of tint of a certain color. With prism..... \$15 00
 One dozen glasses for same..... 2 50
- 6001. **Colorimeter**, Stammer's, for comparative color test in sugar analysis, plain form \$40 00
- * 6002. **Ditto**, ditto, latest improved form..... 60 00
 Other Colorimeter see under apparatus, and Carbon test, Eggerts for Color comparison.




6000



6003



6002



6005

- * 6003. **Combustion Boats**, of porcelain.

Length, 1-1½	2-2½	3-4 in.
.20	.25	.30 cts. each.

6004. **Combustion Tubes and Boats**, of platinum; of latest form, according to sizes and weight, per gramm..... 70 cts.

Combustion Foil and Combustion Netting, see Copper Foil and Copper Gauze:

- * 6005. **Combustion Furnaces**, of latest and most improved style, according to Bunsen, in four sizes, every burner provided with a separate stop-cock, extra tiles, clay and iron slides given with the furnace.

10	15	20	25 burners.
\$17 50	23 50	29 50	37 00

Larger sizes to order up to 50 burners. Also the row of Burners separately and further apart for agricultural analysis.

6006. Ditto, ditto, for **Gasolene gas or natural gas**. Same style as 6005.

12	15	20	25 burners.
\$19 00	25 00	32 00	40 00

- * 6007. Combustion **Furnace**, of low shape, after **Th. Fletcher**, with adjustable flame and with or without adjustable blast, arrangement for high temperatures. It can be used with coal gas or with the Gasolene gas from generators No. 5318 (for particulars see special list.)


For combustion tubes, 14 in. 20 in. 25 in.

For draft or blast, with adjustable flame length.....\$12 00 16 00 20 00

As above, without adjustable length of flame.... 10 00 13 00 17 00

With fixed length of flame, without blast..... 8 00 11 00 14 00

Extra fine clay casing blocks, 6 inches long, each.....50 cts.




Engraving shows the Furnace open ready for the introduction of a tube.


6007



6013



6012



6009



6011a



6011b

6008. Combustion **Furnace**, with **separable supports** and frame, permitting a change of length and a raising or lowering of the furnace as convenient.

With	2,	3,	4,	sets of four-tube Bunsen's burner's, each ar-
Price,	\$25 00	30 00	35 00	[ranged in a row on one base.

- * 6009. Ditto, Five Burners on base, with support.....\$15 00

- 6010. Combustion **Furnace**, Glaser's, with 20 burners..... 40 00

- * 6011. Ditto, ditto, for use with charcoal, according to Liebig.

Length,	18	24 in.
	\$2 50	3 00

For the prices of extra Clay Tiles and supports, see Tiles.

- * 6012. Combustion **Furnaces**, with adjustable support.....\$1 75 resp., \$2 00 extra.

- * 6013. Combustion **Spoons**, of iron, for burning phosphorus in oxygen, etc., in two sizes, spoon $\frac{1}{2}$ in. and 1 in. diameter.....25 cts.

6014. Ditto, ditto, extra heavy.....50 cts.

- * 6015. Combustion Tubes, bent, ready for use in the combustion furnace, of hardest Bohemian glass. In ordering please state bore in millimeters.

Length, 12 14 16 18 20 24 30 in.

If bore is about 13 Milli. each, .18 .20 .25 .30 .35 .40 .45 cts.

6016. Ditto, ditto, with rounded end for absolute determination of nitrogen.

27 in. 30 in.

.45 .50 cts.

- * 6017. Ditto, ditto, of porcelain, glazed inside, flanged, diameter inside, about $\frac{1}{2}$ to $\frac{3}{4}$ inch.

Length, 12 18 20 22 25 30 in.

Each, .50 .75 \$1 00 1 25 1 50 2 00

6018. Ditto, ditto, inside diameter about 1 inch, flanged.

Length, 12 18 20 22 25 30 in.

Price, .85 \$1 00 1 25 1 50 1 75 2 50

2 inch bore, 25 per cent additional.

6019. Combustion Tubes of best Royal Berlin China, glazed inside and outside, 48 in. long, plain, not flanged. These tubes are unsurpassed in quality, will stand heating also the highest temperatures well.


Bore, $\frac{1}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ 1 $\frac{1}{4}$ 1 $\frac{3}{4}$ 1 $\frac{1}{2}$ in.

Each, \$6 00 8 00 10 00 12 00 14 00 16 00

See also Platinum.

6020. Combustion Tubing, best Bohemian glass, per pound, in 6 feet length,

Price.....75 cts.



6015



6022



6021

- * 6021. Compasses, in metal case, with cover, best Paris make, arranged for surveying, with folding sights, agate, centre, stop to needle, etc.

Watch pattern, 1 $\frac{1}{4}$ 2 2 $\frac{1}{4}$ in. diameter.

\$3 75 4 25 4 75

- * 6022. Compass Miners, or Dipping Needle, for tracing iron ore, both sides covered. Price.....\$10 00

6023. Ditto, ditto, plain, watch form, 1 to 2 in.....50 cts. to \$2 00

Compressors, see Clamps.

6017

CONDENSERS.

- * 6024. Condenser, Liebig's and Fresenius', made entirely of glass; latest and most improved style; only rubber connections. In ordering state whether end of tube is to be drawn out or cut off straight, without support.

Length of glass body, 10 12 15 20 25 30 40 in.
.85 \$1 00 1 10 1 25 2 00 2 50 3 00

- * 6025. Ditto, Liebig's, made of brass, the condenser tube included. (If with rubber stoppers, price net.)


Length of brass body,	12	15	20	30	40 in.
	\$2 50	3 00	3 50	4 50	5 00

- * 6026. Ditto, Mohr's, both tubes of glass, set with best corks.

	12	15	20 in.
	\$1 00	1 20	1 30

Ditto, if ordered with rubber stoppers, the weight of the rubber will be charged with 20 cts. per ounce.

- * 6027. Ditto, large, of heavy brass, with large oak-wood support ; one-half gallon retort, large oak-wood table, to hold tripod or stove and sand bath, glass receiver and support table for same, the whole complete. \$20 00



- * 6028. Condenser, glass, condensing tube sealed in the glass body ; water tubes set alternately or on one side as per cut.

Length of glass body,	8,	10,	12,	15,	20 in.
	.80,	.85,	\$1.10,	1.25,	1.90

- * 6029. Condenser, according to Allihn.


	10,	12,	16,	25,	30 inch.
	\$1.25	1.35	1.50	3.00	4.80

6030. Condenser, with greatest cooling surface, similar to No. 6028, but with a glass coil like 6031, fixed inside a condensing body.

6,	8,	10,	12,	15,	18,	25,	30 in.
\$1.00	1.25	1.50	1.75	2.00	2.50	3.50	5.00

- * 6031. Condensers, all glass, a glass worm inside of a conical glass vessel, with inlet for cold and outlet for the warm water. Pint, 1.25. Quart, 1.50. $\frac{1}{2}$ gal, 2.00
- * 6032. Ditto, ditto, with support. Pint, 2.25. Quart, 2.50. $\frac{1}{2}$ gal, 3.00
6033. Ditto, the worm alone. .65, .85, 1.00 resp.
- * 6034. Ditto, a small worm 45 cts.
- * 6035. Ditto, of zinc, with heavy block tin worm; Size to suit a
 $\frac{1}{2}$, 1, 2, 3, 5 gal still.
 Each, \$2.50, 3.30, 4.00, 4.75, 6.00.
6036. Condenser, of fine earthenware; a well-glazed stone worm, acid proof, for factory work, about one yard high; each.....\$30 00

Condenser Stands and Supports, (see Supports for Condensers.)



- * 6037. Condenser Tubes, of German glass, all sizes, for use with adapter or adapter permanently attached.

Length,	20	25	30	35	40	50	60
	.25	.35	.45	.55	.65	.85	\$1 00

- * 6038. Condensers for Sulphurous Acid, with two Geissler's stop-cocks on the vertical limbs.....\$2 50
- * 6038a. Ditto, ditto, ditto, two stop-cocks on the horizontal limb..... 2 50
- * 6038b. Ditto, ditto, with three Geissler's stop-cocks and extra reservoir..... 3 50
- * 6038c. Ditto, ditto, ditto, 2 bulbs and 3 stop-cocks in one line 3 50
- 6038d. Ditto, very large size, reservoir holding 250 CC., fitted into glass-footed jar. See Figure 5174 \$5 50
- * 6038e. Condenser for Sulphurous Acid, with one stop-cock, and with exit tubes..... 1 25

Condensing Pump, see Air Pump.

Condensing Tubes, **U** form and **W** form. See Tubes.

6039. Cones, of steel, with plaster mould to make platinum cones of correct angle from platinum foil. Each.....\$2 00

6039a. Cones, of platinum, adjustable for Bunsen's quick filtering apparatus. } See
From 50 cts. } Platinum
Ditto, ditto, heavy, of one piece, no seam.

* 6040. Connections, of brass, for Bunsen's battery, to connect the carbon with the zinc.

No. 1.....20 cts.


No. 2.....25 cts.

* 6041. Connection Tubes, of glass, to connect supply pipe with burners, bore $\frac{1}{4}$ inch.....35 cts.

* 6042. Connectors, of brass, for gasbags, etc. Bore, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{3}{4}$, 1 in.
.30, .35, .40, .45, 50.

* 6042a. Connectors of Glass, T-form.

Bore, $\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{3}{4}$, 1 in.
.15, .18, .20, .25, .30, .35, .40, .45, .50.



* 6042b. Connectors, of glass.

Large end, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{3}{4}$, 1 inch.
Small end, $\frac{1}{8}$, 3-16, $\frac{1}{4}$, $\frac{1}{2}$, 5-16, $\frac{3}{8}$ "
Each, .15, .18, .20, .25, .30, .35 cts.

6042c. Ditto, ditto, ditto, with stopcock, up to $\frac{1}{4}$ in. 75 cts., extra bore $\frac{1}{4}$ inch, 75 cts. extra.

* 6043. Ditto, ditto, for rubber tubing, with stopcock, each.....\$1 00

Ditto, for Wires, (See Binding Screws).

Coolers, (see Condensers.)

Cooper's Mercurial Receiver, (see Gasometer Tubes.)

6044. Copper Foil, of pure soft copper, heavy, per pound.....50 cts.

6045. Ditto, ditto, ditto, fine, per pound.....60 cts.

6046. Ditto, ditto, ditto, finest, c. p. per pound.....\$1 50

— 6047. Copper Gauze, coarse, for combustions in organic analysis. No. 40, per square foot.....70 cts.

— 6048. Ditto, ditto, fine No. 80, for combustions in organic analysis, square foot.....\$1 20

Copper Wire, per pound. Fine60 cts. Coarse.....50 cts.

* 6049. Corks, best quality, out from selected wood, XX, regular length.

No.	1,	2,	3,	4,	5,	6,	7,	8,
Diameter of small end,	$\frac{1}{8}$,	$\frac{5}{16}$,	$\frac{3}{8}$,	$\frac{7}{16}$,	$\frac{1}{2}$,	$\frac{9}{16}$,	$\frac{5}{8}$,	$\frac{3}{4}$,
Price per gross,	.20,	.20,	.25,	.30,	.35,	.40,	.45,	.50 cts.

No.	9,	10,	11,	12,	13,	14,	15,	16,
Diameter of small end,	$\frac{1}{8}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{7}{8}$,	$\frac{1}{2}$,	1,	$1\frac{1}{8}$,	$1\frac{1}{2}$ in.
Price per gross, \$.65,	.75,	1.10,	1.20,	1.65,	2.00,	2.30,	2.75

6050. Ditto, ditto, extra long, No. 1 to 10, cost 25% higher.

* 6051. Corks, flat, for wide mouth bottles, extra thick superior XX quality.

Diameter of larger end,	1,	1 $\frac{1}{8}$,	1 $\frac{1}{4}$,	1 $\frac{3}{8}$,	1 $\frac{1}{2}$,	1 $\frac{5}{8}$,	1 $\frac{3}{4}$,		
Price per dozen,	.10,	.12,	.15,	.18,	.20,	.23,	.25.		
Price per gross,	.80,	.90,	1.40,	1.60,	1.85,	2.10,	2.25.		
Diameter of larger end,	1 $\frac{1}{8}$,	2,	2 $\frac{1}{8}$,	2 $\frac{1}{4}$,					
Price per dozen,	.28,	.30,	.32,	.35.					
Price per gross,	2.35,	2.65,	2.90,	3.05.					
Diameter of larger end,	2 $\frac{1}{2}$,	2 $\frac{3}{8}$,	2 $\frac{1}{2}$,	3,	3 $\frac{1}{2}$,	4,	4 $\frac{1}{4}$,	5,	6 in
Price per dozen,	.40,	.45,	.50,	.60,	.75,	1.00,	1.25,	1.75,	2.50
Price per gross,	3.50,	3.75,	4.20.						




6051



6056



6053



6049

6052. Corks, X quality, the cork of the trade at one-half price of above.

Ditto, of India rubber (see Rubber Stoppers.)

* 6053. Cork Borers, of polished brass, best make.

In sets of	6,	8,	12,	15,	3,	3,
					smallest	largest
					of	of
	1 to 6,	1 to 8,	1 to 12,	1 to 15,	1 to 6,	1 to 6.
	\$1.00,	1.50,	1.75,	2.60,	.60,	.75.

6054. Cork Borer sharpener, very practical, a steel cone, with knife.....\$1 20

6055. Cork Extractors..... 25


Cork Files, (see Files.)

* 6056. Cork Knives, each.....25 cts.

6056a. Cork Plates, 4x8 inches.

Thickness, $\frac{1}{8}$,	3-16,	$\frac{1}{4}$ in.
Each, .9,	.13,	.17 cts.

- * 6057. **Cork Press, improved with wheel**, will compress corks from one-fourth to one and one-fourth inches in diameter, without liability of splitting them. The motion is a rolling one into the jaws of the press, rendering the cork round and tapering. Small.....50 cts. Large.....65 cts.
- * 6058. Ditto, ditto, of cast iron.
Small.....30 cts. Large.....35 cts.
6059. **Corkscrew**, best quality.....from 35 to 50 cts.
6060. Ditto, ditto, folding.....from 30 to 50 cts.
- * 6061. **Cork Tweezers**, (tongs), steel.....\$1 00
6062. Ditto, ditto, with teeth.....1 25
6063. **Covers, convex**, of glass, for covering beakers, etc., see Watchglasses.
- * 6064. Covers, for beakers, etc., flat. Round glass plates.
Diameter, 3, 4, 5, 6 in.
.10, .12, .15, .20 cts.
- * 6065. Ditto, ditto, with perforations in center or on side, for stirrers, 20 cts. extra for each perforation.



6066. **Covers, plain, straight, rough on one side.**
2, 2½, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15 in. square.
Each, .3, .4, .5, .6, .8, .10, .15, .20, .25, .28, .30, .50 cts.
6067. Ditto, ditto, straight, of heavy plate glass, rough on one side.
3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 20 in. square.
Each, .20, .25, .30, .35, .45, .60, .75, 1.00, 1.20, 1.85, 2.50.
6068. Ditto, for microscopic objects, very thin, round, see microscopic covers.
6069. Ditto, ditto, cut square, see microscopic covers.
- * 6070. **Creamometers**, for determining the percentage of cream in milk, black graduation.....50 cts.
6071. Ditto, larger, on foot.....85 cts.
- * 6072. Ditto, Chevaliers, with red lines.....\$1 00
See fig. 5312.
- * 6073. **Crowns**, for Bunsen's burners, giving blue round flame. Each.....50 cts.
- * 6074. **Crusher, Hand size very effective and practical** enabling a person quickly and easily to bring the hardest ores to fine powder. It is very substantial, does not get out of order and weighs only 95 lbs. Price.....\$25 00
Extra jaws.....1 25

- * 6074a. **Crusher, Blake's, for Ores, laboratory size, improved so-called "Challenge Rock Breaker," for hand and power.** This is the most perfect crusher and most valuable for the assay laboratory. Complete. Rubber cushioned. \$50 00
Larger sizes to order at manufacturer's price.



CRUCIBLES.

- 6075. **Crucibles, black lend, Plumbago, Dixon's make.**

No.	00	0	1	2	3	4	5	6	7	8	10	12	14	16
Height outside,	2	2½	3¼	3¾	4½	5	5½	5¾	6¼	6½	7¼	8	8¾	9 in.
Each,	.20	.20	.20	.25	.30	.35	.40	.45	.50	.55	.60	.70	.75	85 cts.

All sizes larger than No. 16, 5 cts. per number higher, running up to No. 300.

Each number represents a capacity of about 2 pounds of metal.



- 6076. **Covers for same.** Nos. 0 to 5, 10 cts. each. Nos. 6 to 8, 15 cts. each.

All higher numbers 5 cts. extra per number.

- * 6077. **Crucibles, of charcoal, imported from Freiberg, dozen**..... 20 cts.
6078. Ditto, of clay, for assaying, unglazed porous. Dozen..... 20 cts.
* 6079. Ditto, of porcelain, with flanged rim, Plattner's. No. 1.... 25 cts. No. 2. ... 20 cts.
* 6080. Ditto, ditto, of porcelain, Rose's, with perforated cover and tube, ½ oz. 75 cts.
" " " " " " " " " 1 oz. \$1 00
" " " " " " " " " 2 oz. 1 50
6081. Separate tube with perforated cover..... 60 cts.
Ditto, large..... \$1 00
* 6082. Ditto, ditto, of porcelain, with flat bottom 20 cts.
○ 6083. Ditto, ditto, copper assay, Battersen, Cornish shape and quality.

	Height,	Diameter,	Price per dozen,
Nest of 2,	{ 3¾ in. 2¾ in.	{ 3¼ in. 2½ in.	\$1.10
Single,	2½ in.	2¾ in.	45

○* 6084. Crucibles, Colorado, or lead assay; Battersea.

No.	Height.	Diameter.	Doz.	Price per 100.
AA.	2 $\frac{3}{4}$ in.	2 $\frac{1}{2}$ in.	.35	\$2.75
A.	3 $\frac{1}{4}$ in.	2 $\frac{1}{2}$ in.	.45	3.50
B.	3 $\frac{3}{4}$ in.	3 in.	.60	4.50.

—* 6085. Ditto, ditto, French clay, or Beaufay.

No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18
Height	2 $\frac{1}{2}$	2 $\frac{3}{4}$	2 $\frac{3}{4}$	3 $\frac{1}{4}$	3 $\frac{1}{2}$	4	4 $\frac{1}{4}$	4 $\frac{1}{2}$	5 $\frac{1}{4}$	6	7	7 $\frac{1}{4}$	7 $\frac{1}{2}$	8 $\frac{1}{4}$	10	11 $\frac{1}{2}$ in.
Diameter,	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3	3 $\frac{1}{4}$	3 $\frac{1}{2}$	3 $\frac{3}{4}$	4	4 $\frac{1}{4}$	5 $\frac{1}{4}$	5 $\frac{1}{2}$ in.
Price per doz.	.40	.50	.70	.80	.90	1.00	1.15	1.30	1.50	2.00	2.75	3.50	4.75	5.30	6.50	9.00.
Covers, pr doz.	.25	.28	.30	.33	.35	.40	.45	.50	.65	.75	.85	1.00	1.15	1.25	1.50	1.75.

—* 6086. Ditto, ditto, gold assay, or annealing cups, Battersea.

No.	A.	B.	C.	D.
Diameter,	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{1}{2}$ in.
Height,	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2 in.
Price each,	.10	.10	.10	.10.
Covers, per doz.	.30	.30	.30	.30.

* 6087. Ditto, ditto, French, see Annealing Cups. Each, 15 cts. Dozen, \$1.35.


—○* 6088. Crucibles, Battersea, round form. This is the assayer's crucible, as it is of the best material and of the best shape, answering for almost all operations better than any other made.

No.	A	B	C	D	E	F	G	H	I	K	L	M	N	O	P	Q	R
Height.	2 $\frac{1}{8}$	3	3 $\frac{1}{4}$	4	4 $\frac{1}{4}$	5	5 $\frac{1}{4}$	5 $\frac{1}{2}$	6 $\frac{1}{4}$	7 $\frac{1}{4}$	8	8 $\frac{1}{4}$	9 $\frac{1}{4}$	10	11	12	13 in
Diameter.	1 $\frac{1}{8}$	1 $\frac{1}{4}$	2 $\frac{1}{4}$	2 $\frac{3}{4}$	2 $\frac{1}{2}$	3	3 $\frac{1}{4}$	3 $\frac{1}{2}$	4 $\frac{1}{4}$	4 $\frac{1}{2}$	5 $\frac{1}{4}$	5 $\frac{1}{2}$	6 $\frac{1}{4}$	7	7 $\frac{1}{4}$	8 $\frac{1}{4}$	9 $\frac{1}{4}$ "
Price pr doz.	.30	.35	.40	.45	.70	.80	1.10	1.20	1.65	1.75	3.00	3.50	4.90	7.25	8.00	9.15	12.00
Covers, "	.30	.30	.30	.35	.45	.55	.70	.80	.85	1.10	1.20	1.35	1.60	1.90	2.10	2.25	2.70

Original casks per hundred.

○ A	B	C	D	E	F	G	H	J	K	L	M	N	O	P	Q	R
1.85	2.25	3.25	3.60	5.75	6.25	8.60	9.00	13.00	13.50	24.00	28.00	32.00	58.00	64.00	73.00	100.00

Note.—Alternate sizes, as A, C, E, G, &c., and B, D, F, H, &c., form a nest. If E and G therefore were ordered they would take no more space in packing than G alone.



* 6089. Ditto, ditto, sand or Hessian, triangular form.

Threea. Small 5s. Centimeters. Large 5s. Triangle 6s. Triangle 8s. $\frac{1}{2}$ size.

No. in nest,	3,	3	3	5	0	6	0	7	0	7
Height of largest,	3	4	4 $\frac{1}{4}$	4 $\frac{1}{2}$	5 $\frac{1}{4}$	5 $\frac{1}{2}$	6 $\frac{1}{4}$	6 $\frac{1}{2}$	7 $\frac{1}{4}$	8 in.
Width on top,	2 $\frac{1}{4}$	3	3 $\frac{1}{4}$	3 $\frac{1}{2}$	4 $\frac{1}{4}$	4 $\frac{1}{2}$	5 $\frac{1}{4}$	5 $\frac{1}{2}$	6 $\frac{1}{4}$	6 $\frac{1}{2}$ "
Price per nest,	.05	.06	.08	.10	.15	.25	.25	.25	.25	50 cts

— 6090. Round form.

	Small 5s	Large 5s.	6s.	8s.	Half-size.	Large size.
No. in nest,	2	3	4	5	4	5
Height of largest,	4	4 $\frac{1}{4}$	5 $\frac{1}{4}$	7	8 $\frac{1}{4}$	10 $\frac{1}{4}$ in.
Width on top,	3	3 $\frac{1}{4}$	4 $\frac{1}{4}$	5 $\frac{1}{4}$	6	7 $\frac{1}{4}$ "
Price per nest,	.04	.08	.17	.28	.45	.75 cts.
		Extra large size.		Double extra large size.		
No. in nest,		6		6		
Height of largest,		12 $\frac{1}{4}$		14 in.		
Width on top,		9		10 $\frac{1}{4}$ "		
Price per nest,		\$1.50		3.50		

— 6091. Crucibles, round form, Hessian sand, shape and size like 6088.

No.	A	B	C	D	E	F	G	H	I	K	L	M	N	O	P
Per doz.	\$0.18	.24,	.35,	.40,	.60,	.65,	.95,	1.00,	1.45,	1.55,	2.50,	3.20,	4.00,	6.70,	7.40

No.	A	B	C	D	E	F	G	H	I	K	L	M	N	O	P
Per 100	\$1.65	1.85	2.75	3.00	4.95	5.40	7.25	7.90	11.20	12.00	20.00	25.00	33.00	50.50	55.50


In Original Casks.

— * 6092. Covers, for Hessian sand crucibles.

Diameter, 2½	3	3½	4	4½	5	5½	6	6½	7	8	9 in.	
Each,	.03	.03	.04	.05	.06	.07	.08	.10	.10	.12	.13	.15 cts.

* 6093. Crucibles, of Royal Meissen porcelain, with covers, glazed throughout.

No.	1	2	3	4	5	6	7	8	9	10.	
Diameter,	80	70	65	55	45	40	35	30	23		millimeters.
Capacity,	6	4½	3½	2	1½	1	½	¼	⅛		1-16 oz.
Each,	.60	.45	.35	.26	.22	.20	.17	.16	.15	.12 cts.	



* 6094. Ditto, of best Royal Berlin China, with covers, glazed throughout, the best crucibles made.

	000	00	0	1	2	3	4	5
Contents,	1	2	4 dram, ½	1	1½	4	8 ounce.	
	1	1½	1½	1½	2	2½	3	3½ inches.
	12	18	25	30	40	50	60	70 cts.

6095. Crucibles of Royal Berlin, cylindrical form, 1 oz. 25 cts. 2 oz. 50 cts.

With flat bottom and cover, similar, but taller than number 6082.

* 6096. Ditto, ditto, unglazed porcelain, with lip and cover.

½	1	2 pints.
.50	.75	\$1 05

6097. Ditto, of copper, with cover, for regenerating copper oxyde, etc. Shape same as No. 6094.

Capacity,	50	100	250 cc.
	.75 cts.	\$1.00	1.50

6098. Ditto, of platinum, with cover.

See also Platinum.

— * 6099. Ditto, platinum, with perforated bottoms, for carbon determination, s. c. Gooch's platin. filters, according to weight of platin. and size.

6099a Ditto, made of Porcelain, capacity 1 oz., each 50 cts. Platina disc, \$1.00 extra.

Other crucibles of Platinum, see Platin.

6100. Crucibles, of pure silver, same shape as No. 6094.

Sizes on hand,

Capacity, 20 CC. 30 CC. 50 CC. 75 CC. 100 CC. 150 CC. 200 CC.

Price per ounce\$3 00

6100a. Ditto, of pure wrought nickel. These are very practical for use in Alkali solutions where there is danger of ruining a platina crucible.Diameter, $1\frac{1}{8}$, $1\frac{1}{2}$, 2, $2\frac{1}{8}$, $3\frac{1}{4}$, 4 inches.

Capacity, 20, 30, 50, 75, 100, 150 CC.


Price, \$0.70 .85 1.05 1.20 1.80 2.40

6101. Ditto, of cast iron, with cover.

$\frac{1}{4}$	$\frac{1}{2}$	1	2 pints.	$\frac{1}{2}$	1 gallon.
.75	\$1 00	1 50	2 00	3 00	4 50

* **6102. Ditto, ditto, with clamp, 50 per cent. higher, see also Retorts.****6103. Ditto, very heavy, of wrought iron, for Belgian lead assay, each...\$2 50-3 00****6104. Ditto, of light wrought iron, with cover same shape as figure 6094.**

No.	Height.	Diameter.	Price.
1	$\frac{1}{2}$ oz. 1 in.	$1\frac{1}{4}$.45 cts.
2	1 " $1\frac{1}{4}$ "	$2\frac{1}{4}$.60 "
3	2 " 2 "	$2\frac{1}{2}$.75 "
4	4 " $2\frac{1}{2}$ "	$3\frac{1}{4}$	\$1 00



6118



6108



6102



6111



6107



6117

6105. Crucible Tongs, of steel, single bent, length, 8 in nickel plated\$0 80**6106. Ditto, ditto, double bent.....length, 8 in. \$ 90*** **6107. Ditto, ditto, nickel plated, single bent. very light .. " 9 " 1 10*** **6108. Ditto, ditto, " " double bent. " " " 9 " 1 25****6109. Ditto, ditto, " " single bent..... " 10 " 1 25****6110. Ditto, ditto, " " double bent..... " 10 " 1 50*** **6111. Ditto, ditto, brass, single bent, nickel plated..... " 6 " .50****6112. Ditto, ditto, iron, single bent, japanned..... " 10 " .70****6113. Ditto, ditto, " double bent..... " 10 " .80****6114. Ditto, ditto, of brass, double bent..... " 7 " 1 20****6115. Ditto, ditto, of German silver.....1 50****6116. Ditto, ditto, of pure wrought nickel, (Platina tips, \$4.00 extra.).....2 80*** **6117. Ditto, of steel, double or single bent, with heavy platinum plates, or shoes, nickel plated. Length, 8 in. (Tong German silver, \$6 50)\$6 00*** **6118. Ditto, ditto, of wrought iron, single bent, for heavy crucibles. Length 15 in. .90****6119. Ditto, ditto, of wrought iron, single bent, for heavy crucibles.**

Length, 20 in., \$1 00. 25 in., 1 25. 30 in., 1 75


- * 6120. Crucible tongs of wrought iron, single bent, for heavy crucibles. Length 27 in 1 50
 * 6131. Ditto, ditto, double bent 1 75
 * 6122. Ditto, ditto, double bent for lifting crucibles vertically 2 00
 * 6123. Ditto, ditto, " " with elbow 2 50
 * 6124. Cryophorus small, 1 00, medium, 1 35, large, \$1 75

Crystal Strainers, of porcelain, see Strainers.

6125. Cupels, of best washed bone ash, Torrey & Eaton's superior make, securely packed.

No.	3	4	5	6	7	9	11
Diameter on top,	1	1½	1½	1½	1½	1½	2 inches.
To absorb about	10	15	20	25	30	50	75 grammes.
Price per dozen,	.30	.40	.50	.60	.70	.85	1.00

Cupel Furnaces, (see Furnaces.)



- * 6126. Cupel Moulds, steel, improved patterns, best shape, like figure or without rim.

Diameter,	1	1½	1½	2 inch.
	\$1 75	2 00	2 50	3 00

- * 6127. Ditto, brass, finely finished styles same as above.

	1	1½	1½	2 inches.
	\$2 25	2 50	2 75	3 00

- * 6128. Ditto, after Plattner, with stamp and stand, for blow-pipe analysis \$1 45
 * 6129. Cupel, Tongs, steel spring; light weight; with guide 1 25
 6130. Ditto, ditto, broad steel, and rounded ends .. 1 00
 * 6131. Ditto, Judson's, of steel 3 00

Cups, annealing, see Annealing Cups and Casseroles.

6132. Ditto, of porous clay, for galvanic batteries, (see Porous Cups)..... 15 to 75 cts

○* 6133. Cups, Miners, of agateware.

5 6 in. diameter.
.45 .60 cts

* 6134. **Cylinders, glass-footed, of best German make, with ring around the neck.**
Diameter from 1 to 2 inches.

Height, 4x1	5x1	5x1½	5x2	6x1	6x1½	6x2	7x1½	8	10	12x1½	12x2	15	16	18	20 in.
.15	.18	.20	.22	.25	.25	.28	.28	.30	.35	.40	.45	.50	.60	.70	.80 cts.

If extra wide, 5 to 10 cts. higher.

If ordered with ground top, we ask 10 cents extra for grinding.


** 6135. Ditto, ditto, tall, straight, ring roughed for glass plates, used for observing colors of gases, etc., a and b.

8x4	10x4	12x4	18x2½	20x2½	25x3	12x3	15x3	30x3	30x4	36x4 in.
.80	\$1 00	1 25	1 25	1 75	2 50	.80	1 00	3 50	4 50	6 00

* 6136. **Ditto, on glass foot with lip,**

Height, 5x1	6x1½	7x1½	8x1½	9x1½	10x1½	12x1½	12x2	15x1½	18x1½	20x1½ in.
.15	.20	.25	.28	.30	.35	.40	.45	.50	.70	.80 cts.

If extra wide, 5 to 10 cents higher.



* 6136a. **Cylinders, with enlarged top, for Hydrometers and Mercury cistern.**

Height,	14	18	12	16 in.
Width on bottom,	1½	1½	2	2½ in.
Width on top,	2	2	3	3 in.
Price,	.50	.80	.50	.80

—* 6137. **Cylinders, on glass foot, with lip, graduated most exact in cubic centimeters; best German make.**

Contents, 5	10	15	25	50	100	200	250	300	500	1000	2000	4000 CC.
.25	.30	.35	.45	.60	.80	\$1 00	1 25	1 50	1 75	2 50	4 00	6 00

—* 6138. **Ditto, Graduated, German. Double graduation, so that the divisions can be read up or down.**

Contents, 5	10	25	50	75	100	200	250	300	500	1000	2000	4000 CC.
.30	.35	.50	.65	.75	.95	\$1 10	1 35	1 65	1 85	2 75	4 50	7 00

Cylinders, for acid chambers, with side tube, so-called dripping-glasses,

5 in. 50c.	6 in. 50c.	7 in. 60c.	10 in. 75c.	12 in. \$1.00
------------	------------	------------	-------------	---------------

- * 6139. **Cylinders, on glass foot, with well ground stoppers, graduated most accurately into cubic centimeters, as above.**

Contents, 10	25	50	100	200	250	300	500	1000 CC.
.45	.65	.75	\$1 00	1 25	1 50	1 75	2 00	3 00

- 6140. **Ditto, graduated and stoppered, German. Double graduation, so that the divisions may be read up or down.**

Contents, 50	100	200	250	300	500	1000	2000	4000 CC.
.80	\$1 00	1 35	1 60	1 85	2 20	3 50	5 00	8 00

- 6141. **Ditto, on glass foot, with lip.**

100	500	1000	5000 grains.
.30	.50	.75	\$1 00

- 6142. **Ditto, in ounces and fractions.**


1	2	4	8	16	32 ounces.
.50	.70	\$1 00	1 50	2 00	3 00

6143. **Ditto, graduated in cubic inches to order. 10 cubic inches, \$1 25.**

- * 6144. **Ditto, for Nessler's ammonia test, made of clear glass, with polished bottoms. Graduated 50 CC., 50 cts., 100 CC., 60 cts., in 50 and 100 CC., 75 cts., 50, 100 and 150 CC., \$1 00 each, selected in sets of 2, 3, 4, 6, and 12 to agree.**




6139




6144



6147



6146



6148

- * 6146. **Decanting Jars, of acid proof stone ware.**

Capacity,	2½	5	7½	10 gallons.
Price,	\$1 25	2 20	3 25	4 35 each.

- * 6147. **Decanting Jars, of porcelain, with tubulatures and knobbed handles, for washing precipitates, etc.**

Contents,	8	12	20	25 lbs.
	\$3 50	4 00	6 00	7 25

- * 6148. **Decomposition Apparatus, (see Apparatus, Hofmann's, for water decomposition.**

Deflagration Globes, of glass.

Diameter,	9	12	15 inches.
	\$1 00	1 30	2 10

If ordered with stand and cup, 75 cents extra.

Deflagration Spoons, (see Combustion Spoons.)

DESICCATORS.


- * 6149. **Desiccating Apparatus**, acid dish on glass plate, ground air-tight to a bell jar. Diameter of acid dish, 4 4½ 5½ 6 inches.
 Bell jar diameter, 7 8 9 10 "
 Glass plate, 8 9 10 12 " square.
 \$3 25 3 50 3 75 4 25
- * 6150. Ditto, ditto, small, of Bohemian glass, to weigh hygroscopic substances, protected from moisture.\$1 25
- * 6151. **Desiccators of glass, usual form**, but of entirely superior make, very substantial, plate ground air-tight, diameter inside, 4 inch. each65 cts.
6152. Ditto, ditto, Scheibler's, of similar shape as the preceding, but with broad, finely-ground rim at the top, about 6 inches diameter inside and provided with a porcelain support to receive one or more crucibles, etc. Price, complete.\$2 50
- 6152a. Ditto, without porcelain support. 1 25



6151




6153




6156




6150




6149



6154



6155



6157

- * 6153. Ditto, ditto, ditto, with flat top, Bohemian glass 2 00
- * 6154. Ditto, ditto, ditto, two jars ground together, with round top.... 1 75
- * 6155. Ditto, Professor Atwater's. A very excellent style. Bohemian, 2 00
- * 6156. Ditto, new style, with glass plate, tripod, side neck and glass stop-cock (or brass stop cock) for exhausting with air pump.\$2 00
- * 6157. **Desiccating Disc, Fresenius'**, a circular iron plate, 8 inches in diameter and 1½ inches in thickness. The plate has six smooth cylindrical cavities, 2½ inches in diameter around the margin. These cavities are fitted with brass pans provided with handles. A central rod affords support to the thermometer. Very useful for agricultural and technical analysis. Without gas burner\$10 00
- Desiccating Ovens**, (see Drying Ovens.)
- Other desiccators, see Drying Apparatus,

* 6160. Desiccating Tubes, Schrötter's..... 1 25

Desiccating Tubes, see Chloride Calcium Tubes, Drying Apparatus, and Drying Tubes.

Desiccating Pans, see Acid Dishes.

* 6161. Dialyser, with jar, low or high shape, a or b.

Capacity of outside jar about,	$\frac{1}{2}$	1	$1\frac{1}{2}$	2	3 gals.
	\$1 25	1 50	2 50	3 50	5 00

6161c. Diamonds, in ebony handles, for writing on glass, from.....\$3 00, 4 00, 5 00

* 6162. Ditto, in ebony and metal handle, for cutting glass, from..... 4 00, 5 00, 6 00

6163. Diamonds, raw or splinters.....1 00 to 5 00




6162



6160



6161a



6166



6161b



6164



6168



6169

* 6164. Diamond Mortars, of steel, Plattner's usual form, of superior make, pestle made of three kinds of steel, each.....\$4 00

6165. Ditto, ditto, large size, giving excellent satisfaction, each..... 6 00

* 6166. Ditto, ditto, Leeds form, mortar and anvil combined 2 00
Digesting bottles, see bottles, compressing.

6167. Digesting flasks, Kjeldahl's, of hard glass, pear shape.

Capacity, 250 CC..... each, 50

* 6168. Digestion Flasks, for bacterioscopic investigation of Bohemian glass.

Capacity,	300 CC.	500 CC.
	.30	.40 each.

○* 6169. Dippers, of agate ware, with wood handle.

$4\frac{1}{2}$	$5\frac{1}{2}$	6	$6\frac{1}{2}$ in.
.60	.70	.80	.95

DISHES.

All our Dishes are the first selection only, a second quality is not kept in stock.

* 6170. Dishes, crystalizing, single, of best Bohemian glass, straight walls, flat bottoms.

No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Diameter,	2½	2½	3	3½	4	4½	5	5½	6½	7½	8½	9½	10½	16	18 in.
Price,	.12	.15	.20	.25	.30	.35	.40	.45	.50	.65	.75	\$1 00	1 75	4 50	8 00

6171. Ditto, ditto, per nest of 6—2 to 8 \$1 50

“ “ 9—1 to 9 1 85

“ “ 3—10 to 12 2 25

* 6172. Ditto, ditto, of porcelain, glazed inside, flat bottoms and straight walls, with lip.

Diameter,	6½	8½	10	12½	14	16 in.
Each,	.60	.80	\$1 20	2 00	3 00	4 00

* 6173. Dishes, evaporating, of best Royal Meissen porcelain, flat bottom.

No.	000	00	0	1	2	3	4	5
Diameter,	18	15	13½	12	11	10	9	8 in.
Contents,	○	2	○	1½	1½	1	½ gal.	3
Each,	\$6 00	5 00	3 65	2 65	2 00	1 75	1 40	1 00

No.	6	7	8	9	10	11
Diameter,	6½	5½	5	4½	3½	2½ in.
Contents,	1	½ pints.	6	4	2	1 oz.
Each,	.75	.50	.40	.30	.20	.15 cts.




6170




6172



6176



6173—6174



6175

* 6174. Ditto, ditto, of best Royal Berlin China, glazed inside and outside, with lip. No. 000—5 round bottom, larger sizes, flat bottom. The best dish made.

No.	000	00	0	1	2	3	4	5	6	7
Diameter,	1	2½	3	3½	3½	3½	4½	4½	6	7 in.
Contents,	½	1½	2	3	4	6	8	10	14	24 oz.
	.10	.15	.20	.30	.35	.40	.45	.55	.75	.90 cts.

No	8	9	10	11	12
Diameter,	8½	10½	12½	14	○
Contents,	3 pts.	½ gal.	7 pts.	1½	2 gal.
	\$1 20	1 75	2 75	3 65	6 00

* 6175. Dishes, evaporating, best German porcelain, glazed inside, with heavy ring, deep form.

No.	000	00	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Diameter,	24	16	14	12	11	10	9	8	7	6½	6	5½	5	4½	4	3½	3	2½ in.
Contents,	6	3	2	1 gals.	3	2	1½	1 qt.	24	20	16	12	8	6	5	4	3	2 oz.
	\$10.00	4.00	3.00	2.00	1.00	1.30	.90	.80	.75	.55	.45	.40	.35	.30	.28	.25	.20	.15

* 6176. Dishes of porcelain, shallow form.

No.	00000	0000	000	00	0	1	2	3	4	5
Diameter,	2	2½	3	3½	4½	5½	6½	7½	9	10½ in.
Capacity,	⅞	1½	2	3	4	7	17	27	42	54 oz.
Price,	.12	.15	.20	.25	.30	.35	.45	.55	.70	.85 cts.

No.	6	7	8	9	10	11	12
Diameter,	11½	12½	12½	13½	14½	16	18 in.
Capacity,	68	84	114	146	178	234	340 oz.
Price,	\$1 00	1 25	1 50	2 00	2 50	3 00	4 00

Dishes, of porcelain, nested, deep form.

* 6178. Ditto, ditto, in nests, 9, from 1 oz. to 12 oz. \$2 50

6179. Ditto, ditto, " 6, from 1 oz. to 8 oz. 1 50

6180. Ditto, ditto, shallow, in nests of 6. 1 10

○* 6181. Ditto, evaporating, of acid proof stone-ware. German make.

Diameter,	8	9	10	11	12	14	16	18	20 in.
Capacity,	⅓	½	⅔	1	1½	2	3	4½	6 gals.
Price,	.30	.45	.60	.80	.95	\$1 35	1 85	2 50	3 50 each.

Diameter,	22	25	28	32	36	40 in.
Capacity,	8	11	16	19	25	40 gal.
Price,	\$4 75	5 50	7 50	9 25	13 50	20 00 each.




6183



6184



6186



6181



6178



6182

* 6182. Ditto, ditto, of iron, porcelain lined, so-called agate ware.

No.	1	2	3	4	5	6	7	8	9	10	11	12
Diameter,	5	8	9	12	16	18	20	22	24	26	27	28 in.
Contents,	½	¾	1	1	2	3	4	5	6	7	8	9 gal.
Price,	.50	.75	\$1 00	1 65	3 00	4 00	5 75	8 50	11 00	15 00	20 00	27 00

6182a. Ditto, White enameled deep shape, like 6175, acid proof ; very superior make, same price as 6175. Sizes from 5½ to 16 inches.

* 6183. Ditto, shallow, with pointed lips ; small dishes ; 4 in nest ; for microscopic work, etc. \$1 00

* 6184. Ditto, ditto, with straight walls and lips, per nest of 4. 1 10

6185. Ditto, ditto, per nests of 7. 2 00


* 6186. Dishes, evaporating, of glass, with lip, best Bohemian, in nests of 6, No. 1 to 6. \$1 10. Nests of 9, No. 1 to 9. \$2 00

6187. Ditto, ditto, nest of 3, the 3 medium sizes, Nos. 4, 5 and 6.85

6188. Ditto, single, No.	0	1	2	3	4	5	6	7	8	9
Diameter,	1½	2½	3½	3½	4½	5½	5½	6	6½	7 in.
Price,	.15	.18	.20	.25	.30	.35	.40	.45	.50	.60

- * 6201. Doeberiner's Hydrogen Lamp, very neat, glass jar, with brass-top, platina sponge included, each.....\$3 50
6202. Ditto, ditto, in fancy jar..... 5 00 Extra Zincs,25 cts.
- * 6203. Droppers, of glass, with rubber bulb.....Each, 5 cts. Doz. 50 cts.
- * 6204. Dropping Glass, Shuster's, best make, stoppered, each.....25 cts.
6205. Ditto, ditto, without stopper.....20 cts.
- Other Dropping Bottles (see Acid Bottles and Pipettes.)
- * 6206. Dropping Flask, Sallerones, very practical.....25 cts
- Dripping Glasses, for sugar tests, see Cylinders, 5x2 in. or 6x2 in.
- * 6207. Dropping Glasses, according to Ranvier, with ground in pipette.
- | | | | |
|-----------|----------------|----------------|-----------------|
| Capacity, | $\frac{1}{30}$ | $\frac{1}{35}$ | 2 oz. |
| Price, | .30 | .35 | .40 cents each. |

See also No. 8655.



6210



6204



6206




6207



6201




6203



6208

- * 6208. Drying Apparatus, according to Habermann and Zulkowsky, for primary desiccation of substances for organic analysis in vacuum, by aid of a water air-pump and a water—, amyl alcohol—, or an aniline vapor-bath (Fresen. Zeitschr. 1881, p. 265). The glass parts only.....\$3 00
- The support with clamp and ring..... 3 00
- Or the complete apparatus with plain filter pump and extra support, etc... 9 50
6209. Drying Apparatus, according to Scheibler, for drying and evaporating in vacuum at a constant temperature and with a constant level in the steam boiler (Fresen. Zeitschr. 1879, p. 578.) The complete apparatus with a drying cylinder 14 inch highx4½ inch diameter, provided with an etagere inside with 6 perforated shelves, with supports and a water air-pump..... \$88 00
- 6209a. The apparatus without the air-pump and support..... 65 00
- * 6210. Drying Apparatus, according to Bennert, as accepted for use at the Bonn laboratory; the whole of glass; the 4 drying jars are fastened to a base board...\$12 00
6211. Ditto, ditto, tubes not fused in, with U Tube in centre and rubber stoppers, on wooden support.....\$9 00


- * 6211a. Drying Apparatus, according to Liebig and Mitcherlich, with oil bath, tripod, air-pump, etc., complete.....\$25 00
- * 6212. Drying, absorbing and washing bottle for liquids and solids, Greiner and Friedrichs, so arranged as to pass and repass gases, etc., through the bottle without changing connections allowing perfect absorption.
6213. Drying Oven, for poison analysis, made of porcelain\$3 00
- * 6214. Drying Bath, of tin. with double walls, to be filled with water, with two openings for thermometer, etc. Size, 6x8 inches, each.....\$2 50
6215. Ditto, ditto, ditto, of copper, with double walls and two openings for thermometer, etc., made in the most substantial manner.
- | | | | |
|-------|--------|-------|-----------|
| Size, | 6x8 | 8x10 | 10x12 in. |
| | \$7 50 | 10 00 | 13 00 |



6214




6212



6218



6219




6211a

6216. Ditto, ditto, resting on 4 legs, and with extra iron bottom, which can be taken out. Each.....\$1 00 higher.
6217. Ditto, ditto, with thermometer.....\$1 00 extra.
- * 6218. Ditto, ditto, new style, with Prof. Kekule's water regulator; otherwise same as above. The whole resting upon four movable feet.
- | | | | |
|-------|---------|-------|-----------|
| Size, | 6x8 | 8x10 | 10x12 in. |
| | \$10 00 | 12 00 | 15 00 |
- * 6219. Ditto, ditto, with regulator and water-bath on top.
- | | | | |
|-------|---------|-------|-----------|
| Size, | 6x8 | 8x10 | 10x12 in. |
| | \$12 00 | 14 00 | 18 00 |


6220. Drying Bath, with thermometer.....\$1 00 extra.
Other Drying Baths, see Water-bath.
- * 6221. Drying Oven, for larger laboratories, of copper, well-tinned, with 4 chambers and glass windows, steam in and outlet stop-cocks and 5 sets of rings on top for water-bath evaporations, with rings to be fastened against the wall.....\$100 00
Ditto, if provided with support and legs.....\$25 00 extra.
6222. Above apparatus if made of leadened sheet iron..... 20 % less than in copper.
Larger sizes up to 24 chambers, to order. See also under apparatus for general laboratory work.
6223. Drying Cylinder, after Professor Silliman..... 60 cts.
- * 6224. Ditto, ditto, according to A. H. Elliot.....50 cts.
Other Drying Jars, see Chloride Calcium Jars.
- * 6225. Drying Oven, Fresenius', of copper, very substantial, of improved style, a square copper box, with double bottom, one of which is of iron, and can be replaced if burned through, so that the copper box will last forever. The four legs can be taken out and the box heated on a stove.
- | Size, | 6x8 | 8x10 | 10x12 in. |
|-------|--------|------|-----------|
| | \$5 00 | 7 00 | 10 00 |



6221




6224



6228



6225



6228

- 6226.** Ditto, ditto, of copper, same as above, with arrangement to hang against the wall; with 3 legs, of which one is stationary, and used as sliding rod for fork and burner.
Size, 6x8 8x10 in.
\$7 00 10 00. See figure 5021.
- 6227.** Ditto, ditto, School of Mines pattern, of copper, 12x10x10 inches, enclosed in sheet-iron box, with heating coil; the best laboratory hot air drying oven.....\$30 00.
- * **6228.** Ditto, ditto, after Rammelberg, of heavy copper.....small, \$3 00, large, 4 00
- * **6229.** Ditto, ditto, double wall, with two shelves, E. & A.'s. Being made without seam and without solder, it is a practical drying oven. Being very heavy in copper and without seams; it may be used as hot-air, water, oil, or paraffin bath equally well. Size, 8x8 inches. Price\$8 00


- * 6230. **Drying Tube**, for gases, according to Winkler, with platina wire, filled with beads.
Price.....\$1 00
- * 6231. **Ditto**, ditto, according to Schmitz, for elementary organic analysis; about 8 inches high.....\$2 00 each.
6232. **Drying Tubes**, according to Babo, filled with glass beads, straight, with 2 bulba, and $9\frac{1}{2}$ inches long.....75 cts. each.
Ditto, ditto, the same, but 20 inches long.....\$1 50 each.
- * 6233. **Drying or Washing Arrangement**, for gases, see Winkler's Gas Analysis.
Price, 60 cts. Bottle, tube and stopper, 40 cts. extra.
6234. **Ditto**, ditto, with stop-cock.....\$1 55

Other Drying Tubes, (see also Chloride Calcium and Desiccating Tubes.)

Drying Bath Regulator, Bunsen's, etc., (see Gas Regulator.)



6230



6231



6239



6233

- 6235. **Dynamo Electrical Machines**, Weston's, procured at; a, for light, 28x13 inches, 4,000 candle power or Edison's 3-horse power.....\$300 00
b, for plating, 10x14 in., $\frac{1}{4}$ -horse power 150 00
- 6236. **Dynamo Electric Machine**; Siemen's, specially constructed for use by educational institutions, is worked by hand power, and answers for all illustrations performed by the lecturer \$175 00
- 6237. **Dynamo**, Edison's, mounted on table with 2-12 candle lamps..... 100 00
- 6238. **Ditto**, ditto, smaller, specially intended for physiological purposes..... 50 00
- * 6239. **Edulcorating Apparatus**, according to Berzelius, with support, bottle, tube, funnel and receiver, complete\$2 00
6240. The bottle with tube alone.....50 cts.


Electric Battery, (see Batteries.)

6241. **Elastic Bands**.


1-16 inch wide,	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$ in length.	5 in.
$\frac{1}{4}$ "	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$ "	0 "
$\frac{1}{2}$ "	0	1 $\frac{1}{8}$	0	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$ "	0 "
$\frac{3}{4}$ "	0	0	0	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$ "	0 "
$\frac{1}{2}$ "	0	0	0	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$ "	5 "

Small rings, $\frac{1}{4}$ inch bore, oz. 40 cts. Put up in $\frac{1}{4}$, $\frac{1}{2}$ and 1 pound boxes.


- * 6242. Electrical Machines, Toepler-Holtz, self-charging, with the latest improvements, giving a spark 5 inches, complete 10½ in. plates. Price plain, \$20 00 Rubber supports, \$25 00
- * 6243. Ditto, ditto, double machine, two revolving plates 12½ inches, hard rubber fittings. Price \$80 00



6243



6244



6242

- * 6244. Electrical Machine, new Toepler-Holtz, with four revolving plates, 36 centimeters = 14½ inches in diameter, mounted on mahogany base, with central mahogany pillar, all elegantly polished. This instrument is of superior workmanship, and the results which can be obtained with it are very fine. \$125 00
- Larger sizes imported to order.

Elutriating Apparatus, see Displacement Apparatus, and Apparatus for Soil Extraction.

6245. Electrolytic Apparatus, according to A. Classen, as illustrated in his work "Quantitative Analyse, auf electrolyt. Wege," 1882.
- 6246. Platin. Electrodes, per gramme 50 cts.
6247. Support, with clamp or ring \$3 50


6248. Electrolytic Apparatus, for the determination of copper, (as described by the Mansfield Mining and Smelting Directory in Fresen. Zeitschr. XL, 1872) per grm. 62c.
- ** 6249. Platinum Cone, $\frac{3}{4}$ in. x $\frac{3}{4}$ inch wide at its base, with platin. spiral, weighing altogether from about 50 to 60 grammes, lighter ones, 30 to 40 grms., according to weight. Price, per grm. . . . 50 cts.
6250. Support for, ditto, with double clamp. \$4 00



6255



6256



6249a



6249b

6251. Electro Plating Outfits. For Nickel.

No. 1. AMATEUR.

- | | |
|--|----------------------|
| 1 Battery | Complete,
\$20 00 |
| 1 6-Quart Jar for solution | |
| Pure Nickel Salts | |
| " " Anodes | |
| Wire and Connections | |
| Polishing material | |
| Full instructions and a copy of
Watts' Electro Metallurgy | |

No. 2. 20-GALL. OUTFIT.

- | | |
|--|----------------------|
| 1 Battery | Complete,
\$60 00 |
| 1 Square Wood Tank | |
| 3 Anodes, about 70 sq. inches,
Rods and Connections | |
| 20 Galls. Solution, in Carboy or
Salts | |
| Full instructions and a copy of
Watts' Electro Metallurgy | |

For Silver.

- | | |
|--|---------------------------|
| 2 No. 1 Smee Batteries | Com-
plete,
\$30 00 |
| 1 Extra Glass Cup | |
| 2 Rods 18 inches long and con-
nections | |
| 2 Conducting Wires, 10 feet
each | |
| 1 Glass Funnel, 1 Glass Rod | |
| $\frac{1}{2}$ lb. Quicksilver | |
| 1 qt. Silver Solution | |
| 1 Silver Anode | |
| Graduate Glass | |
| Wire | |
| 3 Brushes | |
| 3 Burnishers | |
| Pumice, Whiting, Rouge, Crocus
Book of Instructions | |

6252. **Jeweler's Outfit for Gold and Silver Plating.** In this set is included all that is necessary for a jeweler or watch repairer to start business with. It comprises all the Batteries, Solutions, Chemicals and Apparatus that are required with instructions, viz :

- | | | |
|--|--------------------------------------|----------------------|
| 2 Two-quart Smee Batteries, | 1 Box Ground Pumice Stone, | Complete,
\$45 00 |
| 2 Two-quart Solution Dishes, | 1 Box Whiting, | |
| 1 Stand with Pan, | 2 Connecting Cups, | |
| 1 Pint Cyanide Silver, with bottle, | 1 Graduate Glass, | |
| $\frac{1}{2}$ Pound Cyanide Potassa, with bottle, | 2 Glass Rods, for Stirring Solution, | |
| 1 Test Bottle Nitric Acid, with ground
stopper, | 1 Hand Brush, | |
| $\frac{1}{2}$ Pound Mercury and bottle, | 1 Burnisher, | |
| 1 Ounce Silver Plate and Wire, | 1 Bottle of Crocus, | |
| 1 Copper Plate and Wire, | 2 Pieces of Chamouis Leather, | |
| 4 Pennyweights Gold Plate and Wire, | 1 Bottle of Rouge, | |
| 1 Scratch Brush, | 1 Bottle of Gold Solution, | |
| 1 Lamp, | 1 Blow-pipe, | |
| 1 Soft Brush for cleaning work, | 1 Box and Thermometer, | |
| | 1 Two-quart Bottle Silver Solution. | |

6253. **Emery Paper**, for cleaning metal parts, etc., per sheet. 5 cts.

6254. **Emery Cloth**, sheet. 10 cts.


—* 6255. **Emulsion Machine**, for cod liver oil emulsions.

2 $\frac{1}{2}$	4	7	10 $\frac{1}{2}$	15 gal.
\$3 00	3 60	4 25	4 80	5 40

Larger sizes to order.

* 6256. **Erdmann's Furnace**, a tripod with clay chimney.
Without burner 60 cts.
With burner and triangle, complete. \$1 30

* 6257. Erdmann's Float.....	25 cts.
* 6258. Ditto, ditto, new style.....	50 cts.
Ether Bottle, German. See Bottles, glass stoppered with cap.	
* 6259. Ether Jet or Eolipile.....	25 cts.
* 6260. Ether Pipette, Etting's.....	75 cts.
* 6261. Extraction Apparatus, Thorn's, for quantitative work, (see Fresenius Zeitschrift für analytische Chemie.)	
Small.....	\$2 00. Large.....\$2 50
— 6262. Ditto, ditto, Soxhlet's, for milk.	
Small.....	1 50. Medium2 00. Large..... 3 00
—* 6263. Ditto, ditto, Soxhlet's, with flask and condenser.	
Small.....	2 50. Medium.....3 00. Large..... 4 00



— 6264. Extraction Apparatus, after Mohr.	
Small.....	75 cts. Medium.....1 00. Large..... 1 50
* 6265. Ditto, ditto, with condensing coil and flask.	
Small.....	1 50. Medium.....2 00. Large..... 3 00
* 6265a. Ditto, ditto, 6 in. frame, with water-bath of copper.....	45 00
— 6266. Ditto, ditto, for ether extractions, etc., a modification of Soxhlet's and Mohr's, complete with condenser and flask Knoeffler's form.	
Small.....	2 00. Medium.....2 75. Large.....\$4 00
— 6267. Ditto, Ditto, according to Waller, a modification of Soxhlet's.....	1 20
— 6267a. Ditto, ditto, with condenser.....	1 95

—* 6268. Extraction Apparatus, with mercury-sealed joints, after Schwarz.

100	250	500	1000 CC.
2 00	2 75	3 25	3 60

* 6269. Ditto, ditto, Drexel's, for repercolation..... 4 00

* 6270. Ditto, ditto, of tin, according to Mohr, for extractions with Ether.

Capacity, $\frac{1}{2}$ gallon 7 50

6271. Ditto, ditto, Thorn's modification, made in all sizes of copper and tin, to order up to 25 gal. capacity.

* 6272. Ditto, ditto, E. & A.'s, entirely of glass, for rapid extractions with limited quantities of ether or alcohol. The apparatus is expressly constructed for the analysis of Cinchona Bark, but will answer for any other bark, root, or herb exhaustion. It will do a two days work in two hours. Being provided with a three-way stop-cock, tests can be made without taking it apart. Quart size complete with support.....\$15 00


The glass parts alone..... 10 00

Pint size..... 12 00

The glass parts alone..... 8 00

See also Displacement Apparatus.


* 6273. Ditto, ditto, according to Gavalowsky.....\$3 50 each.



6272



6270



6268



6269



6273



6274



6275

* 6274. Ditto, ditto, for the determination of fats, according to Kreussler, with inside condenser and with 3 receiving flasks, per set.....\$3 50

* 6275. Ditto, ditto, according to Kuehne, with a lateral tube sealed to the displacer, to connect with the receiver.

Small.....1 75. Large\$2 75

6276. Ditto, ditto, according to Scheibler..... 2 75

* 6276a. Eudiometer, Bunsen's, with platina wires, 50 CC. in 1-5, 100 CC. in $\frac{1}{2}$	\$2 00
Ditto, " " " 100 CC. in $\frac{1}{2}$	2 50
Ditto, " " " 100 CC. in 1-5.....	2 75
6276b. Ditto, " " " graduated in millimeters.	
300 500 700 800	
\$2 50 3 00 3 50 4 00	

* 6276c. Ditto, Mitcherlich's, new style, light, with stop-cock at bottom.

50 CC. in 1-5 3 00 100 CC. in 1-5.....\$3 50

The extra heavy form, \$3 00 extra.

6276d. Ditto, Ure's, straight, graduated into cubic centimeters or cubic inches....\$2 00

* 6277. Ditto, ditto, U shape, " " " " 2 50

Other Eudiometers, see Gas measuring Tubes. Eudiometers, Hofmann's, (see Apparatus, Hofmann's),

Evolution Flasks, (see Flasks.) Exsiccators, (see Desiccators.) Felt

Filtering Bags, (see Filters.)

6278. Evaporators, of improved form for the quantitative laboratory, especially the steel laboratory, obviating the corrosive action of escaping steam, boiling quickly without direct contact of flame in sections for six dishes, per section..... \$25 00

6278a. Evaporators, rows of Bunsen's burners mounted each with separate stop, tripod and $2\frac{1}{2}$ in. sand bath so accurately adjusted that the iron will not bake upon the sides of the beakers, series of 6.....\$12 00

Series of 12..... 20 00

— 6280. Figures, steel, for marking bullion.

1-16	$\frac{1}{2}$	3-16	$\frac{1}{4}$	5-16	$\frac{3}{4}$	7-16	$\frac{1}{2}$ inch.
\$1 00	1 05	1 65	1 80	2 05	2 25	2 85	3 60 per set.

6281. Files, round, best, so-called rat-tails with fine point for perforating corks, etc.

3	4	5	6	7	8 in.
.12	.20	.25	.30	.35	.40 cts.

6282. Ditto, triangular, for cutting glass, best Stubbs.

3	4	5	6	8 in.
.18	.20	.25	.35	.45 cts.



6276a



5276c



6285



6277

6283. File Handles, each.....from 5 to 10 cts.

Filter Case, see case for Filters.

6284. Filter Pattern. Set of 4—3, 4, 5, 6 inches..15 cts.

Set of 5— $2\frac{1}{2}$, 3, 4, 5, 6 inches.....15 cts.

* 6285. Filter Drying Bath, of porcelain, for drying precipitates on the filter...\$1 50

FILTERING PAPER.

We are exclusive Agents for the United States for the celebrated Filter Papers manufactured by Schleicher & Schuell, Dueren, Rh. Pr., so long and favorably known to the trade, and keep the following kinds and sizes constantly on hand. We claim that we have the best Filtering Papers made, and draw special attention to quality and prices.

(a) for Qualitative Work.

We have for years been selling an excellent quality of white E. & A. German Filter Paper, in sheets 19x19 in., which is unsurpassed for tenacity, clear, rapid filtering, and cheapness. It is very extensively used for qualitative and pharmaceutical work as well as for general manufacturing purposes and gives best satisfaction. As there are no cheap round filters of uniform and

good quality in the market, we made arrangements to have the above paper put up, ready cut, in packages of 100 filters each, in two grades, (white and grey) which we offer as follows :

Diameter,	7	10	13	15	19	25	33	40	45	50 cm.
"	3	4	5	6	7½	10	13	16	18	20 in.
* 6286. White,	\$0.08	.13	.16	.18	.22	.28	.48	.52	.65	.80 } per 100
— 6287. Grey,				.16	.19	.25	.35	.46	.52	.62 } filters.
— 6288. White in sheets, 19x19 inches, per bale of 10 reams.....	\$50 00									
	\$5 75 per ream. 35 cts. per quire.									

Filter Papers, Schleicher & Schuells, Ready cut in round disks.

Diameter,	5½	7	9	11	12½	15	18½	24	32	38½ in.
	2½	2¾	3¼	4¼	5	6	7¼	9¼	12¼	15 in.
* 6289. No. 595,	.12	.15	.20	.23	.25	.30	.40	.60	\$1 00	1 25
— 6290. No. 597,	.15	.20	.25	.30	.35	.40	.55	.75	1 15	1 50

Price per package of 100 filters.

To fill a long needed want we introduce herewith folded filters of excellent quality —the strength of this paper and the peculiar folding will prevent the constant and annoying tearing of the points. It is entirely free of chlorine, always ready for use, time-saving and not expensive, and put up very conveniently in neat boxes.

— 6291. S. & S., folded filters. No. 588.

Diameter,	12½	18½	24	32	38½	50 cm.
Inches,	5	7½	9½	12½	15	19½ in.
• Price per pack,	.30	.42	.60	\$1 00	1 30	2 00



6286



6289

- 6292. The 3 largest sizes of these filters will also be furnished with pergamitized points, so as not to break even under considerable pressure, at an additional expense of 25 %.

S. & S. In sheets, each bearing Manufacturer's water mark.

- 6293. No. 595. Size 19x21 in., a good light Filter paper. Price per ream.....\$10 00
- 6294. No. 597. Size 23x23 in., much heavier than the foregoing for rapid and clear filtrations. Price per ream.....18 00. Quire.....\$1 00
- 6295. No. 598. Size 23x23 in., extra heavy.
Price per ream.....30 00. Quire.....1 75
6296. Filtering Paper, white, French, genuine Prat-Dumas, size, 17x22 in.
Ream.....\$5 00. Quire.....30 cts.
- 6297. Ditto, ditto, grey. Ream.....4 00. Quire.....25 cts.
- 6298. Ditto, ditto, white, common, so-called bibulous paper.
Ream.....\$1 85. Quire.....15 cts.

(b) for Quantitative Work.

6299. Filter paper, genuine Swedish, No. 1. Munktel's best quality; every sheet selected, giving least ashes of any paper made; size, 17x21 in.


Quire.....1 50. Ream.....\$29 00

6300. Ditto, ditto, genuine Swedish, No. 2, size, 17x21 in.

Quire1 25 Ream..... 23 00

Schleicher & Schuell's Washed Filters.


At the suggestion of eminent Chemists, Messrs. Schleicher & Schuell have manufactured a line of round cut filters washed in hydrochloric and hydrofluoric acid, designated C. S. & S. 589 and No. 590. They have been very favorably received by all Chemists for quantitative analysis, as they filter rapidly, retain the finest precipitates (Uran phosphate, Lime oxalate, etc.) and leave only the smallest traces of ashes.



6306



6308



6307

After incineration the residue of these filters weighs.

	Diameter, 5½	7	9	11	12½	15 ctm.
6301. No. 589.	0,00004	0,00007	0,00011	0,00017	0,00021	0,00025
6301a. No. 590.	0,00003	0,00005	0,00008	0,00013	0,00016	0,00019

or ¼ resp. 1-5 of a milligramme for a filter 6 in. in diameter.

The weight of ashes of the smaller filters is so insignificant that it need not be considered at all—a great and obvious advantage where exact and rapid work is required.

We offer these filters in packages of 100.

	Diameter, 5½	7	9	11	12½	15 ctm.
6302. No. 589.	.60	.70	.90	\$1 10	1 35	1 60
6302a. No. 590.	.75	.80	\$1 25	1 45	1 65	2 00

Usual Discount to the trade, and for large lots on all these papers.

6303. Ditto, ditto, Chinese Rice Paper, very substantial and quick filtering, size, 18x28 inches. Ream.....\$12 00 Quire..... 75

6304. Ditto, ditto, Japanese, for photographers, to filter emulsions, collodion, etc. A very strong paper, which can be used over again. Size, 11x15.

Ream\$3 50 Quire..... \$0 25

6305. Filter Hooks, of glass. For 5, 6, 8, 10, 12 in. funnels.
Per Dozen, \$0.60 .70 .80 .90 1 00

○* 6306. Filters, of white piano felt, s. c., filtering bags.

No.	1	2	3	4	5	6	7	8	9	10
Measure across the top,	9	10	11	12	15	17	19	20	22	25 in.
Capacity,	½	1	1½	2	3	4	5	6	8	10 gals.
Price,	.50	.60	.70	.90	1 20	1 40	1 65	1 85	2 50	\$3 25

* 6307. Filtering Apparatus, Bunsen's, for quick filtrations; with brass stop-cock, 18 feet rubber tubing, and 2 large rubber stoppers, flask, funnel and bottles, complete \$5 00

If ordered with cork stoppers instead of rubber stoppers..... 4 50

* 6308. Ditto, ditto, without the aid of water, according to Fischer, 1 litre cap. 3 00
Complete with rubber balloon flask, funnel and platina filter cone.

Ditto, ditto, Professor Richards, (see Apparatus for, see fig. 5273.)

6309. Filtering Apparatus, Bunsen's, for filtration under increased atmospheric pressure, it consists of

- a, Water Air-pump, complete with barometer, etc.....\$14 00
 b, Lead Pipe, to connect the air-pump with the filtering flask, per foot..10 to 15 cts.
 c, Cone of Iron and Mould of Tin to prepare the platinum cones, per set.....\$1 50
 d, Platinum Cones, ready made.....75 cts. to 1 50
 e, Flasks or Bottles of heavy uniform glass well annealed.

Capacity, 16 32 oz.
 Price, .30 .45 cts.


Metal vessel to receive the flask in filtering.....\$2 00

See also Filtering Pumps.

* 6310. Ditto, ditto, Weils, (see Fresenius)..... 1 25

6311. Filter Cutters.

1½	2½	3	4	5	6 in.
2 50	4 50	6 75	10 00	12 00	\$14 00



○* 6312. Filtering Cylinders, of stone ware.

Dimensions,	34 in. high, 8½ in. wide.	37 in. high, 10½ in. wide.
Capacity,	7½ gallons.	11 gallons.
Price,	4 75	\$7 50

* 6313. Filter Dryers, of glass, with wide neck. (See No. 5740).

1½	2	2½ in.
.35	.50	.60 cts. each.

* 6314. Filter Pump, (Aspirator) of brass, new model, small and very powerful...No. 1, \$1.50... No. 2, \$3.00..... No. 3, \$5.00


— 6315. Ditto, ditto, on base, giving highest vacuum of any water pump known. Price.....\$5 00

— 6316. Ditto, ditto, with 2 stop-cocks.....7 00

— 6317. Ditto, ditto, with 2 stop-cocks and gauge.....\$12 00

Nos. 6314–6317 are the best filter pumps yet constructed where water pressure is obtainable.

- * 6318. **Filtering Pump**, of brass, according to Professor Richarda, for water pressure only, very powerful. Small\$1 25. Large.....\$1 75
- 6318a. Ditto, provided with vacuum gauge \$5 50 extra.
- 6319. Ditto, ditto, Fischer's, of brass, for quick filtrations, where water pressure can be applied, the pump alone.....\$2 50
- * 6320. Ditto, ditto, with vacuum gauge..... 8 00
- * 6321. Ditto, ditto, Fischer's, of glass, the same but with two stop-cocks.....each, 3 00
Ditto, plain, no stop-cocks. 1 15
- * 6322. Ditto, ditto, for quick filtrations, of glass, working like the preceding, by pressure\$1 60




- * 6323. Ditto, ditto, **Muenkes form**, of glass, very powerful, with one suction Tube.....\$1 40
- * 6323a. Ditto, ditto, with two suction Tubes..... 1 50
- * 6324. Ditto, ditto, **Bunsen's**, for quick filtrations or evaporations in vacuum where water pressure is not obtainable, after the well-known principles, of entirely improved construction. The plate is made of one solid piece. Instead of the old useless pinch-cocks, it is an improved screw clamp; instead of the cardboard scale one of japanned metal.....\$9 00
If mounted on black walnut board.....\$1 00 extra.
6325. Ditto, ditto, the glass parts alone.....\$2 00


- * 6326. Filtering Pump, Bunsen's, improved by Zulkowsky, with shortened Barometer gauge, arranged for direct connection with lead.....\$12 00
- * 6327. Filtering Tubes according to Fresenius, for filtration by means of glass, wool or asbestos. Each.....25 cts.
- * 6328. Ditto, ditto, larger size modified.....50 cts.



6327



6326



6329



6328

- * 6329. Filtering Press, for chemical laboratories and for experimental purposes. Wegelin and Hübner's patent, each provided with 3 filter frames, active surface 400 □ centimeters. No laboratory should be without one, as they are simple and practical for drying and washing the most troublesome precipitates, etc.


- a, with perfect washing arrangement pump, in iron.....\$60 00
- b, Ditto, ditto, pump, in bronze.....90 00

—* 6330. Filtering Press, Wegelin-Hübner's patent, combined with montejus and air-pump, very practicable, especially in working with volatile substances.


a, in iron\$175 00
b, in bronze 200 00

6331. Larger Presses, for manufacturing purposes, with round or square plates of 20, 27 and 36 in. diameter, according to number of plates, from ...\$200 to \$1,000

Special catalogues on application.



6330



6332



6333

* 6332. Filtering Rings, made of porcelain, with two arms, 25 cts. three arms, 35 cts.

* 6333. Filtering Racks, made of galvanized wire, to keep the filter from the glass.

5	7	9	12 inches.
.35	.45	.60	.70 cts.

Filtering Stands, see supports for funnels and filtrations.

6334. Finger Cots, pure gum, all sizes, per dozen 50 cts.

- * 6347. Flasks, Bunsen's Filtering Flasks, very heavy, with rubber stopper, selected funnel and connecting tube.

Contents,	Pint,	Quart,	$\frac{1}{2}$ gal.
	.90	\$1 10	1 50
Flasks only,	.35	.55	.75

- * 6348. Ditto, ditto, for fractional distillations, with a tube inserted half-way up the neck, a, b, c, d. Tubes set high or low on the neck.

1	2	4	8	16	32	64 oz.
.20	.25	.30	.35	.45	.65	\$1 00.

Flasks, of copper, see Retorts.

- * 6349. Ditto, for fractional distillation, according to Ladenburg, with 3 and with 4 bulbs at the neck.

Capacity	100	200	500	1000 CC.
Price,	.45	.65	.94	\$1 13 each.

- * 6350. Ditto, for fractional distillation, with inside condenser, according to Kreisler, (Chem. Zeitung, 1894, page 1222.)


500	1000 CC.
\$1 20	1 60 each.

- * 6351. Flasks, Bologna, small. 10 cts. Doz. \$1 00

6352. Ditto, large. 15 cts. Doz. 1 50

Ditto, for gas evolutions, see Gas Bottles.

Ditto, ditto, fitted with rubber stopper, funnel and delivering tube, see No. 6473.



- * 6353. Ditto, volumetric, so-called Litre Bottles, most accurately gauged, with glass stopper. European make.

25 CC.	50 CC.	100 CC.	200 CC.	250 CC.	$\frac{1}{2}$ litre	1 litre	2 litre.
.25	.30	.35	.50	.60	.75	.90	\$1 20

- * 6354. Ditto, ditto, very exact, with one mark on neck, not stoppered, imported.

10	20	25	50	100	200	250	300	500	1,000	2,000 CC.
.15	.18	.20	.25	.30	.35	.40	.50	.60	.75	\$1 00


6355. Ditto, ditto, not graduated, with varnish mark for self-graduation.

25	50	100	250	500	1,000 CC.
.15	.20	.25	.30	.40	.50

6356. Ditto, volumetric, so-called Shaking Flasks, strong in glass, shape like Bottles, graduated and stoppered.

500	1,000 CC.
.75	\$1 00

6357. Flasks, graduated, with two marks on the neck, European make. (So-called Sugar Flasks.)
- | | | |
|---------------|-----------------|-----------------|
| 50 and 55 CC. | 100 and 110 CC. | 200 and 220 CC. |
| .30 | .40 | .65 cts. |
6358. Ditto, ditto, **not graduated**, with varnish marks for self-graduation.
- | | |
|---------------|-----------------|
| 50 and 55 CC. | 100 and 110 CC. |
| .20 | .25 cts. |
- * 6359. Ditto, ditto, with graduated neck; mark 0-100 CC., each line of division-0, 2 CC.; from 5 + 10 CC = 5-9 + 10-100 CC. each, 75 cts.
- * 6360. Ditto, ditto, for Saccharometric Polarization, according to Kohlrausch, with flanged neck, and with one mark, 100 CC. each, 40 cts.
- * 6361. Float, Erdmann's, for Burettes. 25 cts.
- * 6362. Ditto, for Burettes, new style, with glass points, preventing adhering to the walls. Price. 50 cts.
- * 6363. Ditto, for suspending specimens in anatomical jars, etc., according to size, from 10 to 25 cts. each.



6359



6360



6361



6362



6363



6364


* 6364. Florentin Receivers.

	Pint,	Quart,	$\frac{1}{2}$ gal.
	.45	.60	.90
With stopper,	.55	.75	\$1 20

6365. Foil, of aluminium, according to thickness, from. \$1 00 to 1 50 per oz.
6366. Ditto, of pure copper, (chem. pure,) thin, per lb. \$1 50
6367. Ditto, ditto, heavier, (999 fine,) per lb. 50 cts.
- 6367a. Ditto, of gold, very thin leaf, per book. 40 cts.
6368. Ditto, of pure French platinum, in three thicknesses, thin, medium, heavy, see platinum, per gramme. 50 cts.
- 6369. Ditto, of silver, very thin leaf, per book. 20 cts.
- 6370. Ditto, ditto, regular foil, per ounce. \$1 75
6371. Ditto, of tin, commercial. per lb. 25 cts.
6372. Ditto, ditto, pure tin. " 50 cts.
6373. Ditto, ditto, rough on one side, for pasting on glass. " 75 cts.
- Other foils see leaf.

FORCEPS.

- * 6374. Forceps, brass, ends bent, very fine finish..... 25 cts.
 6375. Ditto, " " " nickel plated (solid nickel, 60 cts.) 30 cts.
 * 6376. Ditto, extra stout, straight..... 50 cts.
 6377. Ditto, " " " nickel plated..... 55 cts.
 6378. Ditto, ends bent, with ivory tips..... 60 cts.
 6379. Ditto, for buttons, steel, Swansea style..... \$1 00
 6380. Ditto, " " " nickel plated, Plattner's (solid nickel, \$1.25) 70 cts.
 6381. Ditto, 7 inches long, forceps on both ends, one end with ivory tips, Plattner's.
 Price \$1 40
 —* 6382. Ditto, nickel plated, plates of platinum, Plattner's form, heavy tips. 2 00
 —* 6383. Ditto, nickel plated 5 1-2 in. long, forceps on both ends, one end with
 heavy platinum plates..... \$2 25
 * 6384. Ditto, of steel, plain. 4 5 6 inch.
 .15 .20 .25
 * 6385. Ditto, goosenecks, 6 in. long, brass, nickel plated; a most practical forceps, which
 will not corrode..... 50 cts.
 Other Forceps, see Crucible tongs.



- * 6386. Forks, of wood, fitting our support tables.
 12 15 20 inches.
 a, .25 .35 .45 cts.
 b, .30 .40 .50 "

Fractional Distillation Apparatus, (see also Apparatus, Flasks or Tubes for fractional distillation.)

6387. Fractional Distillation Apparatus, or dephlagmatisator, after Hempel, will concentrate 25% alcohol to 95% in one distillation..... \$2 00
 * 6387a. Freezing Apparatus, on Carre's principle, made of glass, small..... 2 50
 Large..... 5 00

FUNNELS.

* 6388. **Funnels, glass, of best German make, long, thin stems, angle of 60°; the end of the stem is ground to a point.**

Diameter,	1	1½	2	2½	3	3½	4	5	6	7	8 inches.
Each,	.7	.8	.10	.12	.15	.18	.20	.25	.30	.40	.50 cts.
Diameter,											
	9	10	12 inches.								
	.60	.70	.80 cts.								

* 6389. Ditto, ditto, with edges ground even; angle exact of 60°. These funnels are usually known as **Bunsen's**; having very thin and extra long stems to go through the rubber stopper when used with a filtering pump.

Diameter,	1	1½	2	2½	3	3½	4	4½	5	6	7	8	9	10 in.
Each,	.10	.12	.15	.18	.20	.25	.30	.35	.45	.50	.60	.70	.80	\$1 00

6390. Ditto, of best **Bohemian glass**; edges ground even; stem ground to a point; angle exact of 60°.

Diameter,	1½	1½	2½	2½	3½	3½	4½	4½	5½	6	7	8 in.
Each,	.10	.12	.15	.18	.22	.25	.30	.40	.45	.50	.65	.80 cts.

* 6391. Ditto, porcelain. Diameter, 4 5 6½ in. 7 in.
Each, .50 .70 1 00 1 50

* 6392. Ditto, to suspend over dishes in the process of evaporation, according to Victor Meyer. Diameter, 8½ 10½ in.
Each, \$1 20 1 88


* 6393. Ditto, for filling plain retorts, with long bent tubes.

Length,	16	20	24 in.
Diameter of funnel,	2	2½	3 in.
Price,	.20	.25	.35

○* 6394. Ditto, of agate ware. ½ pint, Pint, Quart, ½ gal.
.30 .35 .45 .60



6388



6393



6389



6391



6395



6392



6394

—* 6395. Ditto, **hard rubber**. Capacity, 4 6 8 16 32 oz.
.25 .30 .35 .45 .55 cts.

— 6396. Ditto, made of tin.
Capacity, ½ ½ 1 pint, 1 quart, ½ gal. 1 gal.
.10 .12 .15 .20 .25 .30 cts.

— 6397. Ditto, of copper. .55 .65 .75 \$1 00 1 35 2 00

6398. Funnels of glass, **Plattner's**, so-called **test tube funnels**, set..... 15 cts.

6399. Ditto, of porcelain; conical shape and perforated; sides used as **drainers for crystallals**, etc., see **Strainers**.

○ 6399a. Funnels, of German acid proof stone ware.

Diameter,	4	5	6	7	8	9	10 in.
Price,	.20	.25	.30	.40	.50	.60	.80 each.
Diameter,	11	12	14	16 in.			
Price,	\$1 00	1 25	2 00	2 75 each.			

* 6400. Ditto, conical shape and perforated with large holes, called Filtering Basket.

No.	1	2	3	4
Diameter, on top,	4½	5½	6½	7½ in.
Price,	.70	\$1 00	1 50	2 00

○* 6400a. Ditto, Separatory, with stop-cock, of German acid proof stone ware.

Diameter,	9	12 inches on top.
Outlet,	½	¾ inch bore.
Price,	\$2 25	3 00 each.

* 6401. Ditto, separatory, of glass, with glass stop-cock, open top.

½ pint, 3 in.	½ pint, 4 in.	1 pint, 5 in.	1 quart, 6 in.	½ gal., 8 in.	1 gal., 10 in.
\$1 25	1 50	2 20	2 75	3 00	4 00

** 6402. Ditto, ditto, globe shape, glass stoppered. The 1, 2, 4, 6, 8 and 16 oz. can be had with short or long tube, like figure 6402 b.

1	2	4	6	8	16	32 oz.	½ gal.	1 gal.
\$1 00	1 00	1 00	1 25	1 40	2 35	2 75	3 25	4 25

** 6403. Ditto, ditto, cylindrical, open top, style a or b.

1	2	4	8 oz.
\$1 00	1 00	1 25	1 50



* 6404. Ditto, separatory, with cover, Bohemian glass. Quart. 3 00. 3 pts. . . \$3 50

6405. Ditto, separatory, cylindrical shape, with stopper and Geissler's stop-cock, also useful for displacements.

Capacity,	10	20	30	40 oz.
Price,	\$1 68	1 88	2 25	2 63 each.

* 6405a. With tubul. at the side,

Price,	1 75	2 00	2 38	2 75 "
--------	------	------	------	--------

* 6406. Ditto, separatory, with ground rod and extra large openings for separating two liquids quickly, as used for the manufacture of nitro-glycerine, etc.

1 gal.	2 gals.	3 gals.
\$3 00	4 00	5 00

* 6407. Ditto, of tin, for hot filtrations, Plantamour's. \$1 75

6408. Ditto, ditto, new style, with steam coil. 2 00

* 6408a. Ditto, Koch's, for bacterioscopic work, of heavy copper on movable legs. 5 00

6409. Funnels, with long capillary tubes to fill endimeters, etc., with mercury free of air bubbles. 30 cts.

6410. Ditto, with glass stop cock. \$1 50

* 6411. **Funnel Tubes**, thistle top, light, blown glass.

10	12	15	18	20	25	30 in.
.10	.12	.15	.20	.22	.25	.30 cts.

* 6412. Ditto, ditto, conical, stout glass.

10	12	15	18	20	25	30 in.
.10	.15	.18	.20	.22	.25	.30 cts.

6413. Ditto, ditto, with loop bent, a. c. safety tubes 25 cts.

* 6414. Ditto, ditto, same, with conical top; it can be used as a quick filtering funnel. Price..... 30 cts.

6415. Ditto, ditto, with three-way stop-cock for gas burette..... \$2 00

* 6415a. Ditto, ditto, Vogel's, a combination of funnel and delivery tube..... 30 cts.

Other Funnel Tubes with bent, etc., see Safety Tubes.

- * 6416. **No. 19. Forge, Fletcher's, Gas or Gasolene.** As used at Woolwich Arsenal, England. Invaluable for small forgings. Size of hearth, 15x18 inches. By this simple arrangement, steel tools can be forged without injury, by the use of gas. It will be found a perfect arrangement for Small Forgings and Repairs. For Instructions, see Special List.


Forge with No. 8c Blowpipe \$10 00

Blow-pipe, No. 8c..... 5 50

Hearth 4 50

Forge complete, with Foot-Blower, Blow-pipe, and 6 feet

Rubber Tubing \$19 00



6416



6412



6411



6414



6417

FURNACES.

(a) For Assaying.

- * 6417. **Furnaces, Assay, Battersea, of clay, iron bound.** Strongest and best iron bound clay furnace ever made. Hundreds of them are in use throughout the country, and are giving perfect satisfaction.


No.	Height.	Diameter.	Size Muffle.	Price.
A,	23½ in.	12½ in.	7 x 4½ x 3 in.	\$17 00
B,	25½ "	13½ "	8½ x 5 x 3½ "	19 00
C,	27 "	14½ "	9 x 5½ x 3½ "	24 00
D,	28½ "	15½ "	10 x 6 x 4 "	26 00
E,	29½ "	16½ "	12 x 6 x 4 "	29 00
F,	30 "	17½ "	14 x 8 x 5 "	33 00
G,	Ditto, ditto, ditto, a new larger size, taking a muffle of 15x9x6 inch.			67 00

- * 6418. Furnace, assay, Judson's Sectional; of iron, lined with fire-brick, depth, 13 in.; size of muffle, 12x6x4 in. (Battersea, J.), with set of concentric rings for the top to use with sand-baths, etc\$45 00


6419. **E. & A., new muffle and Crucible Furnace**, an economical, substantial and practical furnace for actual work, this furnace is the least expensive and most effective, it is lined with regular fire-brick which are interchangeable and can be had wherever a furnace will be used. Size A for J muffle, 4x6x12, opening on top for crucible, 10x10 in.\$30 00

Size B for K or L muffle, 6x9x15 in.
— opening for crucible, 14x14. 50 00


- 6420. Furnace, Assay, Judson's Sectional
Size of muffle, 15x9x6 in. (Battersea L.) Price\$60 00



6418



6422




6421

- * 6421. Ditto, for muffle assay, California style; being round, of iron, fire-brick lined: taking two sizes of muffles, 12x6x4 in., and 14x8x5 in; being of light weight and arranged for crucibles also; it is the most practical furnace for shipment. Price\$25 00
- * 6422. Ditto, for assaying, Hibb's, small, of cast iron, with fire clay lining; taking a muffle of about 4x8 inches. Complete.....\$30 00

- 6423. Furnace, assay, No. 2, same as above, only larger in proportion, to take a muffle $5\frac{1}{2} \times 11\frac{1}{2}$ in \$50 00
- * 6424. Ditto, ditto, Hibb's, extra large size, for scorification assay, of improved construction, 39 inches high, by 30 inches wide, and 24 inches deep.
Size a, taking a muffle of $5 \times 9 \times 17$ in \$75 00
- ** 6425. Ditto, for assaying, according to Professor Ricketts, (see his notes on assaying, pages 24 and 25,) for the use of soft coal, taking two muffles $5 \times 8 \times 14$ in. Furnace is built in brick, bound by $1\frac{1}{2}$ inch iron. We furnish everything necessary to build the furnace, with the exception of the bricks, viz., top and bottom plates, binding, grate, bars, front doors, etc., for \$30 00
- Without bottom plate for 25 00
6426. Ditto, for crucible assay, California pattern, round, iron, fire-brick lined furnace, taking G and still larger size crucible. Being very light, it is the most economical furnace for shipment. Similar to figure 6421 \$15 00


Furnaces for assaying of any description built to order at reasonable rates.



6425a



6424



6425b

- * 6427. Furnace, using gas as fuel. For assaying, enamelling, and all operations where exact temperatures are required, not exceeding the fusing point of copper. The burners for these furnaces are of the same construction as the No. 6428 Crucible Furnace.

Size No. 3. Muffle, inside clear working space, exclusive of neck, $3 \times 4 \times 2\frac{1}{2}$ inch high. Requires $\frac{1}{2}$ -inch bore gas pipe. Chimneys 6 feet high are included in prices, extra chimney 20 cents per foot for all patterns of furnace. Price. \$17 00

Extra Muffles..... 1 00

Extra Muffle Domes..... 1 00

Size No. 4. Inside Muffle space $3\frac{1}{2} \times 5 \times 3$ in. high. Requires $\frac{1}{2}$ -inch clear bore gas pipe and tap. Price..... \$20 00

Extra Muffle or Dome..... each 1 25


Size No. 5. Inside muffle space $4\frac{1}{2} \times 7 \times 3\frac{1}{2}$ in. high. Gas supply as above.. 30 00

Extra Muffle or Dome..... each, \$1 50 extra.


Size No. 6. Inside Muffle space $5\frac{1}{2} \times 8 \times 4\frac{1}{2}$ in. requires 1 in. clear bore gas supply. Price..... \$45 00

Extra Muffle or Dome..... each, \$2 50 extra.

Plumbago fittings and crucibles must be heated slowly the first time they are used.



6427



6428

- * 6428. Crucible Furnace, Gas. This will take crucibles up to $4 \times 3\frac{1}{2}$ inches and with $\frac{1}{2}$ -inch gas pipe, and a pressure of gas equal to 2 inches of water, supplying about 50 feet per hour, will melt 3 or 4 lbs. of brass in about 30 minutes, and the same quantity of cast iron in about 60 minutes from the time the gas is first lighted. It will melt a crucible of silver or gold in 30 minutes.

No. 15, Crucible Furnace, complete..... \$16 00

Plumbago Crucibles, No. 3, each 30

Plumbago Cylinders..... 1 00

Fire clay casing..... 3 00

Lid 1 00

Grate..... 1 00

Burner 8 00


For directions see special list.

○* 6429. No. 630. **The Monitor.** A new form of Gas Assaying Furnace.

For Directions, see Special list.

Price as represented in cut.	\$18 00
Fire-clay Slabs for covers, each.	50
Body of Furnace.	8 50
Platform.	15
Supports for Platform, each.	05
Tripod.	50
Burner.	6 00
Chimney pipe, per length.	35


One length of chimney pipe with damper, crucible and tongs are included in price of furnace.



6429

○* 6429a. **Assayers' Plant of Gas Furnaces.**

The illustration faithfully represents a group of gas assaying furnaces. The furnace at the left, No. 6430, is for roasting sulphurets, etc. the center one, see figure 6428, (Fletcher, No. 15) is for crucible fusions, taking an 'S' Battersea crucible (5 inches deep, by 4 1/2 inches across), and the one at the right is the 'Monitor' furnace (see No. 6429a) for scorification and cupellation. The whole forming as perfect a plant for assaying for small laboratories as it is possible to desire. We can conscientiously recommend the entire suite of furnaces on account of its advantages in the following particulars: convenience of operating, control of the heat, saving of fuel and time, freedom from dust, ashes, smoke and excessive heat, and entire absence of waste. Price complete as per cut, without the table top. net, \$50 00
Table top to be built of red brick. Price of parts, see Nos. 6428, 6429, 6429b.



6429a

○* 6429b. Direct draft roasting furnace, see figure, furnace at the left of plant No. 6429a.



This furnace is the one recommended as third furnace of the assayers plant of Gas Furnaces for roasting ores. It is shown on page 142. Prices include 1 length of pipe, damper, crucible and tongs. Gas pipe required for the No. 163, $\frac{3}{4}$ -inch, for the No. 363, $\frac{1}{2}$ -inch.

No. 163, for No. 1 Crucibles...\$12 00. No. 363, for No. 3 Crucibles... \$14 00

(b) *Furnace for Melting.*

○* 6430. Furnace, Gas, of clay; portable, iron bound, for melting gold, silver, copper, etc.

No.	A	B	C	D	E	F
Diameter,	9 $\frac{1}{2}$	9 $\frac{3}{4}$	11	13 $\frac{1}{2}$	14 $\frac{1}{2}$	18 in.
Height,	17 $\frac{1}{2}$	20	22	26	28	32 "
Price,	\$8 50	10 50	12 50	15 00	17 50	27 00



○* 6431. **Fletcher's Gasoline Generator and Furnace.**—FOR HIGH TEMPERATURES. The well-known Injector Gas Furnace, can now be supplied with a small, simple and safe arrangement for burning the vapor of the light petroleum or gasoline, giving a power and efficiency full equal to that which can be obtained by a large gas supply. The arrangement is in every way as simple as when gas is used, requiring no more trouble or attention.

Generator	\$15 00
Furnace A; Blower, Generator and Tubing complete, for use with either gasoline or coal gas.....	\$25 50
Furnace B; Blower, Tubing and Generator complete.	30 00

The engraving shows the B size Furnace, Generator and Blower, as when in use.
Scale, 1 inch to the foot.


The foot blower supplied with above is No. 9b.

6431a. Ditto, the same outfit in smaller size to suit furnace No 2438, complete.....\$17 50
Generator, see figure 6431, above..... 6 00


The foot blower used is No. 9a.

- * 6432. **Furnace Gas, Fletcher's Perfected Injector** for metallurgists, jewelers, chemists, iron and brass castings, manufacturers of artificial gems, etc. Furnace A, taking No. 1 crucible, capacity, 2 lb., copper, complete.....\$4 50
- * 6432a. Ditto, ditto, Furnace B, taking No. 3 crucible, capacity, 6 lb., copper, complete. Price.....\$7 00


For foot blowers, see Bellows.



6432




6433




6432b

- * 6432b. Ditto, ditto, for refined petroleum. Furnace A, taking No. 1 crucible, two burners, without blower.....\$10 00
- 6432c. Ditto, ditto, Furnace B, taking No. 3 crucible, three burners, without blower 13 00
- 6432d. Ditto, ditto, Furnace C, taking No. 6 crucible, four burners, without blower. 16 00
- * 6433. **Perfected Injector—Combined Crucible and Muffle Furnace.** For Gas. This is supplied with muffle fittings, and can be used either as a crucible or muffle furnace. The illustration shows it as arranged for use with the muffle. When used as a crucible furnace the casing is turned on end, and a large round lid is used. In this case the hole opposite the one used for the burner should be stopped with the taper plug furnished for the purpose. One size only is made corresponding to the B injector. Combined crucible and muffle furnace. Size of muffle $3\frac{1}{2} \times 2\frac{3}{4}$ in. \times 6 $\frac{1}{2}$ in. inside.....\$12 00
- Extra muffles..... 1 50


- 6433a. Furnace, arranged like 6431 for Gasolene Gas.....\$27 00
- * 6434. Ditto, ditto, for refined petroleum. This style of furnace is a great improvement, and almost indispensable to prospectors and miners. Combining a muffle and crucible furnace in the most condensed form, with a fuel everywhere obtainable, and being not heavy, it can be carried with ease and allows assays to be made right on the spot. Size of muffle $3\frac{1}{2} \times 2\frac{1}{2}$ in. $\times 6\frac{1}{2}$ in. inside.....\$17 00
- * 6436. Ditto, ditto, for prospecting. Hoskins patent Hydro-Carbon Blow-pipe and Furnaces. No. 2 Muffle Furnace, muffle $8 \times 4\frac{1}{2} \times 3$ in. \$10 00 No. 3 Furnace \$15 00 Extra muffles for No. 2... 75 cts. For No. 3, $10 \times 6 \times 4$ in..... 1 00
- * 6435. No. 1 Crucible Furnace, taking Colorado B. Crucible 4 inches in diameter, $5\frac{1}{2}$ inches deep inside Hoskins' patent.....(No. 2, \$5 00).....\$4 00
- 6435a. Blow-pipe No. 2, with half gallon tank made entirely of seamless brass.....\$23 00
- 6436a. Blow-pipe No. 2, Muffle Furnace No. 2 and Crucible Furnace No. 1..... 37 00
- 6436b. Blowpipe No. 3, 1 gallon tank..... 26 00



6436



6434



6437


- * 6437. Furnace, for crucibles, $3\frac{1}{2} \times 2$ in., for gas. Fletcher's patent. The furnace consists of a simple pot—for holding the crucible—with a lid and a blow-pipe, all mounted on a suitable cast-iron base. As compared with the ordinary gas furnace it appears almost a toy, owing to its great simplicity. The casing holds the heat so perfectly that the most refractory substances can be fused with ease, using a common foot-blower. Half a pound of cast iron requires from 7 to 12 minutes for perfect fusion, the time depending on the gas supply and pressure of air from the blower.
- No. 40. Fletcher's New Crucible Furnace, without Blower.....\$3 00
- For Foot Blower's, see Bellows.
- Plumbago Crucibles, No. 00, each..... 20

- * 6438. **Crucible Furnace, with improved Gas Burner.** This burner is made of the same pattern as that used with the "Perfected" Injector Furnace. It is almost noiseless in its action, and works with a small gas supply.


For Directions see Special List.

Price, No. 40a, Perfected Burner, without Blower.....\$3 50
Extra Burner 1 50


- * 6439. **Crucible Furnace with improved Burner; for refined petroleum; giving almost as good results as the Gas Furnace.** Price, complete.....\$5 00
For more particulars and instructions in regard to Fletcher's Furnaces, see our special list.




6439



6438



6440



6441

- * 6440. **Furnace, Muffle, for gas, according to Wiesnegg; with 5 Bunsen's burners of large size with movable top attachment; takes a muffle $6\frac{1}{2}$ in. long, $4\frac{1}{2}$ in. wide and 2 in. high, complete with one muffle.....\$20 00**
Extra Muffles..... 1 00

(d) for General Laboratory Work.

- * 6441. **Furnace, according to Hempel; large size, a gas furnace for incineration and oxidation, indispensable for the laboratory, taking R. B. crucibles from No. 0 to 5. A current of fresh air being directly introduced into the crucible; a single Bunsen burner flame will oxidize quicker and safer than any blast.....\$15 00**

6442. Furnace, Blast, Sefstroem's, of heavy sheet iron, the inside box lined with fire-clay, with dome to increase the draft, etc.

Height of the fire-place,	8	12 in.
Diameter " "	7	10 "
	\$20 00	30 90

Furnace, Erdman's, for gas, a clay chimney, with iron tripod, stand..... 65 cts.

Ditto, ditto, with Bunsen's burner..... \$1 50


* 6443. Ditto, after Carius, for 5 tubes, of iron..... \$10 00. Of copper..... \$25 00

* 6444. Ditto, " Erlemeyer, for 3 tubes, of iron..... 7 00

6445. Ditto, " " " 4 " " in two rows..... 8 00

6446. Ditto, " " of iron, extra heavy, tubes horizontal or slanting, as per office bath..... \$15 00


6447. Ditto, for supplying a uniform heat, for making digestions in flasks, etc., according to Kreussler, used for the determination of nitrogen by Kjeldahl. After removing the top plate the furnace may be used with advantage for heating large apparatus, as water baths, drying ovens, etc. \$45 00



6443



6448



6450




6451



6453a



6453b



6444

○* 6448. No. 14. Perfected Ladle Furnace, with Fletcher's new Solid Flame Heating Burner, for melting lead, tin, zinc, and their alloys. Capacity of burner, 35 ft. per hour. Supply pipe, $\frac{1}{4}$ inch.

No. 14, Ladle Furnace..... \$3 50
Ladles extra. See there.

6449. Furnace Lining, of best fire-brick, for muffle and other assay furnaces furnished in shortest time at low figures.

Furnace, for combustions; Bunsen's and Liebig's, see Combustion Furnaces.

* 6450. Furnace, of clay, for charcoal, portable, each 75 cts.

* 6451. Ditto, with lead basin, for etching glass, complete, with burner..... \$2 00
Other Furnaces for heating at low temperatures, (see Stoves.)

6452. Fusibility Scale of Minerals, Von Kobel's, 6 specimens in box. 1 00

** 6453. Gallipots, of white China, straight a, and conical shape b.

$\frac{1}{4}$ oz., per doz.....	25 cts.	2 oz., per doz.....	45 cts.
$\frac{1}{2}$ " "	30 "	3 " "	50 "
1 " "	35 "	4 " "	70 "
6 " "	90 "		


6453c. Ditto, of strong grease proof, grey stone ware..... 50% less.

Galvanic Batteries, (see Batteries.)

6454. Galvanometers, hemispherical.....\$4 00
 6455. " vertical.....6 00
 * 6456. Galvanoplastic Apparatus, for coating medals, etc., complete.....\$3 00
 Gas Analysis Apparatus, Orsat's, etc., (see Apparatus for Gas Analysis.)

GASES.


- 6457. Ammonia Gas, liquefied, in Cylinders holding 10 lbs., 75 cts. per lb., for use of cylinders see below.
 ○ 6458. Oxygen, Compressed, under 225 lb. pressure, in steel cylinders.
 Cylinders holding about 12 cub. ft., 15 cub. ft., 20 cub. ft., 25 cub. ft., 50 cub. ft.
 Per cubic foot.....20 cts.
 25 cents rent is charged per week on each cylinder. 15, 20, 25, 50 cubic feet.
 ○ 6459. The Cylinders if purchased right out.....\$23 00, \$25 00, \$30 00, \$50 00
 ○ 6460. Hydrogen, Compressed, same as above, per cubic foot.....5 cts.
 ○ 6461. Nitrous Oxide, Liquefied, in small cylinders about $\frac{1}{2}$ gal.....\$8 40
 In large cylinders containing about 1 gal; per gal.....4 $\frac{1}{2}$ cts.
 ○ 6462. Tripod to hold small cylinder.....\$ 5 00
 ○ 6463. " " large "10 00
 6464. Liquefied Carbonic Acid, in small cylinders, to draw any amount from at liberty, per pound.....50 cts.
 Cylinders holding about 10 or 20 lbs.
 Cylinders filled as above can be sent by express or freight. We do not charge the cylinders to responsible parties, and they can be returned when empty; no rent charged for one week; after eight days we charge 25 cts. per week for rent.
 Above gases are all purified (washed) before they are compressed.



6456



6467



6470

- 6465. Apparatus for Liquefying and Solidifying Carbonic Acid Gas, etc., according to Natterer, with 2 flasks standing a pressure of over 130 atmospheres; see Müller-Pouillet, II, 2 fig. 156. Price.....\$275 00
 — 6466. Ditto, ditto, according to Thiloriers.....175 00
 — * 6467. Gas Bags, of rubber, best make, oval.

Capacity,	1	2	3	4	5	6	8	10 gallons.
Each,	\$1 25	1 75	2 00	2 50	2 75	3 00	4 00	5 00

 6468. Ditto, ditto, with socket, mouth-piece, and stop-cock, extra.....1 50
 6469. Ditto, ditto, with hydrogen jet in addition, extra.....55 to 75 cts.
 — * 6470. Ditto, ditto, of vulcanized rubber, square.

18x24 inches, contents, 15 gals.....	\$ 7 25
20x22 " " 25 "	9 25
24x30 " " 35 "	11 25
30x40 " " 55 "	14 00

 6471. Ditto, ditto, with socket and stop-cock, extra.....1 50

* 6472. Gas Bottles, stout, for gas evolutions, German or Bohemian glass.

	$\frac{1}{2}$ pint,	$\frac{1}{2}$ pint,	1 pint,	1 quart,	$\frac{1}{2}$ gal.	1 gal.	2 gal.
Each,	.15	.20	.25	.35	.50	.75	\$1 00

* 6473. Ditto, ditto, stout German glass, fitted with rubber stopper, funnel and delivering tube.

	$\frac{1}{2}$ pint,	$\frac{1}{2}$ pint,	1 pint,	1 quart,	$\frac{1}{2}$ gal.
Each,	.50	.65	.75	\$.90	1 25

* 6474. Ditto, ditto, with the funnel tube and delivery tube or straight connection ground into the neck.




Capacity,	8 oz.	16 oz.	1 qt.
Price,	\$1 00	1 25	1 50 each.

* 6475. Ditto, ditto, Vogel's.

8 oz.	Pint,	Quart,
.75	\$1 00	1 25

Gas Burners, (see Burners).

Gas Furnaces and Stoves, (see there).



6472

6480

6481

6476

6477

* 6476. Gas Burettes, Hempel's, for gas analysis. Set of 2, in wooden bases \$5 00

* 6477. Ditto, ditto, set of 2, with glass stop-cocks 7 50

Ditto, ditto, Dr. Cl. Winkler's, Elliot's Burette, Azotometers, etc., See Apparatus for Gas Analysis.

6478. Gas collecting tubes with stop-cocks at each end, capacity about 250 CC..... 3 00

6479. Gas Distributors, to burn 3 Bunsen's Burners, or 3 stoves, from one gas pipe, without stop-cocks, each..... \$2 00

* 6480. With 3 stop-cocks..... 3 00

* 6481. " " " and centre light, very superior..... \$4 00 and 5 00


Gas Generator, Kipp's, for sulphuret of hydrogen, (see page 26, figure 5215.)

- * 6482. Gas Generator and Washing Bottle, of glass, with iron clamp, for washing as well as for generating.


Price, with solid and perforated lids and rubber corks.

$\frac{1}{2}$ pint, each.....	70 cts
1 " ".....	70 cts
1 quart ".....	75 cts
$\frac{1}{2}$ gal. ".....	85 cts

Other Gas Generators, see Apparatus.




6482



Full size.

6484 a



6483



6485



6486

- * 6483. Gas Holder, after Berzelius, improved by Pepy.

Capacity,	5 gallons,	10 gallons,
Made of copper,	\$20 00	25 00
Made of Zinc,	15 00	17 50

6484. Ditto, ditto, with sliding receivers; of galvanized iron, or zinc, set of 2. for oxygen and hydrogen; mounted in frame with pulleys, capacity 20 gallons each, complete. Price.....\$75 00 Each single..... 40 00

- * 6484a. Ditto, ditto, Berzelius, the whole of glass, with 3 stop-cocks.

Capacity,	2	3	4 quarts,
Price,	\$8 00	8 50	9 00

- * 6485. Ditto, ditto, Mitscherlich's, made entirely of glass, with fittings of brass, capacity, 3 gallons.....\$20 00

- * 6486. Ditto, ditto, all glass, with brass fittings. Contents, 4 gallons, 9 $\frac{1}{2}$ gallons, \$25 00 40 00

- * 6487. Gas Holder, of copper, very substantial, 5 gallons, 10 gallons,
\$18 00 23 00
6487a. Ditto, ditto, of zinc, 14 00 16 50

Gas Generators, (see also Apparatus for Generating Gases, pages 10-15.)


Gas Jars, (see Bell Glasses and Cylinders.) Gas Jets, for hydrogen, see Jets.

Gasogenes, for making carbonic acid water, French, made of glass, wire or reed covered, see Apparatus, No. 5104.

- * 6488. Gas Combustion Tube, with sealed-in palladium wires.....\$2 50
* 6488a. Gasometer Tubes, with glass stop-cock on top, 100 CC. in 1-5..... 3 00
Ditto, ditto, ditto, " " " " 50 CC. in 1-10..... 2 75
* 6488b. Gasometer or Gas measuring Tubes, sealed at one end and divided in
- | | 25 | 50 | 100 | 100 | 150 | 200 | 300 cub. cent. |
|--------------|--------|------|------|------|------|------|----------------|
| Graduated in | 1-5 | 1-5 | 1-1 | 1-5 | 1-1 | 1-1 | 1-1 |
| Each, | \$1 00 | 1 35 | 1 50 | 1 75 | 1 75 | 2 00 | 2 75 |




6487



6492c

6492b

6492a



6488a


6488b



6488



6491




6494



6493

6489. Ditto, ditto, divided in cubic inches. 6 cubic inches in 1-16.\$1 30
In 1-100 2 00
6490. Ditto, ditto, 3 cubic inches in 1-16..... 85
In 1-100..... 1 50
* 6491. Ditto, ditto, ditto, U shape, 50 in $\frac{1}{2}$, with platina wires. 2 50
* 6492. Ditto, ditto, Crook's..... a, 25 cts., b, 35 cts. c, 50 cts.
For other Gas measuring tubes, see Eudiometers and Apparatus for Gas Analysis.
* 6493. Ditto, ditto, for quantitative determination of Co, in illuminating gas.....\$1 50
* 6494. Ditto, Bunsen's, Mercury, graduated in mm.
- | | 250 CC. | 700 CC. |
|-----------------------|---------|------------|
| Capacity, | | |
| Plain, | \$2 00 | 2 50 each. |
| With glass stop-cock, | 2 75 | 3 25 " |

6495. Gas Pipettes, Hempel's, for absorption of gases, compound	\$2 00
Mounted	4 00
* 6496. Ditto, ditto, " " " for solids	\$2 25. Mounted \$4 25
6497. Ditto, ditto, " " " plain	1 00. " 2 75
6498. Ditto, ditto, " " " plain for solids	1 25. " 3 00
* 6499. Ditto, ditto, plain Pipette with beads	1 75. " 3 50
6500. Ditto, ditto, Hempel's, explosion	3 00. " 5 00
* 6501. Gas Explosion Pipette, new form, according to Dr. W. Hempel, with support	
Price	\$6 50




* 6502. Gas Pipette, according to Doyere	85 cts.
* 6503. Ditto, ditto, according to Etting.	63 cts.
a, small size	85 cts.
b, large size	85 cts.
6504. Gas Power Engine, working model of; according to Otto Langen's system.	
Price	one-half horse power, \$100 00. One horse power, \$200 00
6505. Larger engines, 2-12 horse power, of the N. Y. Safety Steam Power Co., price from \$100 00 to \$500 00, furnished to order.	
* 6506. Gas Regulator, Temperature Regulator or Thermostat, according to Reichert, almost entirely of glass, will regulate to $\frac{1}{4}$ of 1 degree, being shape, and about size of thermometer, it fits $\frac{1}{4}$ -inch hole	\$2 50
6506a. Ditto, ditto, for low temperatures	3 50

6507. Gas Regulator, Iothar Meyer's modification, all glass..... 1 50
- * 6508. Ditto, ditto, according to Bunsen and Kemp; for keeping a hot air bath, etc., at a constant temperature..... \$2 25
6509. Ditto, ditto, in metal frame..... 3 60
- * 6510. Gas Washing Bottle, according to Avez; two sizes.
Capacity, 250 CC \$1 00. 500 CC..... \$1 25
- * 6511. Gas Washing and Absorbing Bottle, according to Winkler, for the estimation of Ammonia in coal gas, capacity, 250 CC., complete..... \$2 00
- * 6512. Gas Washing Bottle, double acting, according to F. Allihn.
Capacity, 200 500 1,000 2000 CC.
Price, \$1 50 1 75 2 25 each. 3 00
- * 6512a. Improved by Greiner and Friedrichs; for solid and liquid absorbing substances.
Capacity, 8 oz. 16 oz. 32 oz.
Price, \$2 00, \$2 50 \$3 00
- * 6513. Gas Washing Funnel, according to Kemp, two sizes. 100 CC..... 60 cts.
200 CC..... \$1 00




6508




6511



6512



6518



6510



6512a



6513





6514



6515

- * 6514. Gas Washing Jar (Cylinder); according to Muenke, capacity 200 c.m..... 2 00
- * 6515. Gauges, vacuum for air-pumps, with mercury column, brass cap and brass stop-cock. Small..... \$3 50. Large..... 5 00 to 6 00
6516. Ditto, entirely enclosed in glass tube, no brass cap..... 3 50 to 5 00
6517. Ditto, ditto, not enclosed, on card-board scale..... 2 50
- * 6518. Ditto, Spring, indicating vacuum.
3 in. 4 in. 5 in. 6 in.
\$5 00 6 00 8 00 10 00
- 6519. Ditto, ditto, indicating pressure.
3 in. 4 in. 5 in. 6 in.
\$5 00 6 00 8 00 10 00

- * 6520. **Gauges, Micrometer, Brown and Sharp's**, indicating 1-1000 inch, $\frac{1}{1000}$ -one-thousandth is obtained.....\$6 00. Case..... 60 cts. extra.
 Ditto, ditto, in fractions of millimeters..... \$6 00. Case..... 60 cts. extra.
- * 6521. Ditto, for wire, American standard, round, 5 to 36.....\$4 00
6522. **Gauze**, of iron, 4 in. square..... 5 cts. By the foot..... 35 cts.
6523. Ditto, of brass, 4 " "..... 10 " Per square foot..... 50 cts.
- 6524. Ditto, of copper coarse, for organic analysis..... 90 cts.
- 6525. Ditto, ditto, ditto, fine, No. 80, per square foot..... \$1 20
- * 6526. **Geissler's Tubes**, plain tubes, 6 inches long. (See also Supplement. Cat.) 80 cts.
6527. Same, with bulbs or tube of uranium glass.....\$1 00 to 3 00
- Any special shape or larger sizes blown to order at reasonable rates.
6528. **Generator**, for hydrogen, according to Professor Morton, capacity of 6 gallons; will run a pair of lanterns, etc., continuously for six hours, complete, with wash bottle, stop-cock and charge of zinc.....\$35 00
- Other generators, see Apparatus and Gas Generators.
- * 6529. **Glass Balls**, of thin glass, with a hook to support anatomical preparations in alcohol. Small.....50 cts
- Large.....\$1 00
- Glass Drops or Batavian Tears, see Rupert's Drops.
- Glass Blower's Lamp, (see Blast Lamps.)
- Glass Blower's Tables, (see Blast Tables.)




6530. **Glass Ends**, for Burettes, each..... .5 cts. Doz. 35 cts.
6531. Ditto, ditto, ditto, with rubber and Mohr's pinch-cock.....30 cts.
6532. **Glass Pearls, Beads**, from 2 to 5 millimeters diameter, used as surface extending medium, in absorbing and drying gases, etc., per pound.....\$1 00 to 1 25
6533. **Glass Plates**, of blue colored glass.
- | 2x3 in. | | 2x4 in. | | 3x4 in. | | 4x4 in. | |
|---------|-----|---------|-----|---------|--|---------|--|
| .10 | .10 | .10 | .15 | .20 | | | |
6534. Ditto, ditto, of flint glass, rough on one side, for covering jars, etc
- | 2 | 2½ | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 12 | 15 in. square. |
|----|----|----|----|----|-----|-----|-----|-----|-----|-----|----------------|
| .3 | .4 | .5 | .6 | .8 | .10 | .15 | .20 | .25 | .28 | .30 | .50 cts. |
6535. Ditto, ditto, of heavy French plate glass, ground rough on one side.
- | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 12 | 15 | 20 in square |
|-----|-----|-----|-----|-----|-----|-----|--------|------|------|--------------|
| .20 | .25 | .30 | .35 | .45 | .60 | .75 | \$1 00 | 1 20 | 1 85 | 2 50 |
6536. **Glass Powder**, per pound.....10 cts.
6537. **Glass Rods**, in six feet lengths, per pound.....60 cts.
6538. Ditto, ditto, of American glass, per pound.....50 cts.
6539. **Glass Stirrers**, of German glass, all sizes, one end round, the other pointed, per pound.....75 cts.

GLASS TUBING.

To receive the correct size of glass tubing it is always desirable to send a sample, otherwise give exact outside and inside measurements in millimeters. **ALL SIZES KEPT IN STOCK.**

- * 6540. Glass Tubing, of best German glass, the only suitable glass for glass-blowing, setting up apparatus or making connections, being strong and elastic, per pound..... (blue line, white back, lb. \$1.25) 50 cts.
Above 1 in. bore, per pound... 65 cts..... above 2 inch 75 cts.
6541. Ditto, ditto, of American glass, per pound..... 40 cts.
6542. Combustion Tubing, this is from the famous manufacture of Jos. Kavalier, Bohemin, whose only agents we are in this country, and the only combustion tubing which gives universal satisfaction, and the only one recommended by European authorities. Price per pound..... 75 cts.
6543. Ditto, ditto, ditto, small sizes, for Marsh's tests, matrasses and blow-piping..\$1 00




- * 6544. Ditto ditto, for thermometers, in all sizes ... 90 cts. White back, German.. 1 20
- * 6545. Ditto, ditto, for barometers, with different bores, per pound..... 75 cts.
- * 6546. Ditto, Tubes, extra stout, for pressure gauges, per lb..... 75 cts.
6547. Ditto, ditto, of best imported glass, for steam boilers, etc., etc., cut to any length required, per lb..... \$1 00
6548. Glass Wool, of Bohemian glass, the best material for acid filtration, it is indispensable for many chemical operations.
Fine, oz.....\$1 25, lb., 12 00. Coarse, oz.....\$1 00, lb., 10 00
- 6549. Glue Kettles,
- | No. | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
|-----------|-------------------|-----|--------------------|-----|--------|--------------------|--------|--------|
| Capacity, | $\frac{1}{2}$ pt. | Pt. | $1\frac{1}{2}$ pt. | Qt. | 3 pts. | $\frac{1}{2}$ gal. | 6 pts. | 1 gal. |
| | .55 | .65 | .75 | .85 | \$1 00 | 1 20 | 1 35 | 1 50 |
- 6549a. Glucose Filter Tubes, with platina plates, each.....30 cts.

- * 6550. **Gold Pans**, Miner's washing pans.
 16 in. plain iron. Polished iron. Russian iron. Agate ware,
 \$1 00 1 25 1 50 1 20
- * 6550a. Gold washing horns, as used in Mexico, each \$1 00
6551. **Goldbeater's Skin**, 6 in. □ doz. 50 cts.
- * 6552. **Goniometer**, for measuring the angles of crystals, according to Haüy, with
 movable arms, in case \$10 00
6553. Ditto, ditto, reflecting. \$50 00 and 75 00
6554. Ditto, ditto, ditto, same, small, portable according to Wollaston \$30 00


GRADUATES.

- * 6555. **Graduates of Glass**, graduated all around.


	1 dram.	2	4	1 oz.	2	3	4	6	8	12	16	24	32
Piece,	.25	.30	.23	.24	.28	.32	.35	.42	.50	.60	.75	\$1 00	1 25
Doz.	\$2 75	3 00	2 00	2 25	2 30	2 60	3 00	3 85	4 50	5 75	7 00	9 50	12 15



6550a



6550




6556



6558



6555



6552



6559

- * 6556. Ditto, ditto, German, divided in grammes.

	25	50	100	150	200	250	500	1000 grms. or OZ.
Piece,	.40	.50	.50	.70	.80	.90	\$1 20	2 00

- 6557. Ditto, ditto, divided in grammes on one side and ounces on the other.

	1	2	4	8	16	32 ounces.
	30	50	100	250	500	1,000 grammes
	.40	.50	.60	\$.90	1 30	2 20

- * 6558. Ditto, ditto, porcelain, conical or cylindrical, German.

	1	2	4	8	12	16	24	32 ounces.
Piece,	.25	.28	.30	.55	.80	\$1 00	1 20	1 50

- * 6559. Ditto, ditto, fine metal, (tin.)

	1	2	4	6	8	10	12	16	24 ounces.
Piece,	.50	.70	.90	\$1 10	1 35	1 55	1 75	2 00	2 40

Gramme Bottles, see Bottles for Specific Gravity.

○* 6559a. Grind Stones, in round box.

Diameter,	6 in.	8 in.	10 in.
	\$1 00	1 50	2 00

○* 6560. Ditto, ditto, in square box.

Diameter,	12 in.	15 in.	18 in.
	\$3 50	4 50	5 00

6560a. Gutta Percha tissue, oz 25 cts.

HAMMERS.

Our hammers are of the best steel and are highly finished. If ordered unpolished 10 per cent. less.


6560b. Hammers, of best English steel, for blow-piping, Plattner's, each 60 cts.

6560c. Ditto, ditto, with wire handle, Colton's 75 cts.


6561. Ditto, ditto, with steel anvil, each \$1 20

** 6562. Ditto, mineralogical, sharpened on both ends, for trimming. Style a or b.

Weight about,	11 oz.	1½ lb.
	\$1 20	1 50



6559a




6560



6565



6564—2



6564—1



6562a



6562b



6563a



6563b



6564a

** 6563. Ditto, ditto, according to Dana, a and b.

Face,	¾ in.	1 in.	1½ in.	1¾ in.
Weight about,	11 oz.	1 1-16 lb.	2 3-16 lb.	3 3-16 lb.
	\$1 20	1 50	2 50	3 50

○* 6564. Ditto, for prospectors, so-called Poll picks, with 3 ft. long handles, fig. 1 or 2. \$2 50

* 6564a. Ditto, ditto, polished, and heavier steel, 1½ to 1¾ inch, European pattern, hammer and pick combined, weight, 1½ lb \$2 00

* 6565. Ditto, ditto, according to Maynard.

Face,	1 in.	1½ in.
Weight,	1 ½ lb.	2 ½ lb.
Price,	\$1 65	2 55

6566. Handles for Files and Tools.

	Small,	Medium,	Large,
	.5	.8	.10
— 6567. Ditto, ditto, finely finished, each	.10	.12	.15
6568. Hardness' Scale , of Minerals, 9 specimens, (except diamond).....			\$2 00
6569. Ditto, ditto, 10 specimens, (diamond included).....			5 50

Hatchets, according to size, at market price.

* 6570. **Holders**, for platinum wire, of improved make, the hard rubber handle arranged as a reservoir for platina wire, each.....80 cts.

6571. Ditto, ditto, with 4 wires.....\$1 00

6571a. **Hour Glasses**, on stand, correct make.

	2	5	10 minutes.
	.45	.60	.75 cts.

6571b. **Hydraulic Press**, for illustrating the principle. Small, form.....\$25 00

Large, elaborated.....\$100 00

See also supplementary List for Hydraulics, Hydrodynamics, etc.


6572. **Holder**, of wood, for holding platinum spoon.....50 cts.

Homœopathic Vials, see Bottles. **Horn Spoons**, see Spoons. **Scoops**, see Scoops. **Spatulas**, see Spatulas.

Hydrogen Jets, (see Jeta.) **Hydrogen Lamp**, Doebereiner's, (see Doebereiner's Lamps.)



6570



6573

HYDROMETERS.




It has become necessary in addition to manufacturing the ordinary quality to produce a standard quality for scientific investigations, therefore we quote both.

a, Hydrometers, for liquids lighter than water.

	For Factory use. Ordinary Quality.	For Scientific use. Standard Quality.
* 6573. Beaumé and Specific Gravity , 0,70 to 1,000.....	\$.75	\$ 1 00
6574. Ditto, ditto, with thermometer.....	1 25	1 75
6575. Ditto, ditto, 0,70 to 0,80; 0,80 to 0,90; 0,90 to 1,000, each.....	.75	1 00
6577. Ditto, ditto, half of usual length.....	.75	1 00
6578. Ditto, Ditto, 0,70 to 0,85, 0,85 to 1,000 each.....	.75	1 00

b, Hydrometers, for liquids heavier than water.

6579. Beaumé and Specific Gravity , 1,000 to 2,000.....	.75	1 00
6580. Ditto, ditto, with thermometer.....	1 25	1 75
6581. Hydrometers , 1,000 to 1,200, 1,200 to 1,400, 1,400 to 1,600, 1,600 to 1,800, 1,800 to 2,000, each.....	.75	1 00
6582. Ditto, half of usual length.....	.75	1 00
6583. Ditto, 1,000 to 1,400, 1,400 to 2,000, each.....	.75	1 00
6584. Ditto, complete set, three for light liquids and five for heavy liquids		7 50
6584a. Ditto, ditto, in lined case, with thermometer and cylinder.....		15 00

	Ordinary Standard Quality. Quality.	
— 6585. Hydrometers, in lined case, with cylinder, 2 hydrometers, one for light and one for heavy liquids		\$6 00
— 6586. Hydrometers, in case, with cylinder, two hydrometers, two for light or two for heavy liquids		6 00
6587. Hydrometers, 0,700 to 2,000, set of three, one for light and two for heavy liquids, each with fine thermometer in the stem, and cylinder in lined case		12 00
6588. Hydrometer, Universal form, 0,700 to 2,000		1 85
6589. Hydrometers, for acids, 0,50 or 0,70, each50	
* 6590. Hydrometers, for alcohol and spirits, Tralles and proof scale50	.75
* 6591. Ditto, ditto, with thermometer, U. S. Custom House standard	1 25	1 85
○ 6592. Ditto, ditto, in chamois-lined case, with cylinder		4 50
6593. Ditto, ditto, Tralles and Richter, volume and weight, per cent		1 85
6594. Ditto, ditto, in lined case, with cylinder		4 50
6595. Hydrometer, Gay Lussac, for alcohol		1 00
6600. Ditto, ditto, with thermometer		1 85
6601. Hydrometers, for sugar and syrup, 0 to 50° B.50	
6602. Hydrometers, for sugar, Brix's scale, set of three, in half degrees, 0 to 30, 30 to 60, 60 to 90,	3 00	5 00
6603. Ditto, ditto, with thermometers	7 50	9 00
		Scheibler's
 		
6590	6591	
		
6620		
6604. Hydrometers, Brix's, ditto, set of three, in 1-5ths	4 00	9 50
6605. Ditto, ditto, with thermometers, —5 to +30, 25 to 60, 55 to 85° ..	9 00	15 00
6606. Ditto, Brix's, 0° to 100°, 20 in set, each reading 5° in 1-20th		2 50
6607. Ditto, ditto, 0° to 100°, 10 in set, each reading 10° in 1-10th		1 50
6608. Ditto, ditto, ditto, with thermometer	3 00	4 00
6609. Ditto, ditto, normal, set with thermometers in stem, from —5 to +85 in 1-5th degrees, in chamois-lined case, with cylinder, complete, ..		20 00
6610. Ditto, ditto, sweet water, —5 to +5 in 1-10th		2 00
6611. Ditto, ditto, for hot syrup, of metal, 0 to 50° B.		5 00
6612. Hydrometers, for milk, (lactometers) Board of Health standard50	
6613. Ditto, ditto, with thermometer, Board of Health or Quevennes, ..		2 00
6614. Ditto, ditto, Quevennes		1 00
6615. Ditto, ditto, "Milk assayer"50	
6616. Ditto, ditto, for ammonia50	
6617. Ditto, Beaumé's, for acid, American standard, 0 to 70°50	.75
6618. Ditto, ditto, 0 to 50°50	.75
6619. Ditto, Balling's, for beer and wort60
* 6620. Ditto, ditto, with thermometer		1 85
6621. Ditto, for ether75	
6622. Ditto, for ether, with thermometer	1 85	
6623. Ditto, Kaiser's, plain, for beer and wort60	
6624. Ditto, for vinegar, acetometer50	
6625. Ditto, for alkali, Beaumé's, scale50	
6626. Ditto, ditto, chlorine (Bleach Hydrometer)50	
6627. Ditto, ditto, oils, fatty50	
6628. Ditto, for bark liquid, (Tannometers)50	
6629. Ditto, with thermometer	1 85	
6630. Ditto, cider50	
		Scheibler's

	Ordinary Quality.	Standard Quality.
6631. Hydrometers, for coal oil	\$0.50	
6632. Ditto, ditto, with thermometer.....		\$1 85
6633. Ditto, Oechsle's, for wine and must, (Vinometer).....	.75	
6634. Ditto, for salt solutions, in box, (Salimeter).....	.45	
6635. Ditto, for silver solution, in box.....	.65	
6636. Ditto, for sugar, (Saccharometer) in box.....	.50	
6637. Ditto, ditto, Ventzkes, sweet water spindle.....	1 00	
* 6638. Ditto, for urine, (urinometer), cylinder included, ranging 1,000 to 1,060, small.....	.50	
6639. Ditto, ditto, standard.....		.60
6640. Ditto, ditto, ranging 1,000 to 1,040, Vogel & Neubauer's.....		.60
6641. Ditto, ditto, ranging 1,000 to 1,030, " ".....		.60
6642. Ditto, ditto, ranging 1,030 to 1,060 " ".....		.60
6643. The two latter making a set, if taken together.....		1 00
6644. Ditto, ditto, for urine, (urinometer), with thermometer attached to the urinometer, cylinder included, 1,000 to 1,060.....		1 60
6645. Ditto, 1,000 to 1,030.....		1 60
6646. Ditto, 1,030 to 1,060.....		1 60
6647. Ditto, set of two.....		2 75



6638



6648-6649



6653

- * 6648. Ditto, for urine, according to Dr. Squibb, improved by E. & A., with table of corrections, with cylinder, in box..... 1 00
- * 6649. With thermometer..... 2 00
6650. Hydrometer, Twaddle's, for liquids heavier than water, the degrees marked on the scale, multiplied by 5 and added to 1,000 gives the specific gravity.
- | | | | |
|------------|--------------|-----|------|
| No. 1..... | 0° to 26° | .60 | 1 00 |
| 2..... | 24° to 48° | .60 | 1 00 |
| 3..... | 48° to 72° | .60 | 1 00 |
| 4..... | 72° to 102° | .60 | 1 00 |
| 5..... | 102° to 134° | .60 | 1 00 |
| 6..... | 134° to 160° | .60 | 1 00 |
6651. Ditto, ditto, set of six, small size, in leather case, standard, complete. 6 50
- Ditto, Nichols, (see areometer, page 42)
- Hydrometer Jars, (see Cylinders Lipped.)
6652. Hydrostatic Balance, with beam, pans and column of brass..... \$12 50
- See also Balances for taking specific gravity.
- * 6653. Hygrometer, August's, on porcelain base, for estimating moisture..... 12 00
- Hydrometer for Zinc solution, Edison's, 60 cts. to \$1.00


6654. Hygrometer, Masons, plain \$2 50
 6655. Ditto, Masons, Hicks' make 5 00
 * 6656. Ditto, Mitthoff's, round, German, small 2 75
 * 6657. Ditto, ditto, ditto, medium 8 00 Large 12 00
 ○ * 6658. Ditto, ditto, watch form in case 12 00
 ○ * 6658a. Ice Machine System, Wegelin and Hübner's, Ice produced by evaporation of ammonia, very simple, one filling will last for years of continuous use, everybody can handle it. Complete with furnace.
 Machine No. 2 furnishes 4 lbs. of ice every 3 hours, price, rod iron \$150 00
 Rivetted 125 00
 Machine No. 4 furnishes 8 lbs. of ice every 5 hours, price, rod iron 180 00
 Rivetted 160 00
 ○ Ditto, water tank for each 12 00. Respectively \$15 00



6659



6660



6661




6656



6657



6658



6658a

- * 6659. Ignition Bulb Tubes, hardest Bohemian glass. 5 in. 6 in.
 .20 .25 cts.
 * 6660. Ditto, ditto, ditto, " " " " .15 .20 cts.
 * 6661. Induction or Ruhmkorff Coil, with commutator and automatic break; on polished mahogany base, with condenser, of excellent make.
 Giving } $\frac{1}{8}$ $\frac{1}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ $1\frac{1}{4}$ $1\frac{1}{2}$ 2 3 4 6 in. spark.
 About } 3 mm. 6 mm. 10 mm. 20 mm. 30 mm. 40 mm. 50 mm. 80 mm. 110 mm. 250 mm.
 Price, \$4.00 7.00 10.00 21.00 32.00 38.00 40.00 60.00 85.00 100.00
 6662. Induction Wires, according to quality and insulating coat, from 1 cent to 20 cents. For sizes, see Wires.

Infusion Pot, of agate ware, with agate covers. See Jars for Infusion.
 6663. Ditto, of porcelain, with wooden handle.

$\frac{1}{2}$ pint,	1 pint,	2 pints,
\$1 00	1 50	2 00

Influence Machine, see Electric Machine, Holtz's.

Ingot Moulds, (see Moulds.)

* 6664. **Jacket**, of iron, for use with one or several tube burners.

Small.....	50 cts.	Medium.....	60 cts.	Large.....	75 cts.
------------	---------	-------------	---------	------------	---------

6665. **Jackets**, of glass, about 2 inches diameter.

Length,	12	15	20	25	30 in.
	.35	.40	.65	.80	\$1 00 each.

JARS.

Jars, anatomical, of new and improved style, see Anatomical Jars.

* 6666. Ditto, for Nessler's ammonia test, of colorless glass, with polished bottoms, selected in sets of 2, 3, 6, etc.


Graduated to 50 CC.	100 CC.	50 and 100 CC.	50, 100 and 150 CC.
.50	.60	.75	\$1 00




6664



6669



6666



6667



6668

—* 6667. **Jars of glass, with glass cover.**

	$\frac{1}{2}$	1	2	4	8	16 oz.
Doz.	.75	.85	\$1 20	1 50	2 25	3 00

—* 6668. Ditto, of glass, flint or colored glass, with nickel plated cover.

Capacity,	$\frac{1}{2}$	1	2	4	8	16 oz.
	.70	.90	\$1 30	1 90	2 60	4 00

—* 6669. Ditto, show jars, of glass, large, with glass cover, for powders, etc.

	$\frac{1}{2}$ pt.	1 pt.	1 qt.	$\frac{1}{2}$ gal.	$\frac{3}{4}$	1	1 $\frac{1}{2}$	2	4	5	10 gal.
Height,	7	9	10	11	12 $\frac{1}{2}$	14	15	17	22 in.		
	.50	.70	.90	\$1 10	1 25	1 60	1 75	2 00	4 00	4 50	6 75

- * 6670. Jars, sectional. In three parts. $6\frac{1}{2} \times 14\frac{1}{2}$ $5\frac{1}{2} \times 14\frac{1}{2}$ $4\frac{1}{2} \times 14\frac{1}{2}$
\$2 00 1 70 1 25
- * 6671. Ditto, specie, with japanned tin covers.
Contents, $\frac{1}{2}$ 1 pint. 1 quart. $\frac{1}{2}$ 1 2 gals.
.12 .15 .22 .28 .45 .75 cts.
- * 6672. Ditto, inverted for specimens, collections and exhibition of chemicals, seeds, herbs, etc. $\frac{1}{2}$ 1 pint. 1 quart. $\frac{1}{2}$ 1 2 gal.
.15 .20 .25 .50 \$1.00 1.75
- * 6673. Jars, white china, with cover, so-called patch boxes.
Contents, $\frac{1}{2}$ $\frac{1}{2}$ 1 2 4 8 16 oz.
Per doz. .70 .80 .90 \$1 00 1 20 1 40 1 60
Per gross, \$8 00 9 00 10 00 12 00 14 00 16 00 18 00
6674. Ditto, genuine porcelain, with covers, shelf jars, for apothecaries.
Height, $3\frac{1}{2}$ $4\frac{1}{2}$ $5\frac{1}{2}$ $6\frac{1}{2}$
Diameter, $2\frac{1}{2}$ 3 $3\frac{1}{2}$ 4 in.
Capacity, 4 8 16 32 oz.
Price, .25 .40 .60 .80 cts.
6675. Ditto, for infusions, of porcelain, with cover and wooden handle. See Infus. 6663.



6678



6673




6672



6671



6675a



6670



6680

- * 6675a. Ditto, ditto, of agate ware, with water bath.
Capacity, quart. 3 pinta. $\frac{1}{2}$ gal.
Price, \$1 10 1 35 1 90
6676. Ditto, of glazed earthenware, with cover and handles, very useful as slop jars, etc., in the laboratory.
Contents. 1 2 3 5 gallons.
.50 .75 \$1 00 1 25
- Jars, graduated, (see Cylinders.) Jars, battery, (see Battery.) Jars, others, (see Cylinders.) Jars for decanting, (see Decanting Jars.)
6677. Jets, of brass, for hydrogen, small.....50 cts.
- * 6678. Ditto, ditto, large.....75 cts.
6679. Ditto, ditto, with stop-cock and socket.....\$1 50 extra.
- Kipp's Sulphuret Hydrogen Apparatus, (see Apparatus, Kipp's for Generating.)
- * 6680. Kettles, for evaporation, of agate ware.
 $\frac{1}{2}$ gal. 3 qts. 1 2 3 4 gals.
Diameter, 7 $8\frac{1}{2}$ 9 $11\frac{1}{2}$ 13 $17\frac{1}{2}$ in.
Price, .40 .60 .70 \$1 05 1 50 3 75

- * 6681. Kettles, for melting Stearin, etc., round or flat bottom, only to order, breadth of rim as desired. Of superior German stoneware.


Capacity,	6	12	20	25	30	38 gallons.
Price,	\$3 75	5 50	7 50	9 25	11 00	13 75 each.
Capacity,	45	50	55	65	70	75 gallons.
Price,	\$16 00	18 50	21 75	25 00	28 00	31 00 each.

6682. Knives, for cutting corks, etc. 25 cts.
 6682a. Ditto, for cutting glass. 75 cts.


FERROUS SULPHATE

FeSO_4

6683




6686a



6686d



6686c



6681



6686b



6684

- * 6683. Label Books, including all the most used chemicals and reagents; good paper, good printing, strip form, with name and latest formula, tables of atomic weights, etc., each book. 40 cts.

These Labels are gummed and perforated and ready to be placed on the bottle. The book is arranged so that the Labels can be removed without destroying the book. This is the most perfect Label Book ever published.

- * 6684. Labels, of glass, any description, black letters, in white, with gold rim, etc., for bottles up to 1 pint, 15 cents each, larger bottles, 20 and 25 cents, including the fastening.

6685. If engraved or etched directly in the glass, from 25 to 75 cts. per label.

- ** 6686. Labels, paper, gummed, of any description.

Shape,	a		b		c	d	
Nos.	201,	209, 217.	229, 241.	263.	219, 259.		
Price per	box,	.12 .10 .9	.12 .8	.12	.10 .9		
Nos.	2001,	2002,	2003,	2004,	2005,	2006,	2007.
Price per	box,	.30,	.25	.50	.20	.40	30c.

- * 6687. **Lactobutyrometer**, Soxhlet's, See figure 5191. complete, with wash bottles and support.....\$30 00
- * 6688. **Lactoscope**, according to Professor Feser, See figure 5313. complete....\$3 40
See also apparatus for the analysis of milk and Milk Tester.
6689. **Lactometers**, Board of Health, each.....50 cts.
- 6689a. With thermometer.....\$2 50
- * 6690. **Ladles**, of iron, with pouring lip, for fusing metals, etc.
- | | | | | | | |
|-----------|-----|-----|-----|-----|-----|-----------|
| Diameter, | 2 | 2½ | 3 | 4 | 5 | 6 inches. |
| | .20 | .25 | .30 | .35 | .45 | .60 cts. |

LAMPS,

FOR HEATING, ILLUMINATING, ETC.


- ** 6691. **Lamps, alcohol, with ground cap, best German make, with wick and wick holder included, styles a and b.**

Contents,	1	2	4	6	8 oz.
	.30	.35	.40	.45	.50 cts.

- * 6692. **Lamps, alcohol, with ground cap, best German make, with side tubulation, wick and wick holder included, shape a and b.**.....10 cts. higher.

- 6692a. **Ditto of best Bohemian glass, straight sides, tubulated. Shape like 6691b.**

Capacity,	2 oz.	4 oz.	6 oz.	8 oz.
	.45	.50	.60	.80 cts.




- * 6693. **Ditto, for alcohol and oil, brass, of new and improved construction, with screw top.**

Capacity,	2 oz.	4 oz.	8 oz.
	.25	.40	.50 cts.

6694. **Ditto, ditto, porcelain, 4 oz. each**.....75 cts.
- * 6695. **Ditto, Berzelius', of improved construction, for alcohol and kerosene, giving more heat than any other alcohol lamp for general laboratory work, complete** \$4 00
6696. **Ditto, Rose's, for heating crucibles with alcohol or kerosene, on brass stand, with 2 rings, chimney and polished wooden base, improved construction**..\$6 00
- * 6697. **Ditto, ditto, Mueller's modification**.....6 50
6698. **Ditto, alcohol Mitscherlich's, the alcohol reservoir is of glass, and is placed distant from the burner, with one arm of brass, with iron ring and triangle to support a crucible over the flame.**.....\$7 50

* 6699. Lamp of brass, Luthmes, for decoctions and general laboratory work . . .	\$7 50
* 6700. Lamp, incandescent.	
20 16 10 6 3 1 candle power.	
\$2 75 2 50 2 25 1 50 1 50 1 50	
6700a. Stand for lamps	1 00
6700b. Lamps, electric, arc, plain	8 00
6700c. Ditto, ditto, with reflector	12 00
—* 6701. Lamps, illuminating, for gas, heavy brass base and rod, with iron bound clay cylinder and chimney, to be used with the polariscope.	\$7 50
Nickel plated	8 50
— 6702. Ditto, ditto, for kerosene	9 00
— 6703. Ditto, ditto, to burn gas, arranged with green shade and blue chimney for the microscope, complete	\$10 00. Plated \$11 00
— 6704. Ditto, ditto, double arm	13 50. Plated 15 00
○ 6705. Ditto, Hinks, new form, with triple gas burner, the best Polariscope Lamp known	15 00
○ 6705a. Ditto, for kerosene	16 00




The Perfection Study Lamp.—These lamps are claimed to be the perfection of mineral oil lamps for illumination. The burner is the invention of the Chief Mechanic of the United States Light-house Service.

* 6706. Nickel plated, with chimney and shade, 7 in. shade, 20 candle power	\$5 00
— 6707. Polished brass, ditto, ditto	4 00
— 6708. Extra large size, polished brass, ditto	6 75
— 6709. " " nickel plated, ditto	7 50
— 6710. Double Lamp, polished brass, shades, etc. 7 " 40 " "	8 00
— 6711. Double Lamp, nickel plated, shades, etc. 7 " 40 " "	9 00


Lamps for gas, (see Burners).

- 6712. Lamp, double, brass, 10 in. shade, 50 candle power.....\$9 00
 6712a. Extra zincs.....25 cts.
 — 6713. Ditto, ditto, nickel plated, 10 in. shade, 50 candle power.....\$10 00
 — 6714. Lamps, Dobereiner's Hydrogen (see Dobereiner's Lamp), producing instantaneously a hydrogen flame, plain.....\$3 50. Fancy.....\$5 00
 ○ 6715. Lamp to burn Magnesium, with clockwork and reflector. (hand lamp, \$2 50) 25 00
 6715a. Ditto, Magnesium ribbon for same, per oz.....50
 6716. Ditto, for deviding perfumes, aldehyde. etc., of glass, with platinum sponge or spiral.....\$1 50
 —* 6716a. Dangler Lamp, for gasolene, giving as perfect a flame as a gas-burner....\$5 00
 6717. Lamp Plates, of porcelain, to put on lamp bases, each.....\$1 25
 6718. Lamp Wicks, for Berzelius' and Rose's lamps, dozen.....25 cts.
 6719. Ditto, ditto, for alcohol lamps, bundle.....5 cts.
 6720. Ditto, ditto, for blow-pipe lamp, dozen.....20 cts.
 6721. The College Lantern, as used by Prof. Henry Morton, combines the ordinary magic lantern with the latter's vertical lantern, complete.....\$250 00

Lead Basket and Tripods, (see there.)



6716a



6730



6731



6732

6722. Lead Tray, for etching on glass.
 Diameter, 2 2½ 3 3½ 4 5 6 in.
 .20 .25 .30 .35 .40 .60 .75 cts.
 6723. Ditto, ditto, with iron jacket and Bunsen's Burner.....\$1 75 extra.
 6724. Leaf, Dutch gold, per book.....15 cts.
 ○ 6725. Ditto, genuine gold, per book.....40 cts.
 ○ 6726. Ditto, genuine silver, per book.....20 cts.
 ○ 6727. Ditto, ditto, aluminium, per book.....20 cts.
 6727a. Ditto, platinum, per sheet.....10 cts.
 6728. Lenses, magnifying, in fine rubber cases, single.....40 cts.
 6729. Ditto, ditto, double.....60 cts.
 * 6730. Ditto, ditto, 3 glasses.....80 cts.
 * 6731. Ditto, in brass casing.....\$1 00
 * 6732. Ditto, Coddington's, very powerful, in brass case, with handle, small.... 1 50
 Large.....2 00

For other Lenses, (see Supplement List, "Optics.")

6733. Letters, of steel, for marking bullion, etc.
 1-16 ¼ 3-16 ½ 5-16 ¾ 7-16 ¾ inch.
 \$2 70 2 70 3 75 4 50 5 25 7 50 10 50 13 50

○* 6749a. **Magnifiers or Reading glasses**, rubber frame and wood handle.

No.	200	201	202	203	204	205	206	207	208	209	210
Size of glass,	1½	1½	2	2½	2½	2½	3	3½	3½	3½	4 in. diam.
	.50	.60	.70	.80	.90	\$1.00	1.25	1.50	1.75	2.00	2.25

6749b. Marine glue, hard, lb. \$2 50. Ounce..... 20 cts.

Magnetism, (see Physical Apparatus, Supplement List)

Magneto-Electricity. (see Physical Apparatus, Supplement List.)

○ Magnet, natural, Lode Stone, per lb. \$1 50

Magdeburg Hemispheres, of brass, (see Appendix, Physical Apparatus.)

* 6750. **Manometer**, or Pressure Syphon, concentric, according to Schiele, used in gas works.

	Length,	12	16 inches.
	Plain,	\$1 00	1 25 each.
	Graduated into inches or cubic centim.	2 00	2 25 each.

* 6751. **Manometer or Mercury Gauge**, with movable scale on support \$5 00

With glass stop-cock 7 00

6751a. Small Manometer, with or without gauge, to order from..... \$1 00 to 4 00

See also Gauges for pressure, vacuum, etc.


6752. **Marsh's Apparatus**, for detection of arsenic, on polished wooden stand, (see also Apparatus for arsenic determination.) \$2 20

* 6753. **Matrasses**, of hard Bohemian glass.

Each 10 cts.

6754. Ditto, ditto, for blow-piping, German glass.

Dozen ... 30 cts.



6755



6953




6750



6756



6757



6749a

* 6755. **Measures**, folding, divided accurately in inches, centimeters and fractions.

a, of hard wood, with caliber extension of brass 60 cts.

b, of ivory, in German silver frame, inches and centimeters... \$2 50

* 6756. **Measuring Tape**, steel, inches and centimeters, German silver case.

3 feet,	6 feet,	12 feet.
\$1 50	2 25	3 50


—* 6757. **Measuring Tape**, steel, inches only.

25	50	100 feet.
\$5 15	8 30	14 50

— 6758. Measuring Tape, metallic,		25	50	100 feet.							
		\$2 00	2 85	4 50							
—*	6759. Measures of tin.	Contents,	$\frac{1}{16}$	$\frac{1}{8}$	1 pt.	1 qt.	$\frac{1}{2}$	1	2	3	5 gals.
			.15	.20	.25	.30	.40	.55			
—	6759a. Ditto, ditto, extra heavy,		.30	.35	.40	.50	.65	.80	\$2.00	3.00	4.00
○*	6760. Measures, seamless of agate ware.										
		$\frac{1}{2}$ pint.	pint.	quart.	$\frac{1}{2}$ gal.	1 gal.					
		.45	.55	.75	\$1 00	1 35					
○	6761. Measures, of copper.										
		$\frac{1}{2}$ pt.	$\frac{1}{4}$ pt.	1 pt.	2 pt.	$\frac{1}{2}$ gal.	1 gal.	2 gal. (with bail.)			
		.40	.55	.70	.85	\$1 25	1 85	4 25			
Measures and Jugs, of lead, for sulphuric, hydrofluoric acid, etc., to order.											
Other Measures, (see Graduates.)											

Measures and Jugs, of lead, for sulphuric, hydrofluoric acid, etc., to order.

Other Measures, (see Graduates.)




- * 6762. Mercury Troughs, porcelain, form like a cross, capacity 6 lbs. mercury .90 cts.
 * 6763. Ditto, ditto, usual form, capacity about 8 lbs. mercury \$1 00
 6764. Ditto, ditto, usual form, capacity about 16 lbs. mercury 1 50
 * 6765. Ditto, ditto, Bunsen's, of wood, with two glass sides, the whole wooden base, with movable support for the eudiometer, complete \$7 75
 6766. Ditto, ditto, all wood 1 50
 6767. Ditto, ditto, of cast iron, set in mahogany case, large size, according to Griffin Price 9 00
 * 6768. Ditto, ditto, with flasks to measure the volume of gases 7 50
 — 6769. Medicine Chest, with ten 2 oz. square stoppered bottles, 2-1 oz. patent poison bottles, tray containing boxes, etc., outside dimensions, $4\frac{1}{2} \times 5\frac{1}{2} \times 6\frac{1}{2}$. A very useful traveling re-agent, price. \$2 50
 —* 6770. Ditto, Ditto, large size, containing 16-2 oz. bottles, etc., price. 4 00

MICROSCOPES.


Manufactured by the well-known firm, **BAUSCH & LOMB OPTICAL CO.**, of Rochester.

Sold at the manufacturers' original prices. We also import Microscopes for Universities and Colleges, duty free at manufacturers original prices, viz: Zeiss, Jena, Schmidt & Haensch, Berlin, etc., etc.

N. B.—For Zeiss' Microscopes, etc., see page 297.



6762



6781

- * 6781. No. 400. The compact Dissecting and mounting Microscope, with neat case. \$12 00
- | | |
|--|-------|
| Compound Erecting Body..... | 12 00 |
| Hand Rests, as shown in cut..... | 2 00 |
| Arm for Lenses, with joint in place of single arm..... | 1 00 |
| Single Lenses, of $\frac{3}{4}$, $\frac{1}{2}$ or $\frac{1}{4}$ inch focus, each..... | 1 50 |
| Coddington Magnifiers, 1 inch, $\frac{3}{4}$ or $\frac{1}{2}$ inch focus, each..... | 4 00 |
| Achromatic Triplets, giving large flat field with beautiful definition, 1 inch, $\frac{3}{4}$ or $\frac{1}{2}$ inch focus, each..... | 9 00 |

FAMILY MICROSCOPE.

- * 6782. No. 505A. Stand, with any of our Huyghenian eye-pieces, in upright polished case with handle and lock, and receptacle for objectives and eye-pieces..... \$16 00
- No. 505B. Stand as above, with rack and pinion for coarse adjustment..... 23 00
- No. 505B. No. 505B. with 1 inch and $\frac{1}{2}$ inch "Special" Objectives, magnifying power 80 to 375 diametres..... \$37 00

HARVARD MICROSCOPE.


○* 6783. No. 515 A, with one eye-piece, in handsome polished case.....\$27 00

No. 515 B, with rack and pinion for coarse adjustment.....\$35 00

No. 516, No. 515 A, with eye-pieces A (No. 700) or C (No. 702) objectives, $\frac{3}{4}$ inch (No. 605) and $\frac{1}{8}$ (No. 610 or 611); magnifying power 46 to 385 diameter.....\$50 00

No. 517, No. 516 A, with rack and pinion, same outfit as above 55 00

For magnifying power, see below.




6783

UNIVERSAL MICROSCOPE.

○* 6784. This is as its name implies an instrument which is universal in its application to all microscopic work, a very large and substantial instrument equally useful to the Chemist, Mineralogist, Physician, Botanist, etc. etc.

In this instrument the maker claims to have reached a higher degree of perfection than is possessed by any one approximating it in price. It combines, in a moderate-price instrument the features of a first-class and high-price stand, at no sacrifice of its working qualities.




6784

- No. 545. Stand, with any of our Huyghenian eye-pieces, in polished case with handle and lock, drawer for accessories and receptacles for eye-pieces and objectives \$55 00
- No. 546. The above with eye-pieces A (No. 700) and C (No. 702), the latter with slot for micrometer; objectives $\frac{1}{2}$ inch (No. 605) and 1-5 (No. 610 or 611), camera lucida, eye-piece micrometer, pliers, slides and covers; magnifying powers 35 to 600 diameters..... \$80 00
- No. 547. No. 546, with new sub-stage condenser (No. 1017)..... 97 00
- No. 548. No. 546, with mechanical stage No. 1052 in place of the revolving stage. Price \$97 00
- Either of the above with improved glass stage and slide-carrier, which fastens to the brass stage, extra \$5 00
- Either of the above when double nose-piece is ordered with it, extra..... 5 00
- Either of the above with rack and pinion adjustment to the sub-stage, extra..15 00
- Either of the above with centering adjustments by micrometer screws to either stage or sub-stage, extra for each \$16 00

PROFESSIONAL MICROSCOPE.

- 6785. This instrument possesses all the features which experience and knowledge of the wants of the public have been able to suggest.
- No. 560. Stand, with any two of our Huyghenian eye-pieces, in polished case with drawer, receptacles for eye-pieces and objectives, handle, lock and key.. \$135 00
- No. 561. The above with eye-pieces A (No. 700), B (No. 701), C (No. 702), D (No. 703), either of the latter two with slot for micrometer; objectives 2 inch (No. 602), $\frac{1}{2}$ (No. 605), 1-5 (No. 610 or 611), $\frac{1}{4}$ (No. 612), camera lucida, eye-piece micrometer, pliers, slides and covers; magnifying powers 25 to 980 diameters. Price \$185 00
- No. 562. No. 561, with new sub-stage No. 1017..... \$200 00
- No. 563. No. 561, with mechanical stage No. 1055, in place of the rotating one with glass-stage and slide-carrier..... \$215 00
- To. 564. No. 562, with mechanical stage No. 1055, in place of that accompanying the instrument \$230 00
- 6786. No. 6784 and No. 6785, will also be furnished as binocular instruments at the following rates :
- No. 545. Universal Stand, with binocular body, one pair of eye-pieces..... \$75 00
- No. 546. Universal Microscope complete, with binocular body, two pair of eye-pieces..... \$105 00
- No. 560. Professional Stand, with binocular body, adjustment by rack and pinion, one pair of eye-pieces..... \$175 00
- No. 561. Professional Microscope complete, with binocular body, adjustment by rack and pinion, two pair of eye-pieces, and extra C. and D., one arranged with micrometer..... \$225 00



6787-6788

OBJECTIVES.

○* 6787. Student Series.

Number,	600	601	602	603	604	605	606	607	608	609	610	611	612	613
Focus, inch,	4	3	2	1½	1	$\frac{3}{4}$	$\frac{1}{2}$	4-10	$\frac{1}{4}$	$\frac{1}{4}$	1-5	1-5	$\frac{1}{4}$	1-12
Angular ap.	6°	9°	12°	16°	20°	27°	42°	70°	75°	100°	75°	110°	115°	130°
Non-adjust.	"	"	"	"	"	"	"	"	"	"	"	"	"	"
Price,	\$6.00	6.00	6.00	6.00	8.00	9.00	13.00	14.00	14.00	15.00	15.00	18.00	24.00	

○* 6788. First-Class Series.


Number,	640	641	642	643	644	645	646	647
Focus, inch,	4	3	2	1½	1	$\frac{1}{2}$	4-10	$\frac{1}{4}$
Angular appar.	12°	16°	22°	32°	45°	98°	110°	140°
Adj'tm't,	Non-adj'tble,	"	"	"	"	Adj'tble,	"	"
Price,	\$18.00	18.00	18.00	20.00	25.00	30.00	34.00	40.00

○* 6789. Huyghenian Eye-pieces.

No.	700	701	702	703	704.
	2	1½	1	¾	½ inch.
	A	B	C	D	E
	\$4.00	4.00	4.00	4.00	4.00

1 inch or ¾ inch arranged with slot to receive micrometer, covered by ring to exclude light, eye lens being adjustable for focus, with micrometer, extra \$1 75
When 2 inch or 1½ inch are desired with micrometer, No. 1052 is applied.

- 6790. No. 1051, Micrometer, eye-piece, mounted on rubber slide.....\$1 00
○ 6791. No. 1057, " " disk fitted to any eye-piece.....1 50
Schedule of Magnifying power.
○ 6792. No. 1042, Lamp with Bull's-eye lens, 2½ inches diameter.....\$10 50
○* 6793. No. 1043, Fiddian's portable, in case.....15 00
○ 6794. No. 1044, Lamp shade, black, with side opening to fit over chimney......50
Other lamps, see Lamps.




6797




6789



6795



6793



6798-99

- * 6795. No. 1207, Capped Bottles for holding mounting fluids, with glass rod or pipette, \$0 50
6796. No. 1212, Watch Glasses, per dozen......50
○* 6797. No. 1213, Watch Glasses, Syracuse Solid.
No. 1, Unground Edges, each15 cents. In set of six.....65 cts.
No. 2, Ground and polished edges, each.....20 cents. In set of six.....\$1 00
No. 3, " " " and concaves.85 cents. In set of six.....4 65
* 6798. No. 1219, Mounting Stand, with lamp and sand bath..(for gas \$3 50).....2 00
○* 6799. No. 1220, Glass Spirit Lamp, with cover, No. 1, 3-16 inch burner.....75 cts.
" " " " " 2, ¼ " "90 cts.
See figure 6798.
○ 6800. No. 1225, Dissecting Knives, 14 different styles, each.....75 cts.
○ 6801. No. 1226, " Needles, straight or bent.....15 cts.
6802. No. 1227, " Needle Holder, with clamp.....50 cts.
6803. No. 1228, " Scissors, assorted, straight or bent.....\$1 50

MICROSCOPIC SLIDES.

Imported English, best quality.

6804.	No. 1300, Glass Slips, 3x1 inch, cut edges, $\frac{1}{2}$ gross packages, per dozen, 15 cts., per gross.....	\$1 30
6804a.	No. 1301, Glass Slips, 3x1 in. ground, per doz. 25 cts. per gross	\$2 00
○	No. 1302, " " 3x1 " " 9 oz., extra thin, per doz., 40 cts. per gross	\$3 25
○	No. 1308, Glass Slips, 3x1 inch, with concave centers, ground edges, per doz. 1 00	

MICROSCOPIC COVERS.

6805. In squares, put up, $\frac{1}{2}$ oz. in box.

Diameters,	$\frac{1}{2}$	9-16	$\frac{1}{2}$	11-16	$\frac{3}{4}$	$\frac{1}{2}$ inch.	
No. 1, quality, any size, per doz. 25 cts. per oz.							\$2 50
No. 2, " " " 20 " "							2 00
No. 3, " " " 18 " "							1 00

6806. In circles, put up, $\frac{1}{2}$ oz. in box.

Diameters.	$\frac{1}{2}$	9-16	$\frac{1}{2}$	11-16	$\frac{3}{4}$	$\frac{1}{2}$ inch.	
No. 1, quality, any size, per doz. 30 cts. per oz.							\$3 50
No. 2, " " " 25 " "							2 50
No. 3, " " " 20 " "							2 00


○ 6807. Mounting Materials, of best quality. (See also our special Grüber's list)

No. 1323, Absolute Alcohol, Dr. Squibbs', per bottle.....	.25	No. 1347, King's Lacquer Cell and Finish, Scarlet, with directions, per bottle. .25	
No. 1324, Benzole, pure, per bottle.....	.25	No. 1348, King's Lacquer Cell and Finish, Blue, with directions.....	.50
No. 1325, Canada Balsam, paper filtered, in flexible tubes, each.....	.25	No. 1349, Marine Glue, hard, per box....	.35
No. 1326, Canada Balsam, with benzole, requires no heat, per bottle.....	.50	No. 1350, " " fluid, per bottle.....	.35
No. 1327, Canada Balsam, with chloroform, per bottle.....	.50	No. 1351, " " colorless, ".....	.40
No. 1328, Canada Balsam, with xylol, requires no heat, per bottle.....	.50	No. 1352, White Zinc Cement, ".....	.50
No. 1329, Damar Balsam, per bottle.....	.50	No. 1353, Ammonia Carmine, Beale's.....	.25
No. 1350, Deane's Medium, per bottle....	.35	No. 1354, Borax Carmine.....	.25
No. 1331, Farrant's Medium, per bottle... .50		No. 1355, Picro.....	.25
No. 1332, Glycerine, pure, per bottle.....	.25	No. 1356, Aniline, Blue.....	.25
No. 1333, Glycerine, camphorated, for delicate vegetable tissues, per bottles.....	.25	No. 1357, " Green.....	.25
No. 1334, Glycerine, Jelly.....	.50	No. 1358, " Red.....	.25
No. 1335, Oil of Cloves, per bottle.....	.40	No. 1359, " Violet.....	.25
No. 1336, Smith's New Mounting Medium, refractive index, 1.7, per bottle.....	.75	No. 1360, Methyl, Blue.....	.25
No. 1337, Smith's New Mounting Medium, refractive index, 2.0, per bottle.....	1 00	No. 1361, " Green.....	.25
No. 1338, Asphalt, per bottle.....	.25	No. 1362, Eosin.....	.25
No. 1339, Asphalt, quick drying, per. bot. .35		No. 1363, Haematoxylin.....	.25
No. 1340, Bell's Cement, per bottle.....	.50	No. 1364, Sulphindigotate of soda.....	.25
No. 1341, Brown's Transparent Rubber Cement, per bottle.....	.35	No. 1865, Burritt's Stain, for Bacillus Tuberculosis, with directions, per bottle. .35	
No. 1342, Brunswick Black, per bottle....	.25	No. 1866, Gentian Violet.....	.40
No. 1343, Gold Size, per bottle.....	.25	No. 1367, Bismark Brown.....	.22
No. 1344, Hollis' Glue, per bottle.....	.30	No. 1368, Osmic Acid, 1-32 oz., glass capsule, per bottle.....	3 00
No. 1345, King's Amber Cement, transparent, with directions, per bottle.....	.25	No. 1369, Carmine Injecting Gelatine. Dr. Seiler's, per oz.....	1 00
No. 1346, King's White Cement, transparent with directions, per bottle.....	.25	No. 1370, Aniline Oil, pure, for use in preparation of Bacillus Tuberculosis..	.25
		No. 1371, Paraffine, pure, for imbedding, per pound.....	.50
		No. 1372, Celloidine, 1 oz. box.....	1 00
		No. 1373, Stannous Chloride in Glycerine Jelly.....	.60


Labels for Slides, (See Labels.)

Gruebler's Preparations, see Special List.

- 6808. No. 1528, **Portable Cabinet, Pillsbury's**, containing 10 boxes for 200 slides.
Price.....\$3 00
- * 6809. No. 1529, **Portable Cabinet, Pillsbury's**, containing 20 boxes for 500 slides... 4 00
The Pillsbury Cabinet consists of a finely polished cherry case, containing ten or twenty boxes, grooved on the inside, to receive twenty-five slides each, and provided with a lock. When the boxes are in place in the cabinet, the slides lie horizontally, thus avoiding all liability of damage to slides in top.
- The top of each box, as placed in the cabinet, is provided with an index, and on the bottom of the box, inside, is a corresponding number to show the proper location of each slide. If a cabinet is not required, the boxes may be used singly, as a simple rubber band serves to hold the cover securely in place. They are of plain white wood, neatly finished. (See No. 6808.) Each...15 cts.



6809



6810

- * 6810. No. 1656, **Photo-Micro Camera**, with one double plate holder.....\$18 00
No. 1657, **Amplifiers**, for increasing one-half the size of image..... 4 00
No. 1658, " " double " " 7 50
No. 1659, **Plane and concave mirror for sunlight** 4 00
No. 1660, **Stereoscopic Attachment, Dr. Devron's** 3 00

This is a valuable accessory for obtaining stereoscopic images of microscopic objects. It consists of a nose-piece to which the objective is attached, and is provided with a sliding shutter.

- No. 1661, **Photo-Micro Camera**, same as No. 1655, with extensible bellows, giving picture $6\frac{1}{2} \times 8\frac{1}{2}$, and one double plate holder.....\$38 00

See also Supplemental Catalogue.

- * 6811. **Microscope**, for mineralogists and botanists. The lenses may be used either singly or together, are well made, and are provided with a proper diaphragm, which secures distinctness of definition. They give a range of power of from five to thirty diameters (twenty-five to nine hundred times the surface), the first being admirably adapted to the examination of minerals, textile fabrics, the larger parts of flowers, insects, etc., while the latter is sufficiently powerful to enable the student to dissect flowers, and examine their more minute structure with great efficiency. Under good management this microscope shows the individual corpuscles in the blood of the frog, and will exhibit very clearly and beautifully the circulation in the foot of this animal.

1. With two lenses, net\$2 50
2. With three lenses, net 2 75
3. Set of hard rubber slides, with openings of different kinds to serve as linen provers, net 25 cts.


See also Lenses.

6812. **Microscopic Objects**, furnished to order at original prices, according to special list.

- * 6813. **Milk Tester**, Professor Heeren's color test, very practical 50 cts.

6814. Ditto, ditto, Professor Feser's lactoscope, complete in box, see fig. 5313.\$4 00

For other Milk Testing Instruments, see Apparatus for.



6811



6813



6815

- * 6815. **Mills**, small, for grinding drugs, vegetables, etc., to be analyzed.

Small, 10½ in. high\$3 00. Medium, 15 in. high \$5 00

Large, 20 in. high\$10 00

Minerals, Metallurgical and others, in collections or single specimens, furnished to any extent; also sets of specimens to illustrate the physical characters, as Hardness, Fusibility, Cleavage, Twin Crystallization, Structure, Pseudomorphism, Aggregation and Fracture, etc.

See also our special list of Chemicals and Minerals.

Mineralogical Hammers, (see Hammers.)

6816. **Millimeter Tubes**, absolute, correct for polarization apparatus, 100 milli. and 200 milli. dozen \$12 00

6817. Ditto, ditto, ditto, mounted, with caps, plates, washers, etc., each 3 50

Minim Glasses, (see Graduates.) **Minim Pipettes**, (see Pipettes.)

- * 6818. **Mixing Capsules**, brass, Plattner's, nickel plated..... 20 cta.
 6819. Ditto, ditto, gilded..... 45 cta.
 6820. Ditto, ditto, horn..... 15 cta.
 6821. Ditto, ditto, large, of Russian iron..... 40 cta.
 * 6822. Ditto, ditto, ditto, of copper. Small..... 75 cta. Large..... \$1 00
Mixing Jars, (see Cylinders.)
 — 6823. **Models**, of precious stones, 21 pieces in box, showing the crystallization, cutting and color of the respective gem..... \$15 00
Models of Crystals, (see Collections.)
 6824. **Models**, technological, architectural, machinery, etc., etc., imported to order.
 Mohr's Burettes, Balances, Clamps, Pinch-cocks, Pipettes, Potash Bulbs, Scales, (see there.)
 6825. **Mordanted Cloth**, for dyeing experiments, per yard..... \$1 50

MORTARS.

6826. **Moeller**, Robertson's, of malleable iron..... small, \$7 50. large, \$10 00
 * 6827. **Mortars**, agate, with pestles, of superior quality.
 Diam. 1 1½ 1½ 1½ 1½ 1½ 1½ 1½ 2 2½ 2½ 2½ in.
 .75 \$1 00 1 20 1 25 1 30 1 35 1 50 1 75 1 85 2 00 2 25 2 50
 Diam. 2½ 2½ 2½ 2½ 3 3½ 3½ 3½ 3½ 3½ 3½ 3½ in.
 \$2 75 3 00 3 25 3 50 3 75 4 00 4 50 5 00 5 50 6 00 6 50 7 00
 Diam. 4 4½ 4½ 4½ 4½ 4½ 4½ 4½ 5 5½ 5½ 5½ 6 in.
 \$7 50 8 00 8 50 9 00 9 50 10 00 10 50 11 00 12 00 13 50 15 00 17 00 20 00
 6828. Ditto, ditto, mounted in polished wooden base, pestle with wooden handle.
 Price..... \$1 00 to 1 50 extra.
 Handle only..... 50 cta. to \$1 00



6822



6832



6834



6827



6833



6818



6829



6831

- * 6829. Ditto, **diamond**, of hardest steel, Plattner's form, regular size, of superior make.
 Price..... \$4 00
 6830. Ditto, ditto, large size..... 6 00
 * 6831. Ditto, ditto, **Lead's form**..... 2 00
 * 6832. Ditto, brass, with pestle.

Contents,	1 pint,	1 quart,	½ gal.
	\$4 00	5 00	7 00

- * 6833. Ditto, of glass, with lip and pestle.

Contents,	1	2	3	4	8 oz.	1 pt.	1 qt.	½ gal.
Diameter,	2	2½	3½	3½	4½	5½	7	8 in.
	.25	.28	.30	.40	.50	.65	.85	\$1 20

- * 6834. Ditto, of iron, for powdering ore; well made, urn shape.

Dimensions,	½	1	2 pints,	½	1	2 gals.
	4x4	5x5	6x6	7x6½	8x8½	11x10 in.
	.30	.40	.50	.75	\$1 40	2 00

* 6835. Mortars, Iron, heavier, bell shape.

	$\frac{1}{2}$	1	2 pts.	$\frac{1}{2}$	1	2	3	4 gals.
Dimensions,	4 $\frac{1}{2}$ x3	4 $\frac{1}{2}$ x4	5 $\frac{1}{2}$ x5	6 $\frac{1}{2}$ x6	8x7	10 $\frac{1}{2}$ x9	12 $\frac{1}{2}$ x11 $\frac{1}{2}$	13 $\frac{1}{2}$ x12 $\frac{1}{2}$ in.
	.00	.40	.60	\$1 00	1 50	2 75	4 50	5 50

6836. Ditto, chilled, equal to steel, specially made for powdering hard ores, Spiegel, etc., with extra large pestles.

Capacity,	3 gals.	2 gals.	1 gal.
Size,	12 $\frac{1}{2}$ x11 $\frac{1}{2}$	10 $\frac{1}{2}$ x9	8x7 in.
Price,	\$7 00	5 00	4 00


6837. Ditto, small size for the laboratory table, about 7 inches square, with 5 inch bowl, pestle included.....\$7 50

6838. Ditto, extra heavy shape, like Wedgewood Mortars, very excellent for grinding, heavy pestle, sold by the weight, from 7 to 9 cents a pound.

Sizes	4 $\frac{1}{2}$ x3	6x3 $\frac{1}{2}$	7x4 $\frac{1}{2}$	9x5	11x8	13 $\frac{1}{2}$ x7 in.
-------	--------------------	-------------------	-------------------	-----	------	-------------------------

* 6839. Ditto, porcelain, best German make, with plain pestle, the larger sizes provided with wood handle, rough inside, glazed outside. **Shallow form.**

No.	8	7	6	5	4	3	2	1
Diameter,	2 $\frac{1}{2}$	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3 $\frac{1}{4}$	4	4 $\frac{1}{2}$	5 $\frac{1}{2}$	6 in.
Each,	.25	.30	.35	.40	.50	.65	.85	\$1 00
No.	0	00	000	4.0	5.0	6.0	7.0	8.0
Diameter,	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	14
Each,	\$1.20	1.50	1.60	2.20	2.80	3.50	4.50	5 50
							6 50	7 00



6845-6846




6835



6842



6844



6841



6840

6839

* 6840. Ditto, of German porcelain, for mixtures, glazed inside and outside, with lip and pestle. **Deep form.**

No.	4	3	2	1	0	00	000
Diameter,	3 $\frac{1}{2}$	4	5	5 $\frac{1}{2}$	6	7	8 in.
	.45	.60	.80	.90	\$1 10	1 40	1 75

○* 6841. Ditto, with pestle, of German acid proof stone ware.

16 inches diameter, \$3 50. 19 inches diameter, \$5 00.

* 6842. Ditto Wedgewood, pestle, with wooden handle.

No.	0000	000	00	0	1	2	3	4
Diameter,	3	3 $\frac{1}{2}$	3 $\frac{3}{4}$	4	4 $\frac{1}{2}$	5	6	6 $\frac{1}{2}$
Each,	.35	.45	.50	.55	.60	.75	\$1 00	1 25
No.	5	6	7	8	9	10	11	12
Diameter,	7	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$	10 $\frac{1}{2}$	12	13	14 in.
Each,	\$1 50	1 75	2 00	3 00	3 75	4 50	5 00	6 00

6843. Ditto, second quality..... 20 % less.


* 6844. Ditto, of German porcelain, labeled: Poison, Opium, Asafetida, Iodoform, Unguentum, etc.....\$1 25

○* 6845. Motor, hydraulic, the smallest motor known, very valuable for the laboratory where a good water pressure is available. No. 1, 7 inch diameter, will run a small stirrer for evaporations, etc., etc.....\$15 00

○* 6846. Ditto, 8 inch diameter, will run a large stirrer, a blower for the blast lamp, gig saws, mills, etc., etc..... 35 00

6847. Larger sizes, for ore crushers, lathes, etc., etc.....\$100 00 to 200 00

* 6848.	Moulds, for ingots, to take apart, plate, $4\frac{1}{2}$ in. x 2 in. x $\frac{1}{2}$ in.	\$1 50
6849.	Ditto, plate, $6\frac{1}{2}$ in. x $1\frac{1}{2}$ in. x $\frac{1}{2}$ in.	2 00
* 6850.	Ditto, for ingots, new form, small, $7\frac{1}{2}$ x $\frac{1}{2}$ x 1 in., \$1 00 Large, $8\frac{1}{2}$ x 3 x 1 in.	1 50
	Ditto, for cupels, see Cupel Moulds.	
* 6851.	Ditto, for pouring of iron, California pattern for double assay.	\$1 00
6852.	Ditto, ditto, ditto, of copper, with 16 cavities.	9 00
6853.	Ditto, for scorifications, of iron, 6 round holes.	80 cts.
* 6854.	Ditto, " " " 9 " "	90 cts.
6855.	Ditto, " " " 12 " "	\$2 00
* 6856.	Ditto, " " " conical, 3 holes	1 00



6850



6851




6857




6858




6856



6859



6848



6854

- * 6857. Ditto, Fletcher's, for obtaining ingots of gold, silver, etc., rapidly without the use of a furnace.
- | | |
|---|--------|
| Melting arrangement, with both wire and plate moulds. | \$3 25 |
| Stand for melting arrangement. | 1 00 |
| Wire moulds. | 1 25 |
| Plate moulds. | 1 25 |
| Extra carbon crucible, without slides, per doz. | 1 00 |
| " " " with " " | 1 75 |
- * 6858. Blow-pipe, specially designed for use with the above ingot mould. The air jet is $\frac{1}{2}$ -inch bore, and requires a supply from a foot-blower, price. \$2 25
- * 6859. Ditto, new form, No. 8d, melting arrangement. 3 00
- | | |
|-----------------------------------|------|
| Ingot mould if ordered separately | 1 25 |
|-----------------------------------|------|
6860. Mouthpiece, for the Blow-pipe, large, trumpet, of hard rubber. 30 cts.
6861. Ditto, ditto, round. 25 cts.
6862. Ditto, ditto, flat. 25 cts.

MUFFLES.

* 6863. a and b. Muffles, to fit the E. & A.'s, Rickett's, Battersea and California assay Furnaces. These are the strongest and most durable muffles made.

Outside measure.	Length.	Width.	Height.	singly.	Price per doz.
No. A,	7 in.	3½ in.	2½ in.	.50	\$5 25
B,	7½ "	4½ "	2½ "	.60	6 75
C,	8 "	4½ "	3 "	.70	8 25
D,	8½ "	5 "	3½ "	.80	9 75
E,	9 "	5½ "	3½ "	.90	10 50
F,	10 "	6 "	4 "	\$1 00	12 00
G,	11 "	4 "	3½ "	.80	9 00
H,	10½ "	5½ "	3½ "	.85	10 00
J,	12 "	6 "	4 "	1 00	12 00
K,	14 "	8 "	5 "	1 50	18 00
L,	15 "	9 "	6 "	1 65	19 50
M,	18 "	14 "	7½ "	4 50	50 00

* 6864. Ditto, School of Mines, Columbia College size,

Outside measure, Length, Width, Height.

4 in. × 5½ in. × 11 in. . . Each, \$1 10 . . . Dozen, \$12 50.

Outside measure, Length, Width, Height,

4½ in. × 5½ in. × 11 in. . . Each, \$1 30 . . . Dozen, \$15 00.

○ 6865. Muffles for No. 1a, 4½x11x3 in. No. 2, 5x10½x4 in. No. 3, 4x8x2½ in.

Hibb's assay furnace. \$1 25 1 25 1 50 . . . 85 cts.


No. 4, 9x17x5 in. \$2 75. No. 4a, 12x17x6 in. \$3 50

Inside measurement.

* 6866. Ditto, French clay.

No.	1	2	3	4	5	6
Width,	3½	3½	3½	5	5½	6 in.
Length,	4	5	6	6½	7½	8½ in.
Height,	3	3	3½	3½	3½	4½ in.
Each,	.40	.40	.50	.60	.70	\$1 00

Muffles of any size, of best material to order within 20 days; at reasonable rates.



6863a

6863b

6866

* 6867. Nickel foil, 0.06 m.m. \$3 50 0.15 m.m. \$2 50 per lb.

Nessler's Jars, (see Jars for Nessler's color test.) Needles, Magnetic, (see Magnetic Needle.)

Nicholson's Hydrometer, (see Areometer) \$2 00

— 6868. Nippers, steel, for breaking off small pieces from ores, etc. Plattner's genuine, nickel plated \$1 50

6869. Ditto, ditto, English make 1 00

6870. Ditto, for holding buttons, black, 50 cts. Nickel plated 75 cts.


— 6871. Ditto, black, steel, best quality

4 in.	5 in.	6 in.	8 in.
.60	.75	.85	\$1 00

6872. Ditto, side cutting, with plier, (see pliers).


- ** 6873. Nitrogen Bulbs, 3 bulbs, Will & Varrentrapp, *a* and *b*..... 35 cts.
 * 6874. Ditto, ditto, 4 bulbs..... 40 cts.
 6874a. Ditto, ditto, with small thistle funnel on end to fill extra, 15 cts.
 * 6875. Ditto, ditto, W. & V., improved by Fresenius, for direct titration 55 cts.
 * 6876. Ditto, ditto, Vollhard's, improved, A..... 55 cts. B..... 60 cts.
 * 6877. Ditto, ditto, French pattern..... each, 38 cts.

Nitrometer, (see Azotometer.)




- 6877a. Normal, — instruments of most superior workmanship, as Flasks, Cylinders, Hydrometers, Burettes, Pipettes, Thermometers, etc., furnished to order.
 6878. Note book..... 10 to 25 cts.
 — 6878a. Numbers, of steel, for marking bullion, see figures.
 6879. Oleometer, for rich or fat oils, with thermometer enclosed..... \$1 50
 6880. Oil Reservoir, Plattner's, for safe transportation of oil for blow-pipe lamp, \$1 00
 6881. Ozonometer, Siemen's, small \$3 50. Large 5 00
 — * 6882. Oil Tester, as adopted by N. Y. State Board of Health, and made by E. & A., standard of N. Y. State, Iowa, New Jersey, Michigan, and in general use everywhere, with correct thermometer, arranged for oil lamp \$6 50
 Arranged with Bunsen's burner, for gas..... 50 cts. extra.

- * 6883. Oil Tester, Abel's, the one adopted by the German government as standard, complete with barometer.....\$75 00
(Imported to order only.)
- * 6884. Ditto, ditto, Engler's, Heumann's modification with thermometer igniting flash by electric spark.....\$12 00
Oxygen Retorts, (see Retorts of Copper.) Oxyhydric Blow-pipe, (see Blow-pipes.) Orsat's Apparatus, (see Apparatus for Gas Analysis.)
- * 6885. Overflow Pipette, plain.....\$1 50 with ground cup.....\$2 50
- * 6886. Pails, for laboratory waste, of agateware, with cover.
2 gal. 3 gal. 4 gal.
\$1 20 1 50 2 10



- * 6887. Palladium Tube, Hempel's, for H absorption, filled 2 00
Palette Knives, (see Spatulas.)
6888. Pans, horn, for hand-scales. Each pair, with green silk strings.
Diameter, 1 2 2½ 3 3½ 4 4½ 5 inch.
Price, .25 .35 .50 .60 .80 \$1 00 1 20 1 50
6889. Ditto, ditto, for saddle scales.
Small 35 cts Medium 50 cts Large 60 cts
- * 6890. Ditto, rubber, for Mohr's balances, diameter 5 inch, per pair..... \$1 00
Ditto, of Russian sheet iron, etc., for gold washing, (see Gold Pans).
Paper Filtering, (see Filtering Paper.)
6891. Paper, white, glazed, black or colored, quire..... 40 cts.
6892. Ditto, Litmus, blue and red, quire..... 75 cts.
6893. Ditto, parchment, for dialysing and capping, light and heavy, per lb..... 60 cts.
6894. Ditto, turmeric and other test papers, as Brazil-wood, logwood, and iodide potash, etc., etc., quire. (See also Test Papers.) \$1 00
6895. Ditto, Japanese, quire 30 cts.
6896. Parting Flasks, best Bohemian glass, (see Flasks for Assaying.)

- * 6913. Photometer, simple form \$85 00
 6914. Piano steel wire, per $\frac{1}{2}$ roll 35 cts.
 Picnometers, see Bottles for Specific Gravity.
- * 6915. Pill Boards, brass, on fine pear wood, German, for 30, 1 grain pills. \$3 75
 6916. Ditto, ditto, " " " " " 2 " 3 75
 6917. Ditto, ditto, " " " " " 3 " 4 00
 6918. Ditto, ditto, " " " " " 4 " 4 50
 6919. Ditto, ditto, brass, of fine pear wood, German, for 25, 5 grain pills. 5 00
 6920. Ditto, ditto, of brass, fine pear wood, reversible for two grains and 4 grains pills.
 Price \$7 00
 6921. Ditto, ditto, American, with rollers, for 24-2, 3, 4 or 5 grain pills. 7 00
 6922. Ditto, ditto, of iron, for 2 grains pills. \$3 50. 4 grains 3 75
 6923. Ditto, ditto, of hard rubber, for silver pills, etc., for 30-2 grain pills. 3 50
 6924. Ditto, ditto, reversible for 2 and 4 grain pills 6 00
- Pill Boxes, (see Boxes.)
6925. Pill Rollers, of polished wood, each 25 cts.
 6926. Pill Silverer 50 cts.



6913



6915



6927



6929



6932

—* 6927. Pill Tiles, graduated, porcelain.

5x5	6x6	8x8	10x10	12x12	6x8	8x10 inches.
.40	.50	.75	\$1 20	2 00	.75	1 20

6928. Pinch-cocks, Bunsen's, with 2 screws. 50 cts.

* 6929. Ditto, ditto, Mohr's, brass, nickel plated.

Small. .15 cts. Medium. .20 cts. Large. .25 cts. Extra large. .30 cts.
 Double extra large. 50 cts.

6930. Ditto, ditto, with glass end and rubber attachment, for burettes.

Small. .25 cts. Medium. .30 cts. Large. .35 cts.

6931. Pinchcock with set screw 30 cts.


* 6932. Ditto, Hofmann's, with screw arrangement. Small. .24 cts. Medium. .30 cts.
 Large. 60 cts.

- * 6933. Pinchcock, screw, Hofmann's style, improved by E. & A. This is the most perfect and most useful screw pinchcock ever constructed, it can be applied without disconnecting. Each 40 cts.
All our pinch-cocks, etc., are made of brass, nickel-plated and will not corrode in the laboratory. See clamps for full description of pinch-cocks.
6935. Pipes, of common clay, per doz. 25 cts.

PIPETTES.

6936. Pipettes, straight, drawn to an end, not fixed.
- | | | | | | | | | |
|---------|----|----|----|----|----|----|-----|----------|
| Length, | 5 | 6 | 7 | 8 | 10 | 12 | 15 | 20 in. |
| | .4 | .5 | .5 | .6 | .7 | .8 | .10 | .12 cts. |
6937. Ditto, ditto, with rubber bulb. 5 in. 10 cts. 10 in. 12 cts. 20 in. 15 cts.
- * 6938. Ditto, not fixed, round or long bulb.
- | | | | | | | |
|-----------------|-------|--------|--------|--------|---------|---------|
| Capacity about, | 5 CC. | 10 CC. | 25 CC. | 50 CC. | 100 CC. | 200 CC. |
| | .10 | .15 | .20 | .25 | .30 | .50 |
- * 6939. Ditto, with bent bulb. each, 5 cts. extra.
- * 6940. Ditto, volumetric graduated, fixed, most accurately.
- | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------|
| 1 | 2 | 3 | 5 | 10 | 12½ | 20 | 25 | 50 | 100 | 200 CC. |
| .10 | .10 | .12 | .15 | .20 | .25 | .25 | .35 | .40 | .60 | \$1 00 |
6941. Ditto, graduated, fixed.
- | | | |
|-----|-----|----------|
| ½ | 1 | 2 |
| .20 | .25 | .30 cts. |

Refilling pipettes, etc., see page 309.



6933



6939 6938



6940




6943



6944

6942. Ditto, graduated, in minims, 30., 25 cts. 60 minims 35 cts.
- * 6943. Ditto, Mohr's, straight, graduated in parts of cubic centimeters.
- | | | | | |
|----------------|---------------|----------------|----------------|----------------|
| 1 CC. in 1-100 | 5 CC. in 1-20 | 10 CC. in 1-10 | 10 CC. 1-20 | 20 CC. in 1-10 |
| .60 | .60 | .65 | .70 | .80 cts |
| 25 CC. in 1-10 | 50 CC. in 1-5 | 50 CC. in 1-10 | 100 CC. in 1-5 | |
| .90 | \$1 00 | 1 25 | 2 50 | |
- * 6944. Ditto, measuring; with glass stop-cock.
- | | | | | |
|-----------------|--------|------|------|------------|
| Capacity, | 10 | 25 | 50 | 100 CC. |
| Graduated into, | 1-10 | 1-10 | 1-10 | 1-5 CC. |
| Price, | \$1 50 | 1 75 | 2 00 | 2 50 each. |

- Pipettes with rubber bulb**.....from 10 to 50 cts. extra.
- * 6946. Ditto, overflow, according to Prof. Rickett's, silver assay full, 100 CC. cup ground on top See fig. 6885.....\$2 50 Plain... 1 50
- * 6947. Ditto, Ettling's, gas, glass parts. See fig. 6260..... .85 cts. Mounted... 2 00
- Other Pipettes, (see Gas Pipettes.)
- Pipette Stands**, (see Supports.) Pipettes, with ground glass stop-cock, (see Burettes.)
- Pitcher**, for Acid, (see Acid Pitchers.)
6949. Pith Balls, dozen..... 25 cts.
- * 6950. Plates, with rubber, of chilled iron, (see Prof. Rickett's notes on assaying), improved form with high rim for crushing and grinding ore. The operation is done more rapidly than in the ordinary mortar and pestle style. Rubber set in wooden handle.
- | Size | 18x24 | 24x36 |
|----------|---------|-------|
| Complete | \$ 9 00 | 15 00 |
- Plates of glass, (see Glass Plates.)
- 6951. Plates, of porcelain.
- | | 4 | 5 | 6 | 8 | 10 | 12 inches square. |
|--|-----|-----|-----|--------|------|-------------------|
| | .30 | .50 | .75 | \$1 00 | 1 25 | 1 50 |
- * 6952. Ditto, of porcelain, with cavities for color reactions, or as convenient receptacle for small weights65 cts.
- * 6953. Ditto, of porcelain, unglazed, for mineralogists, so-called streak plates. Each.....25 cts.
- See also Streak Plates.



6950



6952



6953

PLATINUM

In any shape, size and quantity, for Laboratories and Factories.

What we claim for our Platinum ware is: that it consists of **chemically pure platinum** only, containing no iridium, etc., as absolutely pure platinum alone has those qualities which make it so valuable and indispensable to our chemists and manufacturers of chemicals.


Every Crucible and every Dish from this establishment IS SOLD UNDER GUARANTEE to the purchaser. We carry the heaviest stock of ready made ware in this country; special apparatus furnished to order at shortest notice. The shape and make of our ware is superior to any other.

ALL OUR WARE IS HAMMERED (chased) and not spun, which is of greatest importance, as it will stand usage twice as long as spun ware. Using only the purest platinum, OUR CRUCIBLES WILL NOT BLISTER. Prices are charged as low as possible according to the market value of platinum, plus work in addition, and special rates will be given for large orders. Worn out vessels of our platinum exchanged for new ones or bought back at highest rates.


All platinum vessels are sold by actual weight and value of Platinum and not by the piece.

- 6954. Platinum sheet, for Retorts, Crucibles, Dishes, etc., per gramme... 45 cts.

- 6955. **Platinum Foil**, heavy, per gramme.....45 cts.
 ○ 6956. Ditto, medium thickness, for blow-piping, $\frac{1}{4}$ -1 gramme, per \square in. gramme.45 cts.
 ○ 6957. Ditto, thin, for battery purposes.....50 cts. per gramme
 ○ 6958. Ditto, extra thin, tissue, per gramme.....60 cts.
 ○ 6959. **Wire**, extra heavy, for rods, stirrers, spatulas, etc. No. 10 to 15 gauge, per gramme.....45 cts.
 ○ 6960. Ditto, heavy, Nos. 17-19, for triangles, weight per foot, 10,0 to 5,0, per gramme.....45 cts.
 ○ 6961. Ditto, regular thickness, for blow-piping, No. 26 to 29 gauge, per gramme.....45 cts.
 ○ 6962. Ditto, fine wire, No. 29 to 3250 cts. per 1,0
 ○ 6963. Ditto, extra fine hair wire, per gramme, 35 to 45 gauge70 cts.
 ○* 6964. **Boats**, for combustions, with handle, in four sizes, 1 in. to 3 in., state length and width wanted, per gramme60 cts.
 ○ 6965. **Cones**, Platina, perforated, for Bunsen's Filtering Pump, flexible, not soldered.
 No. 1 2 3 4 5 6
 Diameter, $\frac{1}{2}$ 1 1 $\frac{1}{2}$ 1 $\frac{1}{2}$ 2 2 $\frac{1}{2}$ in.
 .50 .75 \$1 00 1 35 1 75 2 25
 * 6966. Ditto, ditto, made in one piece, exact shape of funnel, profusely perforated.
 Diameter on top, $\frac{1}{2}$ 1 1 $\frac{1}{2}$ 1 $\frac{1}{2}$ 1 $\frac{1}{2}$ 1 $\frac{1}{2}$ 2 in.
 — \$1 10 1 20 1 30 1 40 1 60 1 85 2 00 2 25
 ○ Weight per gramme.....45 cts.




6964



6971




6966



6967a



6967b



6968


- * 6967. **Cone and spiral**, (riveted and soldered,) according to Fresenius, for the quantitative determination of copper, etc., by the galvanic current, price according to weight, (15 to 25 grammes each,) per gramme.....55 cts.
 ○* 6968. **Platina Cylinders**, for same purpose as above, according to Lucknow, $\frac{1}{2}$ x2 in. and 1x2 in., weight from 10,0 to 15,0 each, per grm.....55 cts.
 ○ 6969. **Platina Plate**, rod and dish for same purpose, according to Classen, grm. 55 cts.
 ○ 6970. Ditto, ditto, according to Mansfeld, per gramme55 cts.
 ○* 6971. **Crucibles**, according to Dr. Gooch, with perforated bottom, cover and extra cap. 15 20 25 30 CC.
 Approximate weight, 20,0 25,0 30,0 35,0 per gramme, 55c.

6971b. Polished Wooden Case for 6972 furnished for 10 15 20 25 30 CC.
 \$1.00 1.00 1.25 1.25 1.50


- * 6972. Crucibles, with covers, (our Crucibles weigh, covers included, about as many grammes as they hold CC), figures are full size, No. 1 to No. 7, per grm... 50 cts. Besides above, we also have crucibles holding 60 and 75 CC. always on hand.

Larger sizes to order.


6972a. The wide German form furnished to order. Only the 12 CC. kept in stock.




6973




6974



6972



6972



0.050

6975

- * 6973. Dishes, of Platina, with large good pouring lip, figures full size, with the approximate weight of each, size No. 1 to 9, per gramme..... 50 cts.

No.	1	2	3	4	5	6	7	8	9
Capacity about,	400	370	270	200	125	80	45	30	20 CC.

Larger sizes to order. The weight given above is for regular stock. We also furnish a lighter weight if so ordered.

- * 6974. Dishes, for incineration of filters, square or oval, per gramme..... 55 cts.

Weight about, 10,0 20,0

No. 1 2

Diameter, 1½ in. 2 in.

- * 6975. Dishes, for sugar analysis, with or without handle, per gramme..... 55 cts.


- * 6976. Platina Dishes, for milk analysis, with or without lip and handle, 2 in. diameter, weight, from 10,0 to 15,0, per gramme 55 cts.
- 6977. Platina Dishes, small, flat, for blow-piping, $1\frac{1}{2}$ in. outside, 1 in. inside, weight about 5,0 per gramme 60 cts.
- * 6978. Platina Combustion Tubes, $\frac{1}{2}$ in. bore, body from 10 in. to 30 in. long, with ground joint, all platinum or collar of German silver, weight 50,0 to 200,0, per grm. 60 cts.
- 6979. Platinum Funnel for same, per gramme 60 cts.
- 6980. Platinum filter, arrangement for carbon determination, per grm 65 cts.
- 6981. Platina Filter, designed by Mr. P. Casamajor, a perforated platina plate, with tube, according to size and weight, per gramme. . 65 cts.
- * 6982. Platina Forceps, Plattner's, nickel plated, platina plates, heavy \$2 00
- * 6983. Ditto, ditto, French style, heavy plates... .. 2 25



6976




6982



6983




6984




6987

- * 6984. Platina Spoons, in 4 sizes, diameter of cup, $\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$ in., according to weight. \$1 00 to 4 00 or 65 cts. per gramme.
6985. Platinum Bottles, with ground-in stoppers for hydrofluoric acid, etc., capacity, 50, 100, 250 CC. Weight about 50, 100, 250 grms. per gramme 60 cts.
- 6986. Platinum Muffle, Scheibler's, for incinerations, etc.
- | | | | |
|--------|-----------------------------|-----------------------------|---------------|
| Width, | Height, | Length, | Weight, |
| 2 in. | \times $1\frac{1}{2}$ in. | \times $4\frac{1}{2}$ in. | 30,0 to 50,0. |
- Per gramme 55 cts.
- 6986a. Support for same, with platina wires \$3 50
- * 6987. United States Mint parting and assaying apparatus with 20 to 32 cornets.
- Weight from 350 to 600,0, per gramme..... 60 cts.



6978

- * 6988. Platina Spatulas, all platina, length, 3 and 4 inches, weight, 4,0 to 8,0, per gramme.....50 cts.
- 6989. Platina rod or spatula fused in glass handle, as stirrer, etc., according to weight. Price.....\$1 50 to 3 00
- * 6991. Spatula, with buffalo handle, folding like a knife
Small, about.....\$7 00. Medium, about.....\$9 00, Large, about.....\$12 00
According to weight.
- 6992. Platina Spiral, hollow, for hydrogen determination, about.....\$20 00
Or 60 cts. per 1,0.
- * 6993. Platina Sponges, each.....25 cts. Per doz..... 2 75
- 6994. Ditto, spongy, per oz..... 15 00
- 6995. Ditto, reduced, fine powder, c. p., s. c. Mohr, dram..... 2 00
- Platinum Salts, see our list of Chemicals.



- * 6996. Platina stills and condensing worm, for manufacturing c. p. hydrofluoric acid in small quantities, combined with combustion tube, total weight, 300,0 to 400,0, at 55 cts. per 1,0.

- * 6997. Platina Stills, Retorts, etc., to order for manufacturing chemists, according to Faure and Kessler, etc., patents at the lowest market rates.

Besides above platina apparatus we have facilities for making apparatus of platinum of any description.

Old Platinum Retorts, Dishes, Scrap, etc., bought or exchanged at the full value.

- 6997a. Scrap sold, per gramme.....40 cts.
- * 6998. Platina Triangles, solid wire, to fit the crucibles, per gramme.....50 cts.
- * 6999. Ditto, ditto, Fresenius' style.....\$1 50 to 3 00


- * 7000. Platina Tongs, steel, nickel plated, for crucibles, single or double bent, with very heavy platinum plates..... { if with Platina shoes instead } \$5 00
 — 7001. Ditto, ditto, German silver..... { of tips,\$1.00 additional. } 5 50
 — 7001a. Ditto, ditto, tongs of solid nickel... { } 6 00
 ○ * 7002. Platina Tips, for blow-pipes, one piece, no seam, each..... 50 cts.
 ○ 7003. Platinum wire gauze, 4 in. wide, coarse, per gramme..... 60 cts.
 fine, " 65 cts.

Plattner's Blow-pipes, (see Blow-pipes.)

- 7003a. Pliers, button, plain steel..... 55 cts.
 7003b. Ditto, ditto, nickel plated..... 85 cts.
 — 7003c. Pliers, flat nose, steel. 4 5 6 8 inch.
 Stubbs' pattern. .40 .45 .55 .75 cts.
 — 7004. Pliers, side cutting. 4 5 6 8 inch. } end cutting.
 Stubbs' pattern. .65 .75 .90 \$1 25 } same price.


Plumbago Crucibles, see Crucibles. Dishes to order.

Pneumatic Pump, (see Air Pump.)




- * 7005. Pneumatic Troughs, of zinc, with sliding shelf and overflow, well japanned.
 4x7x10 in. 5x9x12 in. 6x11x15 in. 8x12x18 in. 12x12x16 in.
 \$1 50 2 00 2 25 3 50 4 00
 * 7006. Ditto, ditto, porcelain, for mercury, small cross-form, capacity about 6 lbs. mercury..... 90 cts.
 * 7007. Ditto, ditto, usual form, capacity about 8 lbs. mercury. (See cut No. 6773). \$1 00
 * 7008. Ditto, ditto, for 16 lbs. mercury. (See cut No. 6773). 1 95
 — * 7009. Ditto, ditto, new style, for gasometry, of wood, Bunsen's, with glass trough and support for eudiometer..... See fig. 5255..... \$6 00 to 7 50
 7009a. Ditto, ditto, all wood..... \$2 00
 7009b. Ditto, ditto, cast iron, large, Griffin's in mahogany case..... 9 00
 * 7010. Pneumatic Troughs, Bohemian glass.
 Length, 6 8 10½ 12½ 14½ in.
 Width, 3 4 5 6 7 in.
 Height, 5 5½ 5½ 5½ 6 in.
 Price, \$1 75 3 00 4 00 6 00 7 50
 7011. Pokers, of iron. 18 24 30 36 in.
 .10 .15 .25 .30
 — * 7012. Polariscopes, Saccharometric, half shade (a pénombre), for sugar and molasses, improved with Wedge Compensation. Schmidt & Haensch's make. This is a very perfect Polariscopes. It is entirely different from the old Laurent instrument, being constructed for regular lamp-light, the field being twice as clear as in the old instrument. It has the advantage over all other instruments that it can be used by color-blind and inexperienced men. We furnish this instrument complete, in case, with 100 and 200 millimeter tubes, for..... \$160 00
 This is the instrument adopted as standard by the U. S. Dep't of Internal Revenue.

- 7013. **Polariscope, (Soleil-Scheibler), for polarization of sugar and molasses,** with 1.100 m. m. and 1.200 m. m. tube. In a neat mahogany case, with lock and key. Dr. Scheibler's successor whose reputation as an expert in sugar analysis is world-wide, tests each one of these instruments before sending it out, and guarantees its utmost accuracy. (This is the U. S. Standard for import sugars).....\$160 00
- Every one of above instruments is provided with Dr. Fielieg's written attest guaranteeing its correctness.
- 7014. Ditto, ditto, **Schmidt & Haehnsch's make,** otherwise same as above, with attest of correctness.....\$160 00
- 7015. Ditto, ditto, **Schmidt & Haehnsch's patent half shade,** with tubes of 400, 200 and 100 millimeters, adjustment by equal clearness of the 2 discs. This is the most perfect polarizer for sugar known. Complete in case.....\$275 00
- 7016. Ditto, (Saccharimeter), according to Laurent, grand model..... 150 00
- Taking Tubes, 200, 300, 400 and 500 m. m. long
- 7018. Set of 4 tubes..... 30 00
- 7019. Burner for sodium light, with platina baskets and salt..... 15 00
- 7019b. Burner for alcohol..... 20 00
- For latest form see page 323.



- * 7020. **Polaristrobometer, Mitscherlich's.** This instrument will be found especially useful for physicians and chemists in quantitative determination of sugar or albumen in urine, etc. It allows an exact measurement, the circle being divided into degrees and half degrees, and provided with a Vernier, which allows the reading of minutes. Price, with two glass tubes (100 and 200 millimeters) \$65 00
- 7021. Ditto, ditto, half shade, Schmidt & Haensch's new form..... 120 00
- 7022. Sodium, gas lamp for same..... 8 00
- 7023. Polariscope, after Mitscherlich, simple form, with one 200 millimeter tube.. 35 00
- 7024. Polaristrobometer, according to H. Wild, large model.....\$160 00
- 7025. Ditto, ditto, ditto, small model..... 75 00
7026. Complete sugar outfit see appendix.
7027. **Polarization Tubes,** for the above instruments, 100 m. m. and 200 m. m. long. These tubes are made in the best manner, and their length accurately adjusted\$3 50. Not mounted.....\$1 00
7028. Ditto, ditto, of metal..... 5 00
- 7028a. Ditto, ditto, of glass, so called conversion tubes, with center tubes for thermometer, plain..... 2 00
- Mounted..... 5 00
7029. Ditto, ditto, glass covers for, per doz..... 1 00
7030. Ditto, ditto, rubber washers for, per doz..... 20 cts.

- * 7031. **Polariscope Lamp**, for gas, nickel plated, light weight with clay cylinder.....\$8 00.....Brass.....\$7 50
7032. Ditto, ditto, extra heavy.....\$10 00
7033. Ditto, ditto, for kerosene, with clay cylinder, nickel plated, \$8 00 Brass.... 7 50
- 7034. Ditto, ditto, after Hink, with triple burner for gas, the best polariscope lamp known.....\$15 00
- 7035. Ditto, ditto, for kerosene.....12 00
7036. **Polariscope Quartz Testing Plates** mounted, for adjusting the instrument. These are made and tested by Dr Scheibler, who guarantees the absolute accuracy of each one. Per pair (about 50° and 100°).....\$15 00, or singly. 7 50
- 7036a. **Porcelain Colors**, a series of colors, burnt on a porcelain plate, for color comparison.....\$3 00
- * 7037. **Porous Cups** or cells, for batteries.
- | | | | | | | | | | | | |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|
| Diameter, | 1½ | 2 | 2 | 2 | 2½ | 2½ | 2½ | 2½ | 3½ | 3½ | 4 in. |
| Height, | 3 | 3 | 3½ | 4½ | 4½ | 6 | 3½ | 5½ | 7½ | 8 | 11 in |
| Price, | .15 | .15 | .17 | .20 | .22 | .25 | .18 | .25 | .30 | .30 | .75 cts. |
- Any size to order but not less than 100 at a time.
7038. Ditto, ditto, flat, for Tyndal's Battery, 4½x2½x½ in.....30 cts. Dozen.....\$3 00
7039. Ditto, ditto, Groves, with flange on top.....15 cts. Dozen.....1 50



- * 7040. **Potash Bulbs, Liebig's form**, each.....50 cts.
- * 7041. Ditto, ditto, Geissler's, modified by Winkler, with drying tube attached. Price.....\$1 25
- * 7042. Ditto, ditto, drying tube between the bulbs.....1 20
- * 7043. Ditto, ditto, with ground joint.....1 50
- * 7044. Ditto, ditto, Mohr's, upright.....85 cts.
- * 7045. Ditto, ditto, Mitcherlich's, 3 different styles, a, b, with enlarged side tube, c, with curved side tubes between the bulbs.....50 cts.
- * 7046. Ditto, ditto, Volhard's, (see Winkler's Gas Analysis), improved by Fresenius. Price.....75 cts.
- * 7047. Ditto, ditto, according to Schloesing.....75 cts.
- * 7048. Ditto, ditto, Alvergnat's.....85 cts.
- * 7049. Ditto, ditto, spiral form, Winkler's, small.....75 cts. Medium.....\$1 25
7050. Ditto, ditto, extra large.....2 25
- Pouring Plates**, (see Moulds.)

* 7051. **Precipitating Jars, with lip.**

$\frac{1}{2}$ pint	$\frac{1}{2}$ pint	1 pint	1 quart	$\frac{1}{2}$ gal.	1 gal.	2 gals.
.20	.25	.35	.50	.75	\$1 10	2 00

Precipitating Glasses, (see Test Glasses.) Preparation Glasses, (see Specimen Tubes and Anatomical Jars.)

- * 7052. **Presses, for pressing out herbs, tinctures, etc.**

Capacity,	1 quart,	$\frac{1}{2}$ gal.	1 gal.	2 gals.
Price,	\$3 00	4 00	7 00	9 00

○ 7053. Ditto, for pressing small quantities. $\frac{1}{2}$ pint..... 2 50 1 pint..... 3 50

Presses for corks, iron, (see Cork Presses.)


* 7054. **Pressure Bottles, of heavy glass, with screw pressure arrangement on brass stand, small.....\$3 00. Large..... 3 50**



7059



7055



7052



7054




7056




7051



7062



7063



7061

* 7055. **Prisms. Crown Glass, angle 60 degrees.**

4	5	6	7	8 inch.
.40	.50	.60	.75	1 00

* 7056. Ditto, indigo, wedge shape.....\$1 75

7057. Bisulphide of Carbon, iron case, glass fronts..... 3 00

Set of 2, on board 7 50

7058. Ditto, all glass, small... \$1 75. Large... 2 50

* 7059. **Probangs, for cleaning test tubes, etc., a rod of rattan, with sponge end..10 cts.**

7060. Ditto, ditto, on whalebone.....15 cts.

Proof Glasses, (see Hydrometers.)

* 7061. **Pulse Glasses, small.....60 cts. Large.....\$1 00**

Pump, Bunsen's, (see Filtering Pump.)

* 7062. **Pump, Lifting, working model of; the whole made of glass..... 1 50**

Ditto, ditto, on support, with reservoir..... 3 38

* 7063. **Pump, Lifting and Forcing, working model of; made entirely of glass.....\$1 75**

Ditto, ditto, on support, with reservoir..... 3 50

- * 7064. **Push Buttons**, for electric bells, wood or porcelain.....25 cts.
 7064a. Nickel plated or ornamented porcelain..... 40 cts.
 7064b. Fancy push buttons. 50 to 75 cts.

Quartz Plates, for testing and adjusting the Polariscopes, (see Polariscopes.)

Qualitative Blow-pipe Set, (see Blow-pipe Apparatus, Appendix.) **Qualitative Chemical Set**, (see Appendix.)

- 7065. **Pyrometer**, of metal, with registering gauge, up to 1500° F. 5 inch....\$30 00
 Ditto, ditto,7 inch..... 35 00
 * 7065a. **Radiometers**, Crook's..... \$3 00 to 5 00
Rasps, (see Files.)

- 7066. **Re-agents**, set of 54 liquid and 18 solid re-agents, all chemically pure, according Fresenius, see there, page 14. 4 oz. capacity each, except the more expensive where smaller quantities are given.....\$25 00

- 7067. Ditto, 8 oz. each, except the most expensive where smaller quantities are given. Price.....\$35 00

7068. Bottles for above will be charged according to style. For quality and prices, see Bottles.

We recommend as the best those with the enameled labels or the Bohemian polished top, stoppered bottles.

Other re-agents, (see our list of Chemicals.)


Re-agent Glasses, (see Test Glasses and Test Tubes.)




7064




7065a



7069



7070



7074



7073



7071



7072

- * 7069. **Receivers**, glass, with 3 tubulus.

$\frac{1}{2}$ pint.	1 pint.	1 quart.
.60	.70	\$1 00

- * 7070. Ditto, ditto, quilled.

$\frac{1}{2}$ pint.	1 pint.	1 quart.
.65	.75	\$1 10

- * 7071. Ditto, for retorts, imported glass, plain.

1 oz.	2 oz.	4 oz.	6 oz.	8 oz.	16 oz.	1 qt.	$\frac{1}{2}$ gal.	1 gal.	2 gals.
.10	.12	.15	.20	.25	.30	.40	.65	\$1 00	1 40

- * 7072. Ditto, ditto, tubulated and glass-stoppered.

1 oz.	2 oz.	4 oz.	8 oz.	1 pint.	1 quart.	$\frac{1}{2}$ gal.	1 gal.	2 gal.
.20	.25	.30	.40	.50	.70	\$1 00	1 40	2 50

Ditto, for air pumps, (see Bell Glasses.)

- * 7073. Ditto, with extra in and out flow to control small alcoholic distillations, also as dripping glass for acid, with base, ...

5	6	7	8	10	12 inches.
.50	.55	.65	.75	.85	\$1 00

Hydrometer for the same, from 0,700 to 0,850 or 1,00 to 2,00, or parts...each, 75 cts.

- * 7074. Ditto, Cooper's, mercurial, glass.

10	15	20	24 in.
.20	.25	.30	.40 cts.
Stoppered, .50	.60	.75	\$1 00

Reduction Tubes, (see Bulb Tubes) Reduction Crucibles Rose's (see Crucibles)

7075. Regulating or Leveling Disc, used for leveling the hydrometer, cylinder, etc. \$5 00
Other Leveling Tables, see under Bacterioscopic Apparatus.

Rhumkorf's Coils, (see Induction Coils.)

* 7076. Rests, of porcelain, for pipettes, glass stirrers, etc. 65 cts.

* 7077. Retorts, copper, for making oxygen, with iron clamp and copper delivering tube, fitted by ground joint.

$\frac{1}{2}$ pt.	1 pt.	1 qt.	$\frac{1}{2}$ gal.
\$2 10	2 30	2 75	3 50

* 7078. Ditto, ditto, fitted with ring stand, Berzelius' lamp and rubber tube. See fig. 5207.

* 7079. Ditto, of iron, for making oxygen, etc., as recommended by Prof. Morton, absolutely secure against severe accident, complete to make 40 gallons gas. \$2 00

7080. Ditto, of copper. 4 00

* 7081. Ditto, of iron, new form, see figure 5214, for gradually generating oxygen, $\frac{1}{2}$ gallon size $3\frac{1}{2} \times 20\frac{1}{2}$ in., with movable cover, clamp and exit tube. \$4 00
Folding support for same. 1 00


* 7082. Ditto, of copper, tin lined, for distilling water and alcohol, (see Figure 5193), retort alone.

Contents,	$\frac{1}{2}$ gal.	1 gal.	2 gal.	3 gal.	5 gal.
	\$5 00	6 00	9 00	10 50	15 00


7083. Ditto, of copper, tin lined, according to Proctor.

1 gal.	2 gal.	5 gal.
\$8 00	13 50	23 50

Of the 1 gal. the condenser is \$3 50 extra, 2 and 5 gals. are with condenser on top.




7076



7087




7086



7085




7079



7077



7090



7088

* 7085. Retorts, glass, plain, best Bohemian.

1	2	4	8	16 oz.	1 qt.	$\frac{1}{2}$ gal.	1 gal.	$1\frac{1}{2}$ gal.	2 gal.
.11	.15	.20	.25	.30	.40	.50	.75	\$1 00	1 30

* 7086. Ditto, ditto, with glass stopper best Bohemian.

1 oz.	2 oz.	4 oz.	8 oz.	12 oz.	16 oz.	1 qt.	$\frac{1}{2}$ gal.
.15	.20	.25	.30	.40	.50	.60	.80 cts.
1 gal.	$1\frac{1}{2}$ gal.	2 gal.	$2\frac{1}{2}$ gal.	3 gal.	5 gal.	8 gals.	
\$1 20	1 50	1 75	2 10	2 50	4 50	6 00	

* 7087. Ditto, for generating oxygen, of infusible Bohemian glass.

2	4	8 oz.
.50	.60	.70

* 7088. Ditto, iron, for distilling mercury, etc., cover movable, fastened by screw clamp, delivering tube ground into the cover.

$\frac{1}{2}$ pint.	$\frac{1}{2}$ pint.	1 pint.	1 quart.	$\frac{1}{2}$ gal.	1 gal.
\$1 75	2 00	2 25	3 00	4 50	7 50

7089. Ditto, of iron, for oxydizing phosphorus, steam distillation, etc., with steam inlet, steam outlet and feed hole. $\frac{1}{2}$ gal. \$10 00. 1 gal. 14 00

* 7090. Ditto, porcelain, tubulated, glazed inside, imported.

	4 ounce.	8 ounce.	16 ounce.
Saxony,	\$1 30	1 50	1 75
Royal Berlin,	2 00	2 75	3 25 glazed in and outside.

- * 7091. Retorts, tubulated and stoppered, of best German stoneware.
 Capacity, $\frac{1}{4}$ gal. $\frac{1}{2}$ gal. $\frac{3}{4}$ gal. $1\frac{1}{2}$ gal. 1 gal. $1\frac{1}{2}$ gal. $1\frac{3}{4}$ gals.
 Price, \$1 25 1 40 1 55 1 70 2 15 2 65 3 00 3 75 each.
- 7092. Ditto, earthen, Battersea, tubulated and stoppered.
 Contents, 1 pint. 1 quart. 2 quarts. 4 quarts. 6 quarts. 8 quarts. 16 quarts
 Price, .90 1 60 2 30 3 10 3 75 6 25 9 00
7093. Ditto, of best French platinum, imported to order at lowest rates, according to the market value of platinum (see Platinum.)
- * 7094. Ditto, of lead, deep or flat form, for manufacturing hydrofluoric or sulphurous acid.
 1 pint. 1 quart. $\frac{1}{2}$ gal. 1 gal. 2 gal. 5 gal.
 \$5 00 7 00 10 00 12 00 15 00 25 00
- Retort Stands, (see Supports.)**
7095. Riders, of aluminum or platinum, for analytical balances, 2, 10 and 12 milligr.
 Each 30 cts.
7096. Rings, of iron, concentric, to fit in tripods, etc.
 3 in set. 6 in set.
 Outside diameter, Smallest. Largest. Smallest. Largest.
 $3\frac{1}{2}$ in. $6\frac{1}{2}$ in. 50 cts. $3\frac{1}{2}$ in. 12 in. \$1 25.
7097. Ditto, extension, to fit on any iron ring stand, complete with fastener, (see Figure 8217.) Small.....40 cts. Medium.....45 cts. Large.....50 cts.
7098. Ditto, of iron, in sets to suit 2 ring. 3 ring. 4 ring retort stand.
 Per set, .40 .60 \$1 00



7091



7094



8001



8002

7099. Ditto, concentric, of copper, tinned inside, for water baths, etc.
 Size of largest, 4 5 $5\frac{1}{2}$ 6 8 10 in. outside diameter.
 Number in set, 4 4 5 5 6 7
 Price, .60 .75 .85 1.00 1.25 2.00
8000. Ditto, of porcelain, concentric, per set of 5, with cover for 6 in. copper water bath.
 Price.....\$1 00
- * 8001. Ditto, set of 6, with cover for 8 in. water bath.....1 50
- Rings, made of straw, to support retorts, dishes, etc., (see Straw Rings.)**
- * 8002. Roasting Dishes, of best French clay.
 Diameter, 2 3 4 5 6 in.
 Dozen, .85 1 10 1 60 2 40 2 75
- 8003. Ditto, ditto, of the Battersea Works, London.
 No. 1 2 3 4 5 6
 Diameter, $2\frac{1}{2}$ 3 4 5 6 7 in.
 Per dozen, .65 .80 .90 \$1 10 2 10 2 75
- Larger sizes to order.
8004. Rods, glass, German, in 6 ft. lengths, per lb.....50 cts.
8005. Ditto, ditto, American, in 6 ft. lengths, per lb.....45 cts.
8006. Ditto, ditto, assorted sizes, for stirring, pointed on one side, and smoothed on the other, per lb.....75 cts.
- 8006a. Ditto, ditto, extra heavy, $\frac{1}{4}$ to $1\frac{1}{2}$ inch diameter, for factory use, 24 to 40 inch long, per lb.....40 cts.
8007. Rotators, for Geissler's tubes, each.....\$8 00
 Extra large.....\$12 00
- Rules, (see Measures).**

RUBBER.

8007a. Rubber caps for test tubes, $\frac{1}{8}$ and $\frac{1}{4}$ inch diam. doz. 40 cents.


8008. Rubber Cloth, unvulcanized, to make large cork stoppers air-tight, for sampling cloth, etc., ounce. 20 cts, Pound \$2 50

8009. Rubber Sheetting, vulcanized, white, per yard 1 00

Rubber and Plate for crushing ore (see Plate and Rubber).

Rubber Bags, for gas, (see Gas Bags).

* 8010. RUBBER STOPPERS, solid, with one and two holes, of best and softest rubber, which will not become hard by age. These stoppers are unsurpassed in quality as their specific gravity will indicate. Each stopper of this quality bears our mark E. & A., all sizes constantly on hand. They are sold by weight, per pound, \$2 20, by small quantities at twenty cents per ounce. Stoppers of red (antimony) rubber same price.



8010

Number,	00	0	1	2	3	4	5	6
Measure on top,	1,4	1,7	1,8	2,0	2,3	2,5	2,7	3,2 centi.
Measure on bottom,	1,0	1,2	1,5	1,65	1,8	2,0	2,3	2,6 "
Number,	7	8	9	10	11	11½	12	13
Measure on top,	3,7	4,1	4,5	5,0	5,6	6,4	6,5	7,0 centi.
Measure on bottom,	3,0	3,3	3,7	4,2	5,0	5,2	5,9	6,0 "

Rubber Stoppers, number to pound of 2 holes.

Number,	00	0	1	2	3	4	5	6
Number to pound of two holes,	132	85	60	50	40	32	27	20
Approximate price per dozen,	.25	.39	.52	.60	.78	\$1.00	1.23	1.65
Number,	7	8	9	10	11	11½	12	13
Number to pound of two holes,	14	12	9	7	6	5x	4½	4
Approximate price per dozen,	2.35	2.75	3.65	4.72	5.50	5.75	6.75	7.25

Larger sizes made to order at lowest rates.

8011. Cheaper grades for commercial purposes, so-called composition stoppers, made to order in quantites of not less than 20 pounds, per lb. \$1 00

8012. Rubber Tubing, of best quality, wrapped in cloth which will prevent its splitting, and makes it air-tight. This tubing is of extra quality being made especially for laboratory use and not the quality usually found in the trade.

Light wall usual thickness,

Inside diameter,	$\frac{1}{8}$	3-16	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	1	1½	2 in.	
Per foot,	.5	.7	.10	.15	.20	.26	.30	.40	.60	1.15

8013. Ditto, ditto, ditto, of double thickness used in general for gas or passing liquids through, very flexible.

Inside diameter,	$\frac{1}{8}$	3-16	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	1	1½	2 in.	
	.6	.9	.13	.20	.25	.28	.32	.43	.60	\$1 15

8014. Rubber Tubing, still heavier, as the above, so-called pressure tubing, as used for Bunsen's and Geissler's pumps.

Inside diameter, 3-16, per foot, 16½ in., per foot, 18 cts. ½ inch, per foot, 50 cts.

8015. Ditto, ditto, black, of pure unvulcanized gum, seamless, which will not tear.

Light. Inside diameter	⅛	3⁄8	1⁄2	5⁄8	¾	7⁄8	1	1 1⁄8	1 1⁄4	1 in.	
	\$0.05	.07	.10	.12	.14	.17	.26	.32	.40		per foot

8106. Ditto, Heavy. .07 .08 .11 .14 .17 .20 .30 .40 .50 .60 "


8017. Red or Antimony Tubing, 10% higher in price.

8018. Rubber Tubing, pure Gum, thin wall for Gooch Crucibles.

1 inch.	1 1⁄4 inch.	1 1⁄2 inch.	
.15	.20	.25 cts.	per foot


Rubber Bulbs, for Pipettes or Dropping Glasses, (see Bulbs.)

8019. Rubber Tissue, per oz. 25 cts.




- * 8020. Rules, folding, boxwood, brass mountings, in inches and centimeters, caliper extension 50 cts.
- * 8021. Ditto, ditto, ivory, German silver mountings..... \$2 50
- 8021a. Ditto, ditto, brass, 1 meter long 50 cts.
- 8021b. Ditto, ditto, boxwood, 1 meter and inches \$1 00
- 8021c. Rules, 1 meter long, in one piece, in inches and centimeters..... 1 50
- Extra fine quality..... 2 50
- * 8022. Ruperts Drops, per doz 35 cts.
- * 8023. Safety Tubes, plain, bent, a and b, conical or thistle top..... 20 cts.
- * 8024. Ditto, ditto, bent, with one bulb..... 25 cts.
- * 8025. Ditto, ditto, bent, with two bulbs..... 30 cts.
- 8026. Ditto, ditto, bent, with three bulbs..... 35 cts.
- * 8027. Ditto, ditto, Vogel's 40 cts.
- * 8028. Ditto, ditto, according to Babo..... 75 cts.
- * 8029. Ditto, ditto, with two valves, small 50 cts.
- Large \$1 00
- 8030. Safety Lamp. Davy's, or Miner's Lamp..... 4 50
- 8031. Salinometer, for Salt solutions, Brine, etc., per cent. scale..... 50 cts.
- Saccharometers, (see Hydrometers and Polariscopa.)
- Saddle Scales, (see Scales with saddle weight.)

- 8032. Sample Dishes, of Russian iron, flat.**
- | | | | |
|-----|-----|-----|----------|
| 2 | 2½ | 3 | 4 in. |
| .10 | .15 | .20 | .25 cts. |
- 8033. Sampling Pans, for ore, deep, seamless tin.**
- | | | | | |
|-----|-----|-----|-----|----------|
| 5 | 6 | 7 | 8½ | 10 inch. |
| .10 | .12 | .15 | .20 | .25 cts. |
- * **8034. Sampler, of tin, to get fair samples of ores, each.....** 50 cts.
- 8035. Ditto, ditto, large.....** 75 cts.
- * **8036. Sample Shovel, for larger establishments where much sampling is done, yields fairer samples in one-quarter less time than by the old way, each complete with handle. Small.....** \$6 50. **Large.....** 7 50
- 8037. Sand Baths, of Russian sheet iron, shallow form.**
- | | | | | | | | | |
|-----------|-----|-----|-----|-----|-----|-----|-----|----------------|
| Diameter, | 2 | 2½ | 3 | 4 | 5 | 6 | 8 | 10 inches. |
| | .10 | .12 | .15 | .20 | .25 | .30 | .45 | .70 cts. each. |
- * **8038. Ditto, ditto, of iron, deep form.**
- | | | | | | | |
|-----------|-----|-----|-----|-----|-----|----------------|
| Diameter, | 3 | 4 | 5 | 6 | 8 | 10 inches. |
| | .15 | .20 | .25 | .30 | .60 | .80 cts. each. |
- 8039. Ditto, ditto, ditto, tinned iron, shallow.**
- | | | | | | |
|-----------|----|----|----|----|----------------|
| Diameter, | 3 | 3½ | 4½ | 5 | 6½ inches. |
| | .3 | .4 | .5 | .6 | .10 cts. each. |
- 8040. Ditto, ditto, of cast iron, 9x9 in.....** \$1 00
- 8041. Ditto, ditto, on 4 movable legs.....** 1 25



8041



8036



8038



8034



8044



8046



8047

- * **8042. Ditto, of sheet iron, with double bottom, about 9x15 in.....** 3 50
- 8043. Sand Paper, for cleaning wood parts, etc., in sheets.....** 5 cts.
- * **8044. Sand Glasses, in wooden support.**
- | | | | | | | |
|--------|-----|-----|-----|-----|-----|--------------|
| For | 1 | 2 | 5 | 10 | 45 | 60 minutes. |
| Price, | .40 | .45 | .60 | .75 | .90 | \$1 10 each. |
- Saw, for metal or wood, at market prices, in ordering mention size and style.**
- 8045. Ditto, for cutting charcoal.....** 45 cts.
- Sample Tubes, (see Specimen Tubes.)**
- * **8046. Scales, hand, brass pans, English make, with weights in metal box, complete.**
- | | |
|------------|---------|
| Price..... | 85 cts. |
|------------|---------|
- Other Scales, (see Balances.)**
- * **8047. Scales, American, with separate tin scoop, tare and weights included.**
- | | |
|-----------|-----------|
| 4 pounds, | 8 pounds. |
| \$2 00 | \$3 00 |

8048. Scale Cases, with two drawers to screw the Mohr's Scales, No. 5420 on. . . \$5 00
- 8049. Ditto, ditto, polished mahogany, with glass all around the scale, large size, 2 doors in front or front sliding up. \$15 00
- * 8049a. Ditto, ditto, ditto, ditto, for smaller scales. 10 00
- * 8049b. Scales, platform, to set on table, with scoop, weighing 240 pounds to 1 ounce, best make. \$15 00
- * 8050. Ditto, ditto, without wheels, to set on floor, with weights.
- | | | | |
|-----------|---------|---------|-----------|
| Capacity, | 400 lb. | 800 lb. | 2,000 lb. |
| | \$18 00 | 27 00 | 55 00 |

With wheels 10% extra.

Scales, for analytical work, assaying, specific gravity, blow-pipe analysis, etc., (see Balances.)

- 8050a. Scale Pans, of glass, with handles. Diameter, 2½ 3 4 5 in.
- | | | | | |
|--|-----|-----|--------|----------------|
| | .65 | .75 | \$1.00 | 1.20 per pair. |
|--|-----|-----|--------|----------------|

Scale Pans, horn and hard rubber, (see Pans.)


8051. Scale Strings, of green silk.

Nos.	1	1½	2	2½	3	3½	4	5	6
	.35	.40	.45	.45	.50	.65	.70	.80	.90 cts.

a bundle of about 16 yards.

8052. Ditto, ditto, ready-made, with hook.

Per pair. Small. 10 cts. Medium. 15 cts. Large. 20 cts.



- * 8053. Supports, or Stands, of brass or iron, for Scales, all sizes. . . from \$5 00 to 12 00
- 8053a. Scissors, large and small, for pocket. 4 in. 40 cts. 5 in. 60 cts.
8054. Ditto, nickel plated, pointed, for cutting filter paper, 7 inch. 85 cts.
8055. Ditto, extra large and heavy, per pair. \$1 00
- * 8056. Scoops, of horn. Small. 15 cts. Large. 20 cts.
8057. Ditto, mixing, of tinned iron.
- | | | | | | |
|-----------------------------|---------|------------------------|---------|-----------------------|---------|
| Small, No. 0. | 20 cts. | Medium, No. 2. | 30 cts. | Large, No. 3. | 40 cts. |
| Extra large, No. 5. | 60 cts. | | | | |
8058. Ditto, mixing, of horn. Small. 12 cts. Large. 20 cts.
8059. Ditto, for mixing, Plattner's.
- | | | | | | |
|---------------|---------|-------------------------------|---------|------------------------|---------|
| Horn. | 15 cts. | Brass, nickel plated. | 20 cts. | Brass, gilded. | 45 cts. |
|---------------|---------|-------------------------------|---------|------------------------|---------|
- 8060. Ditto, of copper, fitting the Beaufay's Crucibles for filling in the charges.
- | | | | | | |
|----------------|---------|-----------------|---------|----------------|--------|
| Small. | 65 cts. | Medium. | 75 cts. | Large. | \$1 00 |
|----------------|---------|-----------------|---------|----------------|--------|
8061. Ditto, of glass, (weighing scoops) to lay on balance pans, 2½ to 3 in. 25 cts. each.
- * 8062. Scorifiers, Freiberg. These are the best Scorifiers made.
- | | | | | | | | |
|----------------|--------|------|------|------|------|------|------------|
| Diameter, | 1½ | 2 | 2½ | 2½ | 2½ | 3 | 3½ inches. |
| Price per 100, | \$1 00 | 1 15 | 1 16 | 1 30 | 1 60 | 2 25 | 3 00 |

○* 8063. Scorifiers, of the Battersea Works, London.

Inches, diam.,	1	1½	1½	2	2½	2½	2¾	3	3½	4	5
Diam., milli.,	.026	.032	.038	.051	.057	.064	.070	.077	.089	.102	.127
Price per 100,	\$1 15	1 15	1 15	1 16	1 17	1 30	1 60	2 00	2 40	2 90	3 30

Scorification Moulds, (see Moulds.)

* 8064. Scorifier Steel Spring Tong, light weight, each.....\$1 25

○* 8065. Ditto, ditto, Judson's, arranged to lift out Scorifiers from the rear without disturbing those in front.....\$3 00

8066. Scraper, of steel, to clean Muffles from slags, etc. Small.....60 cts. Large... 75 cts.

Screens, (see Sieves and Wire Gauze.)

8067. Sea Sand, for cleaning platinum vessels, lb10 cts.

8068. Sefstroem's Blast Smelting Furnace, used with charcoal or anthracite coal, by applying a steady artificial blast, produces a very high heat, iron with fire clay lining.

Dia., exterior,	12	16	19	23 inch.
Dia., interior,	5½	6½	8	9½ inch.
Height,	10	12½	15½	19 inch.
Price,	\$7 50	10 00	13 00	16 00 each
With dome,	10 00	12 50	16 00	19 00 each

* 8069. Seldlitz Powder Cups.....75 cts.
Separatory Apparatus, (see also Displacement Apparatus).

* 8070. Ditto, ditto, Dr. E. Drexel's construction, with separatory funnel with two stopcocks, etc., and with reservoir.

Capacity, 8 16 32 oz.


Price, without support, \$5 50 6 50 7 50

Support for the same.....\$3 50

* 8071. Separatory Bottles. 1 pint, \$1 50 1 qt., \$2 00

Separatory Funnels, (see Funnels.) Sets for Volumetric Analysis, (see Appendix).

Sets for Qualitative Chemistry, (see Appendix).



8064




8071



8063



8069




8065

8072. Shades, of glass, round, to cover specimens, microscopes, etc., see also Bell-glasses. All sizes from No. 1.....height, 5 in. width, 4½ in.....30 cts.
to No. 15..... " 20 in. " 13 in.....\$4 008073. Ditto, ditto, oval, from No. 1.....9½ 7½ 3½ in.....90 cts.
to No. 12.....23 16½ 8 in.....\$6 858074. Ditto, ditto, square, from No. 1 ...9½ 6½ 4 in.....\$ 95
to No. 12...22½ 14 9½ in.....5 80

* 8075. Shears, Brown's, steel, bright polish,					
	6 inch.	7 inch.	8 inch.	10 inch.	
	\$1 00	1 20	1 40	1 75	
* 8076. Ditto, steel, (hand shears.)					
	10	12½	14	16 inch	
	\$1 50	2 50	3 00	3 60	
* 8077. Ditto, for cutting filter paper.					
	9	10	12	15 inch.	
	\$1 00	1 50	1 80	2 65	
* 8078. Sieves, brass cloth, wood rim, substantially made.					
Mesh.	5	6	8	10	12 inch.
No. 20,	.30	.40	.60	.75	\$1 00 each.
No. 40,	.40	.45	.65	.90	1 15 "
No. 60,	.45	.50	.70	1 00	1 25 "
No. 80,	.50	.60	.90	1 25	1 70 "
No. 100,	.60	.75	1 00	1 55	2 25 "

8078a. Extra wood frames furnished to put paper in for covering Evaporating Dishes, etc., in the laboratory, 20 cts. to \$1 00.




8075



8076



8078



8077

— 8079. Sieves, brass gauze, metal frame.					
No.	20	40	60	80	100 mesh.
Diameter 5 in.	.60	.80	\$1 15	1 30	1 45
" 8 in.	.65	.85	1 20	1 65	2 00
— 8080. Ditto, with metal cover and bottom. 5 inch extra.....					
					70 cts.
8 inch extra.....					80 cts.
— 8081. Ditto, set of five, 5 in., with one cover and bottom...					
					\$5 00
— 8082. Ditto, set of five, 8 in., with one cover and bottom.....					
					7 50
— 8083. Sieves, iron gauze, wood frame.					
Diameter,	12	15	18	20 inch.	
No. 18,	.40	.65	.75	.85	
No. 14,	.38	.62	.70	.80	
No. 10,	.35	.60	.68	.78	
No. 6,	.35	.55	.65	.75	
Sieves made to order, of any size, mesh or shape.					
— 8084. Sifting Machines.....					
					\$20 00
Outside measure, 25 inches long, 17 inches wide, 19 inches high.					
— 8085. Sieves for same, inside measure, 13½×16½×4½ inches, square.					
100	80	60	40	20	16
\$4 15	3 75	3 35	3 25	3 00	2 75
					10
					8 mesh.
					2 75

8086. **Skins**, kid and chamois, selected, for cleaning and capping; all sizes, from 30 to 70 cents. Also buck skins for straining amalgam, etc.

Slides, of glass, for microscopes, (see Microscopes.)

* 8087. **Soldering Coppers, Family, set**.....50 cts.

8088. **Soldering Iron**, larger sizes. 50 cts. to \$2 00

* 8088a. **Soldering Iron Heaters, for gas**..... \$1 75

* 8089. **Spatula Bone**, superior quality. 6 inch, 7 inch, long.
Price, .15 .20 cts.

○ * 8090. **Spatulas**, of glass, for mixing, etc., 6 inches, each.....10 cts.

8091. Ditto, ditto, for weighings, ground on two sides to be used as scoop.....25 cts.


* 8092. Ditto, of horn, superior quality, (see figure 8089.)

Length,	4	5	6	7	8	9	10	12 inches.
	.8	.10	.12	.15	.20	.25	.35	.50 cts.


Ditto, with spoon end, (see Spoons.)

— * 8093. Ditto, steel, for mixing, etc., with wooden riveted handles, palette knives.

Length of plate,	3	4	5	6	7	8	9	10	12 inch.
	.20	.25	.30	.35	.45	.50	.65	.95	\$1 25




8089 8099a 8094 8090 8098



8093

8087



8088a



8098

8099b

* 8094. Ditto, steel throughout, for mixing, etc., spatula on both ends.

Length,	5½	6½	7½	9	10	11	12	14	16	20 inch.
	.24	.25	.26	.30	.35	.40	.45	.50	.60	\$1 00

— 8095. Ditto, of Platinum, with glass or wooden handle.....from \$1 50 to 4 00

— 8096. Ditto, of platinum, length, 4 inches, all plate, according to weight. See also platinum.

— 8097. Ditto, ditto, folding like a knife, according to size and weight..from \$7 00 to 12 00

* * 8098. Ditto, of porcelain, with handle or spoon end.

Length,	6 in.	7 in.	8½ in.	11 in.	12½ in.	14 in.	15 in.	17 in.
	.25	.35	.40	.60	.65	.75	.85	1.05

* * b 8099. Ditto, porcelain, Royal Meissen, spatula on both ends. The larger sizes like 8099a;

Length,	9 in.	12 in.
	.50	.65

Specific Gravity Balances, system Mohr, Westphal & Jolly, (see Balances.) **Specific Gravity Bottles**, see Bottles for Specific Gravity. **Specimen Bottles**, small, glass stoppered, see Bottles. **Specimen Bottles**, for cork or rubber stoppers.

8099a. Spatulas, of nickel.	5	6	7	8½ inches.
	.30	.50	.60	.80

- * 8100. **Specimen Tubes**, round bottom, of good heavy glass. Corks to fit will be charged extra. Dimensions, 2x $\frac{1}{4}$ in. 3x $\frac{1}{4}$ in. 4x $\frac{1}{4}$ in. 5x $\frac{1}{4}$ in. 6x $\frac{1}{4}$ in. 2x $\frac{3}{4}$ in.
 Per dozen, .20 .25 .30 .35 .45 .25
 Dimensions, 3x $\frac{3}{4}$ in. 4x $\frac{3}{4}$ in. 5x $\frac{3}{4}$ in. 6x $\frac{3}{4}$ in. 8x1 in.
 Per dozen, .30 .35 .40 .50 .75 cts.


8101. Ditto, ditto, flat bottom, same sizes as above but 25% higher in price.
 Any other size made to order at shortest notice.

Specimen Jars, see Anatomical Jars.


SPECTROSCOPES.

GERMAN MAKE.


- * 8102. **Spectroscope, direct vision**, for carrying in the pocket, \$12 00
 8102a. Ditto, adjustable slit..... 15 00
 8103. Ditto, extra large..... 25 00
 8104. Ditto, ditto, ditto, with comparison prism..... 30 00
 8104a. Adjustable stand for above..... 4 50




8102



8100



8106



8107


- 8104b. Spectroscope, Bunsen's, for spectral analysis, single form, 2 tubes..... 35 00
 ○ 8105. Ditto, according to Kirchhoff and Bunsen, with telescope for the millimeter scale and with illuminating lamp for the same, with adjustable slit, Bunsen's lamp, 12 platinum wires with glass supports and stand for the same, 2 spectroscopic charts and 5 printed millimeter scales..... \$45 00
 ○* 8106. Ditto, ditto, same, but with a small prism for comparison, attached to the slit and with 2 Bunsen's lamps..... \$55 00
 ○* 8107. Spectroscope, Kirchhoff and Bunsen's grand model, with 1 flint glass prism of 60°, 2 telescopes with 27 m.m. object glass and 24 c.m. focus, with micrometer slit and 6 times power, telescope for the scale 14 m.m. object glass, Shellen's universal support, complete with lamps, etc..... \$90 00

- 8108. Spectroscope, Kirchhoff and Bunsen's, with 1 prism of 60° and 3 prisms of 45°, made of the heaviest flint glass, placed on a large iron circular plate of 27 inch. diameter, supported by a heavy stand on triangular base. The telescopes have objectives of 1½ inch diameter and 17 inch focus with 2 eye pieces of 36 and 72 times power, besides these are 1 telescope for the scale and 1 extra telescope for the observation of the image of the scale reflected from the mirror, complete.
Price.....\$400 00

Spectroscope Burners, see Burners.

- 8109. Spectroscopes, Browning's make, student's, one prism, with cabinet..... 60 00
○ 8110. Ditto, model, two prisms, with cabinet..... 140 00
○ 8111. Ditto, large table, spectroscope (Gasseot)..... 300 00
○ 8112. Spectroscopic Cells, to observe the absorption spectrums of liquids, with parallel sides, the whole of glass, can be taken apart, each\$3 00
○ 8013. Ditto, ditto, the same for volatile liquids, each..... 3 50
8114. Spectroscopic Charts, small, each.....25 cts.
8115. Ditto, ditto, larger, in set of 3.....each, \$3 00
* 8116. Spectral Tubes, new construction, for longitudinal observations of the electric spark..... \$3 50
* 8117. Ditto, ditto, electric, with 2 stop-cocks, empty, for filling as convenient..... 3 50

Spirit Levels, see Levels.



8116



8117




8118e



8118h

8118. Spoons, for blow-pipe work, ivory..... 25 cts.
8118a. Ditto, ditto, of platinum, according to size, (see Platinum).....\$1 00 to 2 20
8118b. Ditto, ditto, of bone, superior quality, price, 5 in. 6½ in. long.
.15 .20 cts.
8118c. Ditto, ditto, very superior, with spatula end. 5 in. 6½ in. long.
.15 .20 cts.
8118d. Ditto, iron, for deflagrations, cup ½ in. or 1 in., each.....25 cts.
* 8118e. Spoons of clear, transparent horn.
4 in. 5 in. 6 in. 7 in. 8 in. 9 in. 10 in. 11 in. 12 in.
.8 .10 .12 .15 .20 .25 .35 .40 .50 cts.
8118f. Ditto, ditto, double, very superior, spoon on each end.
5 inch. 6 inch. 7 inch. 8 inch. 10½ inch.
.12 .15 .25 .35 .40 cts.
8118g. Ditto, ditto, very superior, with spatula end.
5 inch. 6 inch. 7 inch. 8 inch. 10½ inch.
.16 .20 .25 .30 .45 cts.
—* 8018h. Ditto, of heavy cut glass, for stirring and taking samples.
Size of tea-spoon.....25 cts. Dessert30 cts. Table.....45 cts.
8118L. Ditto, of Bohemian glass, dipper shape, for transferring gasometer tubes.
Diameter of cup, 1½ inch. 2 inch. 2½ inch.
.20 .25 .30 cts.
8118k. Ditto, for Sodium, each..... 50 cts
8118l. Ditto, of nickel, double-ended 5 6 7 8½ inches.
.45 .60 .65 .90
8118m. Ditto, " spatula end, .45 .60 .80 1 00

- 8118n. Sponges, sheep-wool, for cleaning tables, etc., per lb. \$2 50
 8119. Ditto, of platinum, 20 cts., per dozen. 2 00
Stands, different, (see Supports.)
 — 8120. Standard candles for photometrical tests, per pound, ($\frac{1}{2}$ dozen) 2 50
 — 8121. **Steam Boiler.** of copper, vertical or horizontal, with water gauge, safety valve, inlet, outlet and support, for furnishing steam for distillations, etc., etc.
 Capacity, $\frac{1}{2}$ gallon. 1 gallon. 2 gallon. 4 gallon.
 Size, 4x8 in. 5x10 in. 7x14 in. tubular, 8 $\frac{1}{2}$ x18 $\frac{1}{2}$ in.
 \$35 00 45 00 50 00 60 00
 — 8122. Ditto, with pressure gauge. \$5 00 to 7 00 additional.
 8123. Ditto, ditto, with coil for superheating the generated steam, \$6 00 to 10 00 additional.
 — * 8124. Ditto, ditto, globe shape, of heavy copper, with pressure gauge, etc., for heating jackets, etc. Steam is generated by gas or alcohol. 2 $\frac{1}{2}$ gallon capacity. \$50 00
 Stills, of copper, for distilling water and spirits, see Apparatus for distilling and Hofmann's Apparatus.
 8125. **Stirrers, of German glass, one end round, the other pointed, per lb.** 60 cts.
 8126. Ditto, of French clay. 6 inch. 8 inch. 12 inch. 16 inch.
 .10 .15 .20 .25 cts.



STOP-COCKS.

- * 8127. **Stop-cocks, brass, well-finished, air-tight, male, double ends for tubing, connections, bore $\frac{1}{4}$ inch, each.** 65 cts.
 8128. Ditto, bore $\frac{1}{4}$ inch. \$1 00
 * 8129. Ditto, ditto, **one end for tubing the other with screw** 75 cts.
 8129a. Ditto, ditto, bore $\frac{1}{4}$ inch. \$1 00
 * 8130. Ditto, ditto, **double male screw** 75 cts.
 8131. Ditto, ditto, bore $\frac{1}{4}$ inch. \$1 00
 8132. Ditto, ditto, **male and female screw** 80 cts.
 8133. Ditto, ditto, **double female screw** 85 cts.
 * 8134. Ditto, ditto, with universal movement, (connectors), each \$1 00
 * 8135. **Stopcocks, brass, of new and improved pattern, plug with full bore of tube.**
 a, $\frac{3}{8}$ in. bore. 80 cts. b, $\frac{1}{2}$ in. bore. \$1 00
 * 8136. Ditto, ditto, with quadrant and pointer to regulate exact quantities of gas supplied.
 c, $\frac{3}{8}$ in. bore. 95 cts. d, $\frac{1}{2}$ in. bore. \$1 15


- * 8137. Stopcocks, glass, Geissler's, the best made, perfectly air-tight, small, bore 1 milli. Price.....(See cut on page 208) 90 cts.
 8138. Ditto, ditto, of glass, perfectly air-tight, medium, bore 2 milli. \$1 00
 8139. Ditto, ditto, ditto, large, bore 3 milli. 1 25
 8140. Ditto, ditto, extra large, clear bore, in stopper.
 4 milli. 5 milli. 6 milli. 8 milli. 10 milli.
 \$1 75 2 25 3 00 4 00 6 00

Larger sizes to order.

Stop-cocks of new designs. Patent applied for. Plug bored in an angle, to prevent leakage and make the same absolutely air-tight.

- * 8141. Connection stop-cock, small.....\$1 20. Large.....1 60
 * 8142. Ditto, ditto, with mercury seal, small... ..\$1 50. Large.....2 00
 * 8143. Three-way stop-cocks, small..... 1 85. Large..... 2 50
 * 8144. Ditto, ditto, downward, small..... 1 85. Large..... 2 50
 * 8145. Ditto, ditto, horizontal, with mercury seal, small.....\$3 00. Large.... 4 00

Extra sizes to order.



- * 8146. These stop-cocks will be used if so wished on any form of gas burette, etc., made to order.
 * 8147. Ditto, of glass, very heavy, so-called factory made. See cut on page 208.
 Bore, 3, 5, 8, 10 milli.
 Price, \$1.00, 1.50, 1.75, 2.50.
 * 8148. Ditto, glass, Geissler's, three way.....(See cut on page 208)..... \$1 75
 * 8149. Ditto, ditto, ditto, three way, new style.....(See cut on page 208).... 1 75
 8150. Ditto, ditto, like 8149, for permanent rubber tube connection end piece not turning with the plug for gas apparatus..... \$1 75
 Ditto, extra large for Geissler's pump, etc., etc., to order at reasonable rates.

* 8151. Stopcocks, of glass, four way. 2 mm. bore, 4 mm. bore.
\$1 50, \$2 00.


8151a. Stopcock 3-way with funnel top for Gas apparatus \$2 00

○* 8152. Stopcocks, of best German acid proof stoneware.

Number,	1,	2,	3,	4,	5,	6
Bore,	10,	15,	20,	25,	30,	40 millimeters.
"	$\frac{3}{8}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	1,	1 3-16,	1 $\frac{1}{2}$ inch.
Price,	1.40,	1.60,	1.85,	2.30,	2.80,	3.60 each.

○* 8153. Stopcocks, ditto, ditto.

Number,	1,	2,	3,	4,	5,	6,	7,	8,	9
Bore,	10,	15,	20,	25,	30,	40,	50,	65,	80 millimeters.
"	$\frac{3}{8}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	1,	1 3-16,	1 $\frac{1}{8}$,	2,	2 $\frac{1}{2}$,	2 $\frac{1}{2}$ inches.
Price,	1.40,	1.60,	1.85,	2.30,	2.80,	3.60,	4.65,	6.20,	7.75 each.



8151



8152




8154



8153



8155



8156

○* 8154. Stopcocks, ditto, ditto.

Number,,	2a,	3a,	4a,	5a,	6a,	7a,	8a,	9a.
Bore,	15,	20,	25,	35,	40,	50,	65,	80 millimeters.
"	$\frac{3}{8}$,	$\frac{3}{4}$,	1,	1 3-16,	1 $\frac{1}{8}$,	2,	2 $\frac{1}{2}$,	3 $\frac{1}{2}$ inches.
Price,	1.60,	1.85,	2.30,	2.80,	3.60,	4.65,	6.20,	7.75 each.

For Three-way Stopcocks according to description, 75 per cent. additional.

For grinding Stopcocks into outlets of vessels, 50 cents each.

STOVES.


* 8155. Stoves, for gas, round flame, best style, measure across the top.

No.	0,	1,	2,	3,	4,
	4	5	6	7	8 inches.
	.60	.75	\$1.00	1.20	1.60.


—* 8156. Ditto, ditto, ditto, with double burner \$4 00 With stopcock \$4 50

8156a. Ditto, nickel plated 5 50


- * 8157. Stoves, for gas, the new low shaped Economy stove, Morton's patent, giving perfect satisfaction, 4½ inches high, 9 inches square on top, Net..... \$4 25
- * 8158. Ditto, ditto, double stove.....Net, 8 50
- * 8159. Ditto, ditto, round, 4 inches high, 8½ inches diameter on top..... 2 50
- * 8160. Ditto, ditto, ditto, with wooden handle..... 2 75
8161. Gas Stoves, with complete set concentric rings. The most perfect laboratory gas stove, expressly for heating retorts and dishes safely without using a sand bath, as the flame will not touch the bottom of the vessel, high or low shape.
- | | Diameter | 6 in. | 8 in. | 10 in. | 12 in. |
|---------|-------------|-------|-------|--------|--------|
| 8161a. | low shape, | 2.50, | 4.00, | 5.00, | 6.50. |
| * 8161b | high shape, | 3.00, | 4.50, | 5.50, | 7.00. |




8157




8158



8159




8161b



8163



8164



8160

- 8162. Gas Stove with wire gauze protection for heating inflammable liquids in distillations, Ether, petroleum, etc. Small....7 50. Large....10 00
- * 8163. Ditto, Fletcher's, for low and higher temperatures. This burner gives a complete range of temperature, from a gentle current of warm air to a clear red heat. For very low temperatures the ring must be lighted through the opening B. With the blast arrangement.....\$2 00 Without blast..... \$1 75
- * 8164. Ditto, ditto, solid flame..... 2 00
Extra gauze tops, each..... 25

—* 8165. Stove, to burn kerosene oil.

Diameter on top,	6,	6½	7½ inches.
With 1 wick.		With 2 wicks.	With 3 wicks.
	\$1.75	2 25	2 75

—* 8166. Stoves, so arranged that the kerosene is kept under water to prevent explosion.

Diameter on top,	5,	7½,	10½ inches.
Price,	\$1.50	2.50	4.50.

Other Stoves see Furnaces and burners.

* 8167. Strainers, of porcelain with or without handle.

Diameter,	5,	6,	7,	8½	10½ inches.
	.75,	\$1.00,	1.50,	2.00,	3.00

8168. Ditto, of porcelain with flat, perforated bottom and straight sides.


No.	1	2	3	4	5
Diameter,	12	11	9½	7½	4½ inch.
Price,	\$2 00	1 75	1 25	1 00	.70

8169. Ditto, s. c. dipping baskets, body 6½ in. x 6 in., porcelain... \$2 25

○ 8169a Ditto, Stoneware, diameter 6 inches..75c. Large, 9 inches 1 00



8167



8165

8166



8172

8170. Straw Rings, plaited.

Diameter inside,	1½	2	2½	3	4	5	6	7	8½	10 in.
Diameter outside,	3½	4	5	6	7	8	9	10	11	12 in.
Price,	.15	.18	.20	.22	.25	.28	.30	.35	.45	.60 cts.

* 8171. Streak Plates, of porous porcelain, for mineralogists. Royal Berlin.

1½x2½ in.	2½x3½ in.	3x4 in.	3½x5½ in.	
.22	.25	.30	.40 cts.	See fig. 6953.

SUPPORTS.

Of superior make, new styles and at considerably reduced rates. All our wood work is made of hard, well-seasoned wood.


* 8172. Supports for burettes, of iron, with triangular base and iron clamp... 90 cts.

8173. Ditto, ditto, with two clamps..... \$1 40

8174. Ditto, ditto, with three clamps..... 1 90


If ordered with brass clamps, 15 cts. per clamp; if plated, 25 cts. additional.

- * 8175. Supports, for burettes, iron, according to **Professor Hofmann**, two parallel clamps for two burettes, with stand. \$1 25
8176. Ditto, ditto, iron, according to **Professor Hofmann**, four parallel clamps, with stand. \$2 00
- Price.....
- If ordered with white enameled iron base, additional \$1 75.
- * 8177. Ditto, ditto, for one burette, metal clamp, with steel rod on wooden base, (like Figure 8178) \$1 00
- * 8178. Ditto, ditto, with two Hofmann's clamps 1 50
8179. Ditto, ditto, with four Hofmann's clamps 2 35
- If ordered with white enameled iron base, additional \$1 75.









8180. Ditto, ditto, for burettes, Hofmann's, brass clamp, new form, for 3 burettes, \$4 00
- 8180a. Ditto, ditto, with 2 arms 3 50
- * 8181. Ditto, ditto, for burettes, of wood, to be put against the wall, for pinch-cock burettes and pipettes \$1 50
8182. Ditto, ditto, for burettes, of wood, same as used in Columbia College, one wooden cork-lined clamp for burette 95 cts.
8183. Ditto, ditto, with extra arm to keep burette steady \$1 25
8184. Ditto, ditto, double arm for two burettes 1 25
- * 8185. Ditto, ditto, with extra arm to keep burette steady 1 50
- * 8185a. Ditto, ditto, for burettes, of wood, for four Mohr's pinch-cock burettes, two wooden arms \$1 35

- * 8186. Supports, for burettes of wood, revolving for eight burettes and pipettes.... \$3 00
 8187. Ditto, ditto, with white enameled iron base..... 5 00
 * 8188. Ditto, ditto, of brass, with universal joint, nickel plated, very light to hold test tubes, matrasses, thermometers and platin wire, for spectrum analysis, etc. \$1 50
 * 8189. Ditto, ditto, Bunsen's, for flame reactions..... 1 00
 * 8190. Ditto, ditto, with pins for 6 or 8 test tubes..... 1 50




- * 8191. Ditto, ditto, for condensers, of metal, according to Professor Bunsen, with universal movement..... \$3 00
 8191a. Extra large..... 4 00
 * 8192. Ditto, ditto, for condensers, iron with Bunsen clamp..... 1 60
 * 8193. Ditto, ditto, with extra large double clamp, like figure 5965..... 1 85
 8194. Ditto, ditto, with universal double jointed clamp, see clamp a. s. of support..... \$2 60
 * 8195. Ditto, ditto, for condensers, Hofmann's. Small..... \$2 50 Large..... 3 50

- * 8196. Supports for condensers, Bunsen's modification..... \$3 50
 * 8197. Ditto, ditto, for condensers, of wood, according to Professor Liebig, with large wooden clamp..... 1 50
 * 8198. Ditto, ditto, wooden, with upright clamp..... 1 00
 * 8199. Ditto, ditto, for large metal condensers of oak wood, with universal movement. See figure 6027..... 6 00
 * 8200. Ditto, ditto, with 3 wood-lined iron rings, for three funnels, with square or triangular base \$1 50
 8201. Ditto, ditto, with 3 flanged rings to hold funnels in position..... 1 00



- * 8202. Ditto, ditto, with three extra large rings..... 1 50
 * 8203. Ditto, ditto, wooden, for one funnel, according to Professor Fresenius same as used in Columbia College..... 85 cts.
 8204. Ditto, ditto, double base, with two plates for two funnels..... \$1 25
 * 8205. Ditto, ditto, for one funnel, a large wooden ring..... 85 cts.
 8206. Ditto, ditto, double base, with two rings, for two funnels..... \$1 25
 * 8207. Ditto, one arm, for two funnels..... 70 cts.
 8208. Ditto, ditto, double base, with two arms, for four funnels..... \$1 05

- * 8209. Supports, wooden, one double arm, for four funnels.....90 cts.
 8210. Ditto, ditto, two double arms, for eight funnels.....\$1 30
 8211. Ditto, ditto, for six funnels, as used in sugar houses, all six funnels in line between two uprights, height adjustable.....\$5 00
 * 8212. Supports, so-called Retort Stands, with two rings, rings provided with entirely improved screws which allow the rings to be taken out from the side and will fasten tight to any thick or thin rod, square or triangular base.....45 cts.
 * 8213. Ditto, ditto, larger, with three rings & square or triangular base. This is an entirely improved stand of superior make, and we claim it to be the best support made. Price.....65 cts.
 No. 8213. With square base, is always given if an iron retort stand is ordered.




- * 8214. Ditto, ditto, extra large, with four rings.....\$1 00

Above Supports are entirely superior to what is generally sold as retort stands and less in price than the commonest stand in the market.


8215. Ditto, ditto, four rings, extra large, with heavy adjustable base.....\$1 25
 8216. Ditto, ditto, with extra heavy triangular or square base and extra heavy rod, the heaviest support made. See figure 8228.....\$1 75
 * 8217. Ditto, ditto, iron, with extension rings, two rings.....90 cts.
 Three rings.....\$1 25. Four rings.....1 50
 Extension clamps for same, (see fig. 5963.) Clamps, plain.....85 cts.
 Hofmann's. (See fig. 5462).....85 cts.

8218. Supports, iron, square, enameled base, fork for Bunsen's burner and one ring.
Price\$1 75
- * 8219. Ditto, ditto, with Bunsen's burner, star and chimney 2 75
8220. Ditto, ditto, wooden, for pipettes, (style like fig. 8235).....75 cts.
- * 8221. Ditto, revolving for 12 pipettes, polished.....\$2 50
- * 8222. Supports, universal, of wood, cork lined, according to Professor Gay Lussac, German form.....\$1 25



- * 8223. Ditto, ditto, universal, of wood, cork lined, with heavy base, according to Professor Shellbach.....\$2 00
8224. Ditto, ditto, Griffith's form, combining the advantages of the above two, of polished wood\$3 00
8225. Double size, mahogany..... 4 00
- * 8226. Ditto, ditto, universal, of iron, according to Prof. Bunsen, with 3 rings, fork for Bunsen's burner, Bunsen's burner with star and chimney, blow-pipe tube, porcelain plate and two large clamps for condensers, etc., complete.....\$6 00
8227. Ditto, ditto, but with three clamps and 4 rings..... 7 00

- * 8228. Supports, with **extra heavy base, extra heavy rod, four clamps and four rings, otherwise like above, the heaviest and most complete Bunsen's support made.**.....\$8 00
- * 8229. Supports, universal, according to Dr. Squibb, with small and large sand baths, adjustable holders for dishes, funnels, pipettes, burettes, etc.....\$9 00



8228



8229




8231


8232

8230. Supports, low form for 12 test tubes, all in one row.....25 cts.
- * 8231. Ditto, ditto, low form, with 12 pins.....55 cts.
- * 8232. Ditto, ditto, for 12 test tubes, low form, 12 holes in 2 rows.....25 cts.
8233. Ditto, ditto, with 6 pins.....50 cts.
8234. Ditto, ditto, for 12 tubes, heavy, the most substantial for student's use.....40 cts.


- * 8235. Supports, for 13 test tubes, usual form, German style, each 35 cts.
 ○* 8236. Ditto, ditto, for thirteen tubes, with drying points, each 45 cts.
 8237. **Test Tube Supports**, (like figure 8235), with wooden back to prevent tubes from slipping out 75 cts.
 * 8238. Ditto, ditto, Fresenius', larger, with pins and larger holes \$1 00
 * 8239. Ditto, ditto, extra large, for lecture table, taking 8 and 10 inch test tubes, plain. Price \$1 50




8243




8238




8239



8244



8235



8236

8240. Ditto, ditto, polished mahogany 2 50
 8241. Supports, for twenty-five tubes, plain, shape like figure 8235, each 70 cts.
 8242. Ditto, ditto, with drying pins, each, shape like figure 8236 \$1 00
 * 8243. Ditto, ditto, for 18 test tubes, according to Prof. Erlemeyer, with drying points, shelves to hold four funnels, and drawer for pipettes, glass stirrers, etc. \$2 00
 * 8244. Ditto, ditto, heavier, fitted with 18 test tubes, 2 pipettes, 2 stirrers, 8 re-agent bottles, 2-2½ inch funnels \$4 75
 8245. Support for test tubes, round, with pins, plain 1 20
 8246. Ditto, ditto, round, with pins, polished 1 50

- * 8247. Supports, frame of wood, for supporting U tubes, potash bulbs, etc., etc... \$2 00
 8248. Ditto, ditto, according to Fresenius, with adjustable cross arm 2 00
 * 8249. Ditto, of wood, to hold strainers and felt filtering bags, filtering frames.
- | | 6 | 8 | 10 | 12 | 14 inches square. |
|--|-----|-----|-----|-----|-------------------|
| | .20 | .25 | .30 | .35 | .40 cts. |

Shellbach's and Gay Lussac's stand, (see Supports, Universal.)

Supports of any design made to order according to drawings, at reasonable rates.

- * 8250. Support Tables, movable up and down, foot heavily loaden with lead, of hard wood. Height if drawn out,
- | | 9 | 12 | 15 | 20 | 25 inches. |
|--|-----|-----|-----|--------|------------|
| | .60 | .75 | .85 | \$1 00 | 1 20 |

— 8251. Ditto, ditto, if finely polished, 25% extra.

- * 8252. Ditto, ditto, with triangular iron feet... .85, \$1 00, 1 25, 1 50, 1 75
 Height if drawn out, 9 12 15 20 25 inches.


8253. Ditto, ditto, with extra vertical sliding fork to support horizontal tubes, 35 cts. additional.

* 8254. Ditto, ditto, extra large made of oak wood, with triangular base. Height if drawn out, 36 inches.....\$3 00

8255. Support table, wood, sliding horizontally on brass rod, the adjustable clamp fitting any iron ring stand, complete.....\$1 00

8256. Ditto, ditto, all wood, fitting our wooden supports, complete..... 1 00

Swedish Filtering Paper, (see Filtering Paper.)



8247




8249




8251



8252



8254



8257-8258-8259

* 8257. Syphons, glass, plain,

	6	12	15	18	24	30 inches.
	.15	.20	.25	.30	.40	.50 cts.

* 8258. Ditto, ditto, with suction tubes, for acids, best German.

	6	8	12	18	22	25	30 inches.
	.20	.25	.30	.40	.50	.75	\$1 00

* 8259. Ditto, ditto, ditto, with Geissler's glass stop-cock and suction tube, best German.

	8	12	18	25	30 inches.
	\$1 10	1 30	1 40	1 60	1 80


8260. Syphon, with valve ground in, small.....\$1 00
 Medium.....\$1 25. Large..... 1 50

- * 8261. Syphons, for drawing off acids, poisons, etc. according to Bode and Wimpf, put in operation by blowing, made of glass, a very useful apparatus.....\$4 00
- * 8262. Ditto, of glass, to take out samples from barrels, etc., so-called thief glasses.
Small.....50 cts Large.....75 cts.
8263. Syringes, all kinds, patent, glass, metal, rubber, family, etc., constantly on hand.
Tables, for glass-blowers, (see Glass Blower's Table.)
8264. Ditto, of assay values.....25 cts.
Table Lights, see Burners.
8265. Tapers, wax, to burn in oxygen, per box.....15 cts.
Technological Tables. See Appendix, pages 282 and 283.
- 8266. Telegraphic instruments, outfit for learners, key sounder, battery chemicals, wire and book of instructions.....\$3 75
- 8267. Telegraphic instruments, learner's outfit, extra quality... 7 00
- * 8267a. Test Glasses, Bohemian, tall form, pointed, for urinary analysis.

	1	2	4	6	8 oz.
	.15	.20	.25	.30	.35 cts.
8268. Ditto, ditto, conical, with lip.....					25 cts.
Contents,	$\frac{1}{4}$	1	2	4	6 8 oz.
	.15	.15	.20	.25	.30 .35 cts.

Test Lead, (see our list of Chemicals.)

8269. Test Papers, as Litmus, blue and red, Turmeric... per quire 75 cts.
- 8269a. Ditto, ditto, Fernambuc, Potassiumjodide, acetate of lead, Brazil-wood, Congo, Quajac, Huckleberry, Iodide of starch, per quire \$1 00



8261



8262



8263a



8271



8274



8270

TEST TUBES.

- * 8270. Test Tubes, of best imported glass, even thickness, well annealed, free of lead. They come 6 dozen in a box, each tube wrapped in paper, or bundled in dozens.

Length, 3x $\frac{1}{2}$	4x $\frac{1}{2}$	5x $\frac{1}{2}$	5x $\frac{3}{4}$	6x $\frac{1}{2}$	6x $\frac{3}{4}$	7x $\frac{1}{2}$	8x1	10x1	12x1 in.
Dozen, .20	.25	.30	.30	.35	.35	.50	.60	\$1 25	2 00
Gross, \$1 75	2 50	2 75	3 00	3 65	3 75	5 00	6 50	12 00	20 00

- * 8271. Ditto, ditto, with side neck, best German glass.

	5	6	8	10 in.
Each,	.10	.12	.15	.20 cts.
Dozen,	.75	.85	1 30	2 00

8272. Test Tubes, of infusible Bohemian glass.

5	6	7	8	10 in.
.8	.10	.12	.18	.25 cts. piece.

8273. Ditto, ditto, with side neck, (like figure 8271.)

5	6	7	8	10 in.
.12	.15	.20	.25	.40 cts. piece.

- * 8274. Test Tubes, on foot, with lip, plain, well made.

4	5	6	7	8	10 in.
.8	.10	.12	.14	.18	.20 each.
.75	.85	\$1 00	1 20	1 50	2 00 per dozen.

* 8275. Test Tubes, on foot, graduated in cubic centimeters.

5 CC in $\frac{1}{2}$	10 CC in $\frac{1}{2}$	15 CC in $\frac{1}{2}$	25 CC in $\frac{1}{2}$
.25	.40	.45	.50 cts.

Ditto, ditto, without foot, graduated, see color carbon tubes.

8276. Test Tube **Brushes**, plain, galvanized wire, each.....5 cts.

* 8277. Ditto, ditto, ditto, brass wire.....8 cts.

* 8278. Ditto, ditto, ditto, with sponge end, each 10 cts. (thick or thin,) per dozen..90 cts.

* 8279. Test Tube **Clamp**, made of wood usual form, (see figure 5955), each15 cts.

8280. Ditto, ditto, ditto, with spring, larger, (see figure 5956,) each.....40 cts.

* 8281. Ditto, ditto, ditto, Bunsen's, made of brass, each.....30 cts.

* 8282. Ditto, ditto, ditto, holder, metal on wooden handle.....40 cts.


* 8283. Test Tube **Cleaners**, a rod, with sponge end, each....10 cts.

8284. Ditto, ditto, ditto, a rod, on whale bone.....25 cts.

Test Tube **Stands**, (see Supports.) Test Tubes for color tests, see Carbon Color Tubes.

8284a. Test Tube holder, Chapman's new form,

small 20 cts. Large.....25 cts.

**THERMOMETERS.****Equal to Geissler's make.*** 8285. **Thermometers**, chemical, scale clear engraved on the stem, white back, or on enclosed milk glass scale, best European make, in pasteboard case, very exact. Graduated up to about 100° Celsius.....\$1 50

" " 200° Celsius.....1 70

" " 250° Celsius.....2 00

" " 300° to 360° Celsius.....2 00

" " 212° Fahrenheit.....1 50


" " 350° Fahrenheit.....1 70

" " 600° Fahrenheit.....2 00

8286. Ditto, same as above, stem, graduated on one and the same thermometer in 300° Celsius and 600° Fahrenheit or 100° C. and 212° F.....\$2 50

8286a. Thermometers of Jena normal glass, with German government certificate of corrections, each.....\$5 00 Without certificate.....\$3 00

- 8290a. Thermometers for acid chambers, bent at right angles 240° F. or 100° C. each \$1 50



- Digitized by Google

8303. Parlor, window and every kind of fancy thermometers, on wood, glass,, porcelain, etc., furnished to order.

Thermo-electric Pile, see Batteries. Thistle Tubes, see Funnel Tubes. Tyndall's Platinum Zinc Battery, see Batteries.

8304. Tiles, of clay, for Bunsen's Combustion Furnace, per dozen.....\$1 50

8305. Tinfoil, commercial, per lb.....25 cts.

— 8306. Ditto, pure tin, per lb.....50 cts.

— 8307. Ditto, rough on one side, for pasting on glass, per lb.....50 cts.


○ 8308. Tips, of platinum, heavy, without seam, for Plattner's blow-pipes.....70 cts.

8309. Ditto, ditto, made of brass.....doz 75 cts.


Tongs, for Crucible cupels, scorifiers, see there for pressing corks, see Cork pressers. Other tongs, see Forceps.

8310. Towels, for the laboratory.....15 to 30 cts.

8311. Toweling, per yard.....12 cts. By the piece.....10 cts. per yard




8312b



8315



8314



8317

— 8312. **Trays, Photographic**, of porcelain, measures given are inside diameter.

Size,	5x7	7x9	8x10	10x12	11x14 in.
Shallow, each,	.44	.66	.82	\$1 32	2 16
Deep, each,	.62	.82	\$1 00	1 66	2 64
Size,	14x17	15x19	19x23	19x24	22x27 in.
Shallow, each,	5 10	6 28	11 60	12 88	
Deep, each,	6 00	8 00	14 50	16 00	25 00

— 8312a. Ditto, agate ware,

Size,	5x7	7x9	8x10	10x12	11x14	14x17	15x19 in.
Shallow,	.80	\$1 00	1 25	2 00	3 00	5 00	7 00
Deep,	\$1 00	1 25	1 60	2 25	3 37	6 00	8 00

— * 8312b. Ditto, hard rubber composition.

Size,	4½x6½	5x7	5x8	6½x8½	8x10	10x12	11x14 in.
Each,	.40	.60	.65	.80	\$1 30	2 40	3 20

8313. **Trays**, for coal and dirt, for blow-piping, japanned tin.....40 cts.

* 8314. **Triangles**, plain, iron, in three sizes, 5 cts. each. Dozen.....50 cts.

* 8315. Ditto, covered with pipe stems. 10 cts. each. Dozen.....75 cts.

— 8316. Ditto, of solid platina wire, according to size of wire, 6 to 16 grams...38 cts. gram.


* 8317. Ditto, after Fresenius, a solid platin wire triangle inside an iron one, see also Platin Triangles.....\$1 00 to 2 00

— 8318. **Tool Chest, No. 1**, good solid outfit.....\$20 00

— 8319. Ditto, ditto, No. 2, comprising more tools, and each tool drawn out of Stubbs steel, finely tempered, with handles of pear wood, with solid brass top and hard steel centre, very complete outfit.....\$40 00

8315a. **Triangles**, of solid nickel wire, sides, 1½ 2 2½ 3 4 inch
.15 .20 .25 .35 .45

- | | | |
|--|---------------|------------------|
| 8320. Tripods, of iron, circular top, for spirit lamps, each..... | 20 | cts. |
| * 8321. Ditto, ditto, brass, to take apart, very neat, each..... | 60 | cts. |
| * 8322. Ditto, ditto, of iron, for Bunsen's burners, with two rings.... | 35 | cts. |
| 8323. Ditto, ditto, three rings..... | 45 | cts. |
| * 8324. Ditto, ditto, heavier, without rings, Bunsen's style..... | 30 | cts. |
| * 8325. Ditto, ditto, ditto, with points..... See Cut 8333..... | 35 | cts. |
| 8326. Ditto, ditto, very light, without rings..... | 25 | cts. |
| * 8327. Ditto, ditto, large, diameter of ring 8 in. (same as Figure 8324)..... | 45 | cts. |
| 8328. Ditto, ditto, with four rings..... | 65 | cts. |
| 8329. Ditto, ditto, very large, diameter of ring 10 in..... | 65 | cts. |
| 8330. Ditto, ditto, with 5 rings..... | \$1 | 00 |
| 8331. Ditto, diameter of ring 12 in..... | 90 | cts. |
| 8332. Ditto, with 6 rings..... | \$1 | 25 |
| * 8332a. Ditto, triangular, length of side, | 5,
.30 | 6,
.40 |
| | | 8 inches.
.50 |
| * 8333. Ditto, ditto, brass, to take apart, same as 8321 but 9 in. high..... | 70 | cts. |
| 8334. Ditto, folding, of galvanized iron..... | 60 | cts. |
| * 8335. Ditto, iron, with chimney, 3 sizes, for use with one and several tube Bunsen's
burners. | Small.
.60 | Medium.
.65 |
| | | Large.
.80 |
| * 8336. Tripods, to set on top of Bunsen's burners. Small..... | 30 | cts. |
| Extra large..... | 40 | cts. |



Troughs, pneumatic, mercury, etc., (see Nos. 7005-7010.,


- * 8337. **Troughs, stoneware, acid and alkali proof, for galvanic baths and other chemical and technical use, well glazed.**

Inside dimension,	12x9x9,	12x12x12,	16x12x12,	16x16x12,	20x16x12 inches.	
Capacity,	4	7	9	12	15 gallons.	
Price,	\$2 50	4 35	5 50	7 50	9 25	
Inside dimension,	24x16x12,	24x20x12,	32x20x12,	16x16x16,	20x16x16 in.	
Capacity,	18	23	30	16	20 gals.	
Price,	11 00	13 50	15 00	10 00	12 50	
Inside dimension,	24x20x16,	32x20x16,	40x20x16,	24x20x20,	32x20x20 in.	
Capacity,	30	40	50	38	50 gals.	
Price,	15 00	20 00	25 00	18 50	25 00	
Inside dimension,	40x20x20,	24x24x24	32x24x24	40x24x24	32x28x28	40x28x28 in.
Capacity,	63	54	72	90	98	123 gals.
Price,	31 00	26 50	36 00	44 50	49 00	60 00

Troughs of other dimensions, not exceeding a capacity of 125 gallons and a length, width or height of 40 inches are made to order; any desirable changes, as tubulations, etc., will be added according to directions.


These stoneware troughs are perfectly acid and alkali proof, but should not be used for boiling acids in, nor should they be exposed to sudden heat.

- *** 8347. Tubes, for fractional distillation. 1 bulb, 6 in. long 25 cts.
 1 bulb, 8 in. long 35 cts. 2 bulbs, 7 in. long 35 cts.
 2 bulbs, 9 in. long 45 cts.
- * 8348. Ditto, for fractional distillation, according to Wurtz.
 Small, 2 bulbs 65. Medium 2 bulbs 70. Large, 2 bulbs 80
 " 3 " 70. " 3 " 80. " 3 " 85
- * 8349. Ditto, ditto, ditto, according to Lebel & Henninger.
 2 bulbs \$1 00. 3 bulbs 1 35
 4 bulbs \$1 55. 5 bulbs 1 75
8350. Ditto, for fractional distillation, according to Hallock, collecting all that passed the thermometer bulb. Small 75 cts. Large \$1 00
- * 8351. Ditto, for fractional distillations, provided with baskets of platinum wire gauze.
 Length, 10½ in. 12½ in. 15½ in.
 Price, \$4 00 5 00 8 00
 Extra platin gauze per gramme 60 cts.



- * 8352. Ditto, for fractional distillation, with glass valves, according to Ghinsky. Large size \$1 50. Medium 1 25
 Small 1 00
- * 8353. Tubes, for the absorption of gases, according to Babo, filled with glass beads. \$1 25
- * 8354. Ditto, ditto, according to Emmerling, filled with glass beads. 1 50
- 8354a. Ditto, for filtering, with glass-powder, sand, etc., after Fresenius, see Filtering Tubes 25 cts.
- Ditto, for fat extraction, set of 2, after Mohr, (see 6265.)
8355. Ditto, palladium, Hempel's, for hydrogen determination, (see figure 5233-7) .50 cts.
 Filling \$1 50 extra.

- * 8356. Tubes, for water analysis, s. c., 2-foot tubes (new form, like Nessler's Jars. Same price).....\$2 50
- * 8357. Tube, Bunsen's, of brass, to be set into a Bunsen's burner, producing yellow flame, for blow-piping, (see figure 5862), each.....20 cts.
- ** 8358. Ditto, of glass, T or Y form, bore $\frac{1}{16}$ $\frac{1}{8}$ $\frac{1}{4}$ $\frac{1}{2}$ 1 inch.
.15 .20 .25 .30 .40 cts.
- ** 8359. Ditto, ditto, of heavy barometer tubing.
3-16 inch. $\frac{1}{4}$ inch. $\frac{1}{2}$ inch outside diameter.
.30 .40 .50 cts.
- * 8360. Ditto, of glass, to connect one large pipe with two small ones.
Diameter of thick end $\frac{1}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ 1 inch.
.30 .40 .50 .60 cts.
8361. Ditto, of brass. Outside diameter. $\frac{1}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ 1 inch.
.50 .60 .80 \$1 00
8362. Ditto, T or Y form, of brass.
Bore, 3-16 $\frac{1}{8}$ $\frac{1}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ 1 inch.
.30 .30 .40 .50 .65 .75 cts.
- Ditto, ditto, of glass, with Geissler's stop-cocks, see Glass Stop-cocks.



- * 8363. Ditto, for connections, T form, with two Geissler's stop-cocks.....\$3 25
Tubes, for reductions, see (Reduction Tubes.) Ditto, for combustions, (Combustion Tubes.) Ditto, for drying, (Chloride Calcium Tubes.) Ditto, for nitrogen determinations, (see Nitrogen Tubes.) Ditto, of rubber, (see Rubber Tubing. Ditto, specimen, (see Specimen Tubes.)
8364. Tube Brushes, very handy for cleaning narrow glass and rubber tubes... 5 cts.
Dozen.....40 cts.
8365. Ditto, ditto, one yard long, each.....20 cts.
- Tubing, of porcelain, (see Combustion Tubes of Porcelain.)
8366. Turmeric Paper, quire.....75 cts.
- 8367. Twine, gray, strong, pound, in $\frac{1}{2}$ lb. packages.....40 cts.
- 8368. Ditto, pink, best, strong, pound.....80 cts.
- 8369. Ditto, pink, fine sea island, dozen.....40 cts.
- 8370. Ditto, box, of metal, or glass.....50 cts.
8371. Underplates, for acid bottles, etc., of porcelain, from 2 $\frac{1}{2}$ to 8 inches diameter.
Price each.....10 to 50 cts.

URINE TEST INSTRUMENTS.

○* 8372. Fermentation Saccharometer. For the estimation of sugar in Urine. By Max Einhorn, M. D.


DIRECTIONS.

Take one gramme of commercial compressed yeast (or 1-16 of a cake of Fleischmann's Yeast), shake thoroughly in the graduated test-tube with 10 C.C. of the urine to be examined. Then pour the mixture into the bulb of the Saccharometer. By inclining the apparatus the mixture will easily flow into the cylinder, thereby forcing out the air. Owing to the atmospheric pressure the fluid does not flow back but remains there.

The apparatus is to be left undisturbed for 20 to 24 hours in a room of ordinary temperature.

If the urine contains sugar, the alcoholic fermentation begins in about 20 to 30 minutes. The evolved carbonic acid gas gathers at the top of the cylinder, forcing the fluid back into the bulb.

On the following day the upper part of the cylinder is filled with carbonic acid gas. The changed level of the fluid in the cylinder shows that the reaction has taken place and indicates by the numbers — to which it corresponds — the approximate quantity of sugar present.



8372

If the urine contains more than one per cent. of sugar, then it must be diluted with water before being tested.

Diabetic urines of straw color and a specific gravity of 1018-1022 may be diluted twice; of 1022-1028, five times; 1028-1038, ten times.

The original (not diluted) urine contains in proportion to the dilution two, five or ten times more sugar than the diluted urine.

In carrying out the fermentation test, it is always recommendable to take besides the urine tested, a normal one, and to make the same fermentation test with it.

The mixture of the normal urine with yeast will have on the following day only a small bubble on the top of the cylinder. That proves at once the efficacy and purity of the yeast.

If there is likewise in the suspected urine a small bubble on the top of the cylinder, then no sugar is present, but if there is a much larger gas volume, then we are sure that the urine contains sugar.

Single tubes 75 cents each. For the convenience of physicians, we have put it up in a set consisting of two (2) Saccharometers and one graduated test tube, for \$1 50 net.

8372a. Urea Apparatus, according to Marshall, on foot, complete.....\$3 00

- * 8373. **Apparatus for the rapid estimation of Urea**, designed by Charles Doremus, M.D., Ph.D. Professor Adjunct of Chemistry and Toxicology, Bellevue Hospital Medical College.

The apparatus shown in the cut is designed for the rapid approximate estimation of urea. It yields, when the test is carefully made, results closely in accord with the theoretical.

That determination of the quantity of urea voided, is of importance in diagnosis, has long been felt, but the difficulties met with in the manipulation of the tests which were to supply the data, were too irksome to physicians.

REAGENTS NECESSARY.

The Sodium hydrate solution (100 grammes to 250 C.C. of water, or 6 ounces to 1 pint water) will keep indefinitely when tightly stoppered.

The Bromine may be removed from the bottle in which it is kept by means of the nipple pipette.

1 C.C. suffices for a test. More can be removed if a quantity of hypobromite is to be made up. Some care must be exercised in handling the Bromine since it gives off irritating fumes—but by the above method of procedure no inconvenience ought to be experienced.


The concentrated hypobromite must be diluted with its own volume of water. This can be done approximately.

The long arm and the bend of the ureometer must be filled with the hypobromite.

Having washed the pipette draw up exactly 1 C.C. of urine, pass the pipette through the bulb of the ureometer as far as it will go in the bend. Compress the nipple *gently and steadily*. The urine will rise through the hypobromite and the urea instantly decompose giving off nitrogen gas.

Withdraw the pipette after the urine has been expelled, taking care not to press the nipple hard enough to drive the air out after the urine, and read the volume of gas after allowing the froth to subside. *The ureometer indicates according to its graduation either in milligrammes of urea in 1 C.C. of urine or grains of urea per fluid ounce of urine.*

The ureometer is graduated for 65° F. and upon an experimental basis.



In the office of the consulting physician or in hospitals where a quantity of hypobromite can be made every day or so, this apparatus should supply a long felt need.

After use, simple washing will leave it ready for subsequent tests.

Price of apparatus, complete, in box, with pipette.....\$1 25

Solution Sodium hydrate used with the above apparatus, 60 cts. per pound, including bottle.

Bromine, 25 cents per ounce, bottle included.

A support with clamp like 8172 for the apparatus will be supplied if desired for \$1 00.

On glass foot, like 8372.....50 cts. extra.

8374. Esbach's Albumenometer, for the quantitative estimation of albumen in urine. Directions for using the instrument.

To use the instrument, fill the same to U with the urine, and to R with the test-solution; then mix by agitation. Close the tube by a rubber stopper and lay the whole aside for 24 hours to obtain a perfect and well settled precipitation.

Each of the main lines of division to which the accumulated precipitation reaches represents one gramme of Albumen in one litre of urine.

The test-solution consists of

10 grammes Picric Acid, to coagulate the Albumen.

20 grammes Citric Acid, to keep the Phosphates in solution.


Water sufficient to make one litre.

2 grammes Picric Acid represent one gramme of Albumen.

Test-solution, per pound, with glass-stoppered bottle..... 40 cts.

Instrument, in box, price, 75 cents.


- * 8375. **Apparatus for determining specific gravity of urine.** Correct Urinometer, according to **Dr. Squibb**, with Thermometer Cylinder and Table for corrections, price, \$2 00; without Thermometer..... \$1 00



8376. **Urinometer**, according to **Neubauer & Vogel**, set of two, with cylinder, in box..... 1000-1020 and 1020-1040. \$1 00
8377. Ditto, ditto, 1000-1060, with cylinder, in box, single instrument..... 60 cts.
8378. Ditto, ditto, with fine Thermometer in body, with Cylinder, in box..... \$1 60
- See also Apparatus for Urinary Analysis and Hydrometers for Urine. pp. 32 to 34.
- Ure's Eudiometer, see Gasometer Tubes.
8380. **Urine Glasses**, conical, pointed, with lip and foot, 3 oz. capacity, dozen... 3 00
- Urine Pipettes, cylindrical, see Pipettes. U Tubes, see Tubes.
8381. Vacuum Apparatus, to evaporate liquids in vacuum, we furnish to order of any desired capacity. See Supplement. Cat.
- 8381a. Vapor Density Estimating Apparatus, according to Victor Meyer, improved form, similar to figure 5288..... \$1 00
- Glass flask with long wide neck, glass bulb, with side tube..... 1 20
- Glass bottles with ground stoppers, dozen..... 1 60
- Ditto, ditto, without ground stoppers, dozen..... 85 cts.
- (s. Fresen. Zeitschr. 1880, p. 214.) Price complete, with $\frac{1}{2}$ dozen of each bottles and support (See also No. 5195)..... \$5 70
- * 8382. Alcoholometer, Vaporimeter, according to Geissler, for estimating the percentage of alcohol of very diluted alcoholic liquids, complete with tables of calculation and of instructions for use \$20 00
- Vials, see Bottles.


—* 8383. Vises, steel, with anvil.	2 lb.	3 lb.	4 lb.	6 lb.
	\$1 50	1 75	2 00	2 75
—* 8384. Ditto, hand.	4 in.	5 in.	6 in.	
	.60	.75	\$1 00	
—* 8385. Ditto, Stephens, lever.	2 in.	3 in.	5 in.	
	\$4 50	6 00	10 00	

- * 8386. **Voltmeter**, according to Dr. W. A. Levison, to measure the strength of electric currents; platina plates can be taken out; for description, see Greer's Dict'y of Electricity, 1882, N. Y. \$10 00
Support for same.....\$3 00




8383


8387



8384



8386




8385



8389

- * 8387. **Volumeter**, according to Thoerner, for taking the specific gravity of solids, especially coke and charcoal, etc., determining at the same time the porosity of these substances; graduated from 0 100 in 1-5 CC.; inclusive jar.....\$4 50
8388. Ditto, Gay Lussac's, for light or heavy liquids75 cts.
* 8389. **Washing Bottles**, Faraday's, fitted with rubber stoppers and tubes; flexible tubes, if so ordered.
Contents, $\frac{1}{2}$ pint. $\frac{1}{2}$ pint. 12 oz. 1 pint. 24 oz. 1 qt. $\frac{1}{2}$ gal.
 .35 .40 .45 .50 .60 .75 \$1 00
8390. Ditto, ditto, if provided with cork stoppers. 20% less.

- * 8391. Washing Bottles, according to Prof. Bunsen, each.
- | | | |
|-------|-------|----------|
| 4 oz. | 8 oz. | 16 oz. |
| .40 | .50 | .60 cts. |
8392. Ditto, ditto, according to Prof. Silliman, with large wide neck on top for rubber stopper, otherwise like 8391.....8 oz., 65 cts.
- * 8393. Ditto, ditto, after Drexel, with tube passing through glass stopper.
- | | | | | |
|-----------|---------------|---------------|----------------|-----------------|
| Capacity, | 4 oz. 120 CC. | 8 oz. 250 CC. | 16 oz. 500 CC. | 32 oz. 1000 CC. |
| | .75 | \$1 00 | 1 25 | 1 50 |
- * 8394. Ditto, ditto, cylinder form, same capacity and price.
8395. Ditto, ditto, according to Liebig, see Edulcorating Apparatus.
- * 8396. Ditto, ditto, Vogel's. $\frac{1}{2}$ pint.....50 cts. 1 pint.....75 cts.
Quart.....\$1 00. $\frac{1}{2}$ gal.....1 20
- * 8397. Washing Flasks, all glass, tubes ground into the neck of the bottle for ether, etc.
- | | | | | |
|-----------|---------------|---------------|----------------|-----------------|
| Capacity, | 4 oz. 120 CC. | 8 oz. 250 CC. | 16 oz. 500 CC. | 32 oz. 1000 CC. |
| | .80 | \$1 10 | 1 35 | 1 60 |



- * 8397a. Ditto, ditto, with name etched in.....50% more.
- 8397b. Wash Bottle, with brass fittings, for use with retort in making oxygen, of superior construction, capacity one quart, (see fig. 5212.) 1 quart, \$3 00.. $\frac{1}{2}$ gal. 4 00
- * 8397c. Wash Bottle Tubes, according to Vogel, short.....35 cts.
Long.....40 cts.
- Other Washing Bottles, (see Woulff's Bottles.)
- Washing Cylinders, (see Drying Cylinders.) and Gas Washing Cylinders.
- * 8397d. Washing, Sifting and Separating Apparatus, 4 sieves.....\$25 00
- * 8398. Washing Bottle, Muencke's.
- | | | |
|--|---------|---------|
| | 200 CC. | 400 CC. |
| | \$2 00 | 2 50 |
8399. Ditto, ditto, Hempel's, to hang, for gas analysis.
- | | | |
|-----------|---------|---------|
| Capacity, | 100 CC. | 250 CC. |
| | .75 | \$1 00 |
8400. Ditto, ditto, for bromine, etc., tubes provided with stop-cocks.....\$2 00 extra.


- * 8401. Washing Apparatus, according to Kjeldahl\$1 50
 * 8402. Washing or Sifting Apparatus, for separating soils for agricultural analysis, with stop-cock and cubic centimeter graduation.....\$3 50
 * 8403. Washing Bulb, according to Liebig..... 25 cts.
 * 8404. Wash Bottle, top attachment.
- | | | | |
|--------------------|--------|------|---------|
| Capacity, | 100 | 250 | 500 CC. |
| With stop-cock, | \$2 00 | 2 50 | 3 00 |
| Without stop-cock, | 1 00 | 1 50 | 2 00 |

See also Gas Washing Bottles.

8405. Watch Glasses, best imported, well annealed, deep form, edges ground, used for covering beakers, etc.

Diameter,	1	1½	2	2½	3	3½	
Per dozen,	.20	.25	.25	\$1 25	1 35	1 75	
Diameter,	4	4½	5	6	7	8	9 in.
Per doz.	1 90	2 10	2 50	3 00	5 00	6 00	8 00

8406. The 2 inch Watch glasses we have in three styles, flat, half-deep and deep, the deep shape is 20 cts. higher per dozen than the other.



- * 8407. Watch-Glass Clips, of brass, nickel plated, small.....15 cts.
 Large.....20 cts.
 * 8408. Ditto, ditto, with two 2 inch watch-glasses, ground tight ... 30 cts.
 8409. Ditto, ditto, with two 2½ inch watch glasses, ground tight.....40 cts.
 * 8410. Watch-Glass Springs, Bunsen's. Diameter, 2 2½ inches.
 .20 .25 cts.
 * 8411. Ditto, ditto, with two glasses. Diameter, 2 2½ inches.
 .35 .45 cts.

8412. Watch Springs, for burning in oxygen, per doz.....25 cts.
 Water Decomposition Apparatus, see Apparatus, Hofmann's.

WATER BATHS.

- * 8413. Water Baths, of entirely improved make, heavy copper, tin lined, with copper handles, steam escape and small cover to keep the bath closed when not in use. In these baths everything is rivetted and nothing soldered, bottom part all in one piece.

Diameter,	4	5	5½	6	8	10 in.
Number of Cover and Rings,	4	5	5	6	7	8
Each, complete,	85	\$1 00	1 15	1 40	2 25	5 00

- * 8414. Water Bath, with constant level, according to Prof. Kekule, a very useful apparatus, made like our other water baths of heavy copper, the whole resting upon an iron tripod.


Diameter of bath,	5	5½	6	8 in.
With tripod,	\$2 50	2 65	3 00	4 25

- * 8414a. Ditto, ditto, without tripod. 2 00 2 20 2 40 3 50


- * 8415. Water Bath, of porcelain, for drying filters, poison analysis, etc.

Diameter,	4	5	6 in.
	\$1 15	1 40	1 75

- * 8416. Ditto, ditto, of iron, nickel plated, with concentric rings. 6 in. \$1 25



8418



8414a



8419



8415



8414



8416



8417

- * 8417. Ditto, ditto, of agate ware, (enameled iron) with tin lined copper rings.

Diameter,	5½	6½	8	9	10	12½ inches.
	\$1 60	2 50	3 00	3 50	6 00	7 50


Ditto, porcelain rings for same, see rings of porcelain.

- * 8418. Ditto, ditto, of heavy copper, arranged to be heated by steam, stove or burners; size of the square copper box, 13½x29 inches, including five smaller and three larger openings, all provided with rings and cover. The bath having a steam pipe and a brass stop-cock to draw off the water, is provided with Kekule's constant regulator, and supported by four movable iron feet, complete\$20 00

- 8418a. Ditto, ditto, same as above, with two openings instead of eight, one of 7 inch diameter with 6 rings, the other of 12 inch with 10 rings. 20 00

- * 8419. Ditto, ditto, same as above, square, with four or eight openings, with rings, resting on four legs, measuring 13½x14½ inches.\$15 00


- * 8420. Water Bath, of heavy copper, with rings and funnel heater, taking any size funnel; resting on four movable legs, complete, with level regulator.....\$14 00
- * 8420a. Ditto, ditto, after Kekule, with stand, water level and holder for Meyer's vapor funnels and porcelain rings. Diameter, 6 in. 8 in.
\$6 00 8 00



8420




8422



8420a

8421



8425

- * 8421. * 8422. Ditto, ditto, with level, after Fresenius, with tripod and regulator, complete, like figure a or b.

5	6	8 in.
\$5 00	6 00	8 00

8423. Support table for 8421, as per drawing... ..\$1 00 to 1 50 extra.

- 8424. Ditto, ditto, after Bunsen, see Desaga 1069, consisting of Support of iron, Copper bath, with gauge, Porcelain funnel, Glass plate with perforations, Glass Cylinders, Water Level regulator, complete with star burner.....\$30 00
- * 8425. Ditto, ditto, regulator, all glass. Pint.....\$1 00
Quart..... 1 50

* 8426. Water Bath, or Filter Dryer, of porcelain, for drying precipitates on the filter (See fig. 6285) \$1 50

* 8426a. Water Bath, with burner and gauge protection for heating inflammables.

Diameter,	6 in.	8 in.
	\$6 00	8 00

Other Water Baths, (see Drying Baths.)


8427. Water Bottle, best Bohemian glass, 7½ gallon capacity, for holding distilled water for the use in laboratories, with ground in glass stop-cock.....\$12 00

8427a. Ditto, ditto, without ground in stop-cock.....\$10 00


8427b. Ditto of stone ware, with stopper and stop-cock..\$12 00..without stop-cock. 10 00



8426a



8427c-b



8427c-a

○ 8427c. Water Filter, Pasteur, Chamberland, the only filter giving water free of bacteria, in ordering state whether used for the bacterioscopical laboratory or for the household.

* a Single filter with stop-cock.....\$10 00

3 tube filter..... 20 00

* b 5 tube filter..... 30 00

7 tube filter..... 35 00

100 tube filter.....250 00

Single tubes..... 1 00

8427d. Pasteur Filter Tube, small, pencil size, for bacteriological work, each 25c.

- * 8428. **Fletcher's Instantaneous Water Heater**, giving instantly a continuous supply of *pure* water at any temperature, from boiling to lukewarm, free from products of combustion, and suitable for all purposes.

Designed to hang over a laboratory sink.


In two sizes; large size, height 19 inches, projection from wall, 8 inches; small size, height 18 inches, projection from wall, 6 inches.

RECENT IMPROVEMENTS — A pilot light attachment, which keeps the water in the coil constantly warm, and automatically lights the burner when the gas is turned on; also a coupled gas and water tap, operated by one lever, a turn of which lights the burner and gives an immediate flow of warm water. The pilot light can be furnished alone or in combination with the coupled taps.


NOTE. — The light must be applied to the gauze before the gas is turned on.

PRICES.


No. 147. Water Heater, small size.....	\$11 00
No. 14. " " " " with pilot light.....	13 00
No. 14. " " " " " " and coupled taps.....	20 00
Nickel plating, extra.....	2 50
No. 147. Water Heater, large size.....	15 00
No. 147. " " " " with pilot light..	17 00
No. 147. " " " " " " and coupled taps.....	25 00
Nickel plating, extra.....	3 00
No. 347. Horizontal, all brazed for laboratory..	15 75



8428



8430



8429


- * 8429. **Fletcher's new instantaneous Water Heater.** This gives, when connected with a cistern or water tap, hot water in three seconds after the gas is lighted, either boiling, hot, warm, or cold, the water being pure, and fit for cooking purposes. It will deliver sufficient hot water for washing hands in one minute. It is simple, cheap, not liable to get out of order or wear out, and is equal in power to the small size Instantaneous Water Heater above.

PRICES.


No. 247. Water Heater, without burner.....	\$3 00
With burner, No. 47, complete, as engraved.....	5 00

- * 8430. **Water Wheel, Segner's**, for sulphuric acid works, (Gay Lussac's towers) demonstrating the principle of Reacting Hydrostatic Pressure, made of glass, according to size..... Price, \$1 50 to 3 00 each.

8431. **Weighing Capsules or Scoops of Aluminium.** Price, according to size and weight.....\$1 50 to 2 00 each.
8432. Ditto of glass, horn or rubber.....each, 25 cts.
- * 8433. **Water Hammer**.....75 to \$1 00
Weights, see Balances and Weights. Weighing Bottles, see Bottles for Weighing.
8434. **Weighing Tubes**, (see also Bottles for Weighing), set of two, one sliding into the other, each 2 in. long, per set.....20 cts.
- * 8434a. **Supports for Weighing Tubes of metal**.....\$1 50
8435. **Wicks**, plain, for alcohol lamps, per bundle.....10 cts.
8436. Ditto, round, for Berzelius', Rose's, etc., lamps, (in ordering please state for alcohol or kerosene,) per doz.....25 cts.
8437. **Wick Holder**, of brass, each. Small.....5 cts. Medium.....8 cts. Large.....10 cts.



8434a



8434a



8433

- 8437b. Wire, nickel.....lb. \$2 50 Ounce.....20 cts.
8438. Wire, very fine, of pure iron, for standardizing, pound.....60 cts.
8439. Ditto, of best piano steel, pound.....\$1 25
8440. Ditto, of pure copper, pound.....60 cts.
- Ditto, coated with gutta percha for batteries, etc. See 8444-8448.
- 8441. Wire gauze, copper, for combustions, etc.
- | 20 | 40 | 60 | 80 | 100 mesh. |
|-----|-----|-----|--------|--------------|
| .70 | .75 | .85 | \$1 20 | 1 70 sq. ft. |
8442. Ditto, ditto, iron, correct thickness of wire for heating.
- | 6 | 10 | 14 | 16 | 20 | 40 | 60 | 80 mesh. |
|-----|-----|-----|-----|-----|-----|-----|----------------|
| .20 | .25 | .28 | .30 | .30 | .45 | .70 | \$1 00 sq. ft. |
- If made of finer wire it is less in price.
- 8442a. Ditto, ditto, of iron, to put under dishes, piece of 4 in. square.....6 cts.
- | 5 in. square | 6 in. square | 8 in. square |
|--------------|--------------|--------------|
| 8 cts. | 10 cts. | 20 cts. |
8443. Brass, gauze.
- | 10 | 20 | 30 | 40 | 60 | 80 | 100 mesh. |
|-----|-----|-----|-----|-----|-----|----------------|
| .50 | .50 | .55 | .60 | .65 | .90 | \$1 30 sq. ft. |
- 8443a. Ditto, ditto, of brass, piece of 4 in. square, 10 cts., per square foot.....50 cts.
- 8443b. Ditto, ditto, of platina, for fractional distillation, etc., per gramme.
- | Coarse | Fine |
|---------|---------|
| 60 cts. | 75 cts. |

8443c. Wire Gauze, of nickel, about No. 30, per sq. ft\$2 50
Per square inch 2 cts.

Wire Holders, for platinum wires, see Holders.

○ 8444. Wire, cotton coated, for office and call bell.

No.	12,	14,	16,	18,	19	20
Per pound,	35	52	90	132	200	239 feet.....lb. 50 cts.

—* 8445. Single wire, single coat.

No.	16	18	20	22	24	26	28	31	Brown Sharp's gauge.
	.6	.5	.4	.3	.3	.2	.1½	.1	ct. per ft., less by quantities.

—* 8446. Double wires. No. 24.....8 cts. No. 18.....15 cts. per ft., less by quantities.


— 8447. Ditto, coated with cotton, for electro magnets, etc.

Nos.	18	20	22	24	26	28	30	32	38	B. & S. gauge.
Per pound,	.60	60	76	90	1 10	1 35	1 65	2 00	9 00	

— 8448. Ditto, coated with silk, for coils, etc., see figure 8445.

Nos.	18	19	23	25	28	29	30	32	B. & S. gauge.
Per pound,	\$1 15	1 25	1 50	1 80	2 40	2 75	3 00	3 50	

Woulff's Apparatus, for washing and absorbing gases, (see figure 5113, Apparatus.)



* 8449. Woulff's, Bottles, of heavy German glass, with two round necks.

Capacity,	½ pt.	½ pt.	1 pt.	1½ pt.	1 qt.	½ gal.	1 gal.	2 gal.
	.40	.45	.50	.70	.85	\$1 25	2 25	4 50

* 8450. Ditto, ditto, with three necks, 10 per cent. higher.

— 8451. Ditto, ditto, light blown glass, two necks.

	2 ounce.	4 ounce.	6 ounce.	8 ounce.
Price,	.25	.45	.60	\$1 00

— 8452. Ditto, ditto, ditto, three necks.

	2 ounce.	4 ounce.	6 ounce.	8 ounce.
Price,	.30	.50	.70	\$1 10

* 8453. Ditto, ditto, ditto, with outlet near the bottom and two necks.

Capacity,	1 pt.	1 qt.	½ gal.	1 gal.	2 gal.
	\$1 00	1 25	1 75	2 25	3 00

8454. Ditto, ditto, ditto, with three necks, 10 per cent. extra.

* 8455. Ditto, ditto, with delivery tubes and stopper ground into the necks.

Capacity,	4	8	16	32 ounce.
Price,	\$1 00	1 25	1 60	2 00


○* 8456. Woulff's Bottles, with or without outlet near the bottom, with water joint *a* or plain flange *b*. Of best German acid proof stone ware.

Capacity,	6	12	20	25	30	40	gallons.
Price,	\$4 25	5 50	7 25	9 00	11 00	13 25	each.
Capacity,	50	60	75	100	150		gallons.
Price,	\$18 00	22 00	28 50	38 50	50 00		each.

Wurtz's Apparatus, for fractional distillation, (see Tubes for Fractional Distillation.

—* 8457. Zincs, for Bunsen's Carbon Batteries, heavy cast zinc. See figure 5531.


Numbers,	1	1½	1¾	2
Height,	2½	3½	4½	7 inches.
Price,	.38	.45	\$1 00	2 00



8457



8459



8456b

-- 8458. Ditto, ditto, rolled, with connections, (see figure 5532.)

Capacity,	½	1	2	4	8	16 pint.
Height,	2½	3½	4½	5½	7½	10 inches.
Price,	.30	.40	.60	.70	\$1 00	1 50

—* 8459. Ditto, plates, for Smee's, etc., batteries.

3½x5 inch.

4x8 inch.

Per pair, .50

.90 cts.

8460. Ditto, for gravity Battery. for 5x9 inch. 6x8 inch Jar.

.30

.40 cts.

8461. Ditto, ditto, ditto, crawfoot, for 5x9 inch. 6x8 inch Jar.


.30

.40 cts.

8462. Ditto, for Leclanche's battery..... 10 cts.

8563. LIST OF APPARATUS AND CHEMICALS needed for the performance of the Experiments described in "The Young Chemist," by Prof. John H. Appleton.

No.	No.	No.
1.—3 Beakers, 1-3.	19.—1 Platinum Foil, 1 inch square.	33.—1 Bunsen Burner with regulator.
2.—3 Blocks of wood, 3x3x1 inches.	20.—1 Platinum Wire, 3 in.	34.— 3 feet Rubber Tubing.
3.—1 Blow-pipe, brass, 8 in.	21.—1 Retort, two ounces, tubulated and stoppered.	35.—1 Blow-pipe Tube.
4.—1 Casserole, six ounce.	22.—12 Test Tubes, plain five inch.	36.—1 Two-ring Retort Stand, iron.
5.— Corks, doz. assorted.	23.—2 Test Tubes, plain, 8 inch.	
6.—1 Cork, fitted with glass jet.	24.—1 Test Tube, side neck, five inch.	
7.—1 Crucible, porcelain, 00.	25.—1 Test Tube, hard glass, eight inch.	
8.—100 Filter Papers, 4 in.	26.—1 Test Tube, side neck, eight inch.	
9.—1 Flask, plain, eight oz.	27.—6 Test Tubes, small, for blow-pipe, 3 inch.	
10.—1 Flask, side neck, two ounce.	28.—1 Test Tube Rack.	
11.—1 Funnel, two inch.	29.—1 Taper.	
12.—2 feet Glass Tubing, quill size.	30.—1 Pair Tweezers, 5 inch.	
13.—1 Jar, specie, quart.	31.—1 Tripod for lamp.	
14.—1 Lamp, for alcohol, two ounces.	32.—1 Watch Crystal, 2 inch.	
15.—1 Lamp Chimney.		
16.—1 Lead Cup, 2 inches.		
17.—1 Lead Post.		
18.—1 Magnet, 3 inches.		




CHEMICALS.

No.	No.	No.
1. Alum, 4 ounces.	21. Copper, wire, 1 dram.	44. Manganese Sulphate, one ounce.
2. Aluminium, 1 dram.	22. Copper Pyrites, 1 ounce.	45. Mercuric Chloride, one dram.
3. Ammonic Carbonate, two ounces.	23. Copper Sulphate, 2 oza.	46. Mercuric Oxide, 1 dram.
4. Ammonic Chloride, four ounces.	24. Fluor-spar, 4 ounces.	47. Nickel, metallic, 1 dram.
5. Antimony, 1 ounce.	25. Gold Leaf.	48. " doublesulphate of, and ammonia, 1 oz.
6. Argentic Nitrate, 1 dram.	26. Indigo, 1 dram.	49. Oxalic Acid, 2 ounces.
7. Arsenious Oxide, 1 ounce.	27. Iodine, 1 dram.	50. Paraffine, 2 ounces.
8. Baric Nitrate, 1 ounce.	28. Iron Pyrites, 1 ounce.	51. Phosphorus, 1 ounce.
9. " Chloride, 1 ounce.	29. Iron Sulphate, 4 ounces.	52. Potassium, 1 globe.
10. Beeswax, 2 ounces.	30. Iron Sulphide, 4 ounces.	53. Potassic Bromide, 1 oz.
11. Bismuth, 1 dram.	31. Iron Turnings, 1 ounce.	54. " Iodide, $\frac{1}{2}$ ounce.
12. Bismuthic Nitrate, 1 dram.	32. " Wire, 1 ounce.	55. " Carbonate, 4 oza.
13. Bleaching Powder, four ounces.	33. Lead, sheet, 1 ounce.	56. " Chlorate, 2 oza.
14. Borax, 2 ounces.	34. " acetate, 1 ounce.	57. " Di-Chromate, two ounces.
15. Calcic Carbonate, marble, 4 ounces.	35. " nitrate, 1 ounce.	58. Potassic Ferrocyanide, 1 ounce.
16. Calcic Sulphate, 4 oz.	36. Lime, quick, 4 ounces.	59. Potassic Ferricyanide, one ounce.
17. Carbon bi-sulphide, one ounce.	37. Lithic Carbonate, 1 dram.	60. Potassic Nitrate, 4 ounces.
18. Charcoal, 2 ounces.	38. Litmus Blocks, 1 ounce.	61. " Per-manganate, 4 ounces.
19. Charcoal, animal 2 oz.	39. " Paper, 2 books.	
20. Cobaltous Nitrate, 1 dram.	40. Magnesium, 2 feet.	
21. Potassic Sulpho-cyanate, $\frac{1}{2}$ ounce.	41. Magnesium Sulphate, four ounces.	
22. Quilla, 4 ounces.	42. Mercury, metallic, 2 oz.	
23. Sand, 4 ounces.	43. Manganese Di-oxide, four ounces.	
24. Shellac, 1 ounce.	44. Stannous Chloride, 1 oz.	
25. Sodium, 1 dram.	45. Starch, 1 ounce.	
26. Sodid Chloride, 1 ounce.	46. Strontic Nitrate, 2 ounces.	
27. " Hydrate, 1 ounce.	47. Sulphur, 4 ounces.	
28. " Silicate, 1 ounce.	48. Sulphuretted Hydrogen Water, 2 ounces.	
	49. Tartar Emetic, 1 dram.	
	50. Tin Foil, 1 ounce.	
	51. Turpentine, 2 ounces.	
		78. Zinc Sulphate, 4 ounces.
		79. " Metallic, 1 ounce.
		80. Acid Acetic, 4 ounces.
		81. " Chlorohydric, 4 oza.
		82. " Nitric, 4 ounces.
		83. " Sulphuric, 4 ounces.
		84. Alcohol, Ethylic, 4 ounces.
		85. Ammonic-Hydrate, glass-stoppered bottles, 4 oz.


— The whole set complete.\$20 00

— 8566. Set to perform the Experiments in the New Edition of Steele's Chemistry, Apparatus and Chemicals complete.....\$25 00



- | | | |
|---|--|---|
| No. | No. | No. |
| 1.—Glass Funnel, 4 inches. | 27.—40 grains Barium Chloride. | 59.—1 dram Oxalic Acid. |
| 2.—Glass Spirit Lamp, four ounces. | 28.—2 ounces Bleaching Powder. | 60.—1 Piece Phosphorus. |
| 3.—2 Porcelain Evaporating Dishes, 3x4 inches. | 29.—2 ounces Bone Black. | 61.—10 grains Platinum Sponge. |
| 4.—Two 3 feet long Combustion Tubes, glass. | 30.—1 oz. Calcium Sulphate. | 62.— $\frac{1}{2}$ dram Potassium Metal. |
| 5.—1 Retort Stand, with two rings. | 31.—2 drams Camphor. | 63.—1 ounce Potassium Bichromate. |
| 6.—1 dozen Assorted Test Tubes, 4, 5 and 6 in. | 32.—2 drams Carbon Bisulphide. | 64.—4 ounces Potassium Chlorate. |
| 7.—1 Porcelain Mortar and Pestle, No. 6. | 33.—20 grains Cobalt Nitrate. | 65.—1 ounce Potassium Ferrocyanide. |
| 8.—1 Jeweller's Blow-pipe, 10 inches. | 34.—1 oz.—Copper Sulphate. | 66.—1 ounce Potassium Hydrate. |
| 9.—2 dozen Assorted Corks. | 35.—2 oza. Ether Sulphuric. | 67.—1 dram Potassium Iodide. |
| 10.—1 Evolution Flask, with rubber stopper, $\frac{1}{2}$ pt. | 36.—1 ounce Fluor-spar. | 68.—1 ounce Potassium Nitrate. |
| 11.—1 Funnel Tube, and delivery Tube. | 37.—1 piece Wire Gauze, 6 inches square. | 69.— $\frac{1}{2}$ dram Potassium Permanganate. |
| 12.—1 Florence Flask, with rubber stopper, 8 oz. | 38.—1 three-cornered File, 4 inches. | 70.—Gold Leaf 1 book. |
| 13.—1 Funnel and Delivery Tube. | 39.—1 Round File, 4 inches. | 71.—20 grains Gun Cotton. |
| 14.— $\frac{1}{2}$, 1-12, 1-16 and 1-24 oz. Florence Flask. | 40.—6 inch Platin Wire. | 72.—1 lb. Hydrochloric Acid. |
| 15.—6 Assorted Rubber Connectors. | 41.—1 Lead Tray, 2 $\frac{1}{2}$ inches. | 73.— $\frac{1}{2}$ dram Indigo. |
| 16.—1 Deflagrating Spoon. | 42.—1 oz. Measuring Glass. | 74.—15 grains Iodine. |
| 17.— $\frac{1}{2}$ lb. Glass Tubing. | 43.—25 CC Measuring Glass. | 75.— $\frac{1}{2}$ ounce Sulphate of Iron. |
| 18.—1 quart Alcohol. | 44.—1 Pair of Scales. | 76.—1 ounce Sulphate of Iron. |
| 19.— $\frac{1}{2}$ ounce Alum. | 45.—1 Set Ounce Weights. | 77.—1 ounce Lead Acetate. |
| 20.—4 ounces Aqua Ammonia. | 46.—1 Set Gramm's Weights. | 78.— $\frac{1}{2}$ ounce Lead Oxide. |
| 21.— $\frac{1}{2}$ ounce Ammonia Chloride. | 47.—12 Sheets Filtering Paper. | 79.—60 grains Nitrate Silver. |
| 22.—4 ounces Ammonia Nitrate. | 48.—1 Nest Hessian Crucibles, large 55. | 80.— $\frac{1}{2}$ dram Sodium Metal. |
| 23.—20 grains Aniline. | 49.—1 Pipette. | 81.— $\frac{1}{2}$ ounce Sodium Biborate. |
| 24.— $\frac{1}{2}$ ounce Antimon Metal. | 50.—1 Rubber Gas Bag, one gallon. | 82.— $\frac{1}{2}$ ounce Sodium Carbonate. |
| 25.—20 grains Antimon Tartrate. | 51.—1 Socket and Stop-cock. | 83.—4 oz. Sodium Sulphate. |
| 26.—40 grains Arsenious Acid. | 52.—1 Set Cork Borers, 1-6. | 84.— $\frac{1}{2}$ dm Strontium Nitrate. |
| | 53.—4 ounces Manganese Peroxide. | 85.— $\frac{1}{2}$ lb. Sulphur. |
| | 54.—1 dram Mercury Bichloride. | 86.—2 lbs. Sulphuric Acid. |
| | 55.— $\frac{1}{2}$ dram Mercury Cyanide. | 87.—2 drams Tartaric Acid. |
| | 56.— $\frac{1}{2}$ dram Mercury Oxide. | 88.—2 drams Oil of Turpentine. |
| | 57.— $\frac{1}{2}$ lb. Nitric Acid. | 89.— $\frac{1}{2}$ dram Chloride Zinc. |
| | 58.—1 dram Ground Nutgalls. | 90.—1 quart Distilled Water. |

* 8570. Apparatus required for Cooley's Guide to Elementary Chemistry, as authorized by the editor to furnish, sufficient for a class of 12. By Teachers, No. 1. By Students, No. 2.



Cat. No.	No. 1.	No. 2.
6137. Cylinders on foot, lip, 25 c.c. to $\frac{1}{2}$	2 pieces, \$1 00	1 dozen, \$5 00
8270. Test Tubes, 6x $\frac{1}{2}$ inch.....	1 dozen, .40	1 gross, 4 00
8271. Side Neck Tube, German, 6x $\frac{1}{2}$ inch.....	225	1 dozen, 1 25
8272. Ditto, ditto, ditto, hard glass, 6x $\frac{1}{2}$ inch.....	245	1 " 2 50
6839. Mortar and Pestle, porcelain glazed, 3 $\frac{1}{4}$ inch.....	145	1 " 2 50
8236. Support, smaller size.....	160	1 " 6 00
5964. Clamp for 8212, small universal movement.....	1 1 20	1 " 12 00
6348. Side neck Flask, round bottom, 150 c.c.....	270	1 " 3 60
6348. " " " " 250 c.c.....	140	1 " 4 00
6345. Beaker Flasks, 200 c.c., (6 oz.).....	245	1 " 2 60
6345. " " 500 c.c., (16 oz.).....	4 1 40	1 " 3 60
8010. Soft Rubber Stoppers, 2 holes, size to fit the 200 c.c. flasks, 6345.....	225	2 " 2 20
8010. Soft Rubber Stoppers, 2 holes for 500 c.c. flasks.....	480	1 " 2 25
8010. " " Size to fit side neck flask.....	225	1 " 1 00
6692a. Alcohol Lamp, 4 ounces or Bunsen Burner 5809.....	150	1 " 5 25
6389. Glass Funnel, German, long thin stem, 3 $\frac{1}{2}$ inch.....	120	1 " 2 00
5676. Wide mouth bottles, 400 c.c.....	110	1 " 1 00
5676. Ditto, ditto, ditto, 200 c.c.....	106	1 " 60
6384. Forceps, steel, plain, 4 $\frac{1}{2}$ inch.....	120	1 " 1 60
6174. Porcelain Dishes, R. B., 3 $\frac{1}{4}$ inch diameter.....	270	1 " 4 00
5941. Chloride Calcium Tubes, 1 bulb, 6 inch.....	118	1 " 1 50
6929. Pinch-cocks, Mohr's, small.....	120	1 " 1 80
6540. Glass Tubing, 3-16, outside diam.....	1 pound, .60	2 pounds, 1 20
8015. Rubber Tubing, 3-16, black.....	3 feet, .30	18 feet, 1 80
8013. Ditto, ditto, $\frac{1}{2}$ inch, thick, white.....	3 feet, .36	piece, 1 32
8285. Chem. Thermometer, from -20 to 200 °F. net.....	1 2 00	3 5 25
6282. Triangular file 4 $\frac{1}{2}$ inch.....	125	3 75
Pan, agate ironware, 8 inch diameter. 3 or 4 inch deep, straight sides.....	150	1 dozen, 5 75
6288. Filter Paper.....	1 qre. .35	4 qrea. 1 40
5409. Becker's Balance, 3 ounces, no case.....	\$9 75 net	
5411. Ditto, ditto, with case.....	18 75 "	
5421. Hand Scales, 6 inch beam.....	1 40 "	$\frac{1}{2}$ doz. 7 00
5447. Weights, 20 gr. to 1 centigr. in block.....	1 00 "	" 5 70
5465. Ditto, ditto, good grade, 50.0 to 0.001 grm. in lined box, Complete set, without balances and weights, \$15 10	3 00 "	" 18 00
If full set is taken, less 20% dis.	3 02	20% dis. 17 54
Nett.....	12 08	nett. 70 18

— 8571. Chemicals required for illustration of Cooley's Guide to Elementary Chemistry, as authorized by the editor to furnish sufficient for a class of 12.

By Teachers, No. 1. By Students, No. 2.

	No. 1.	No. 2.
Acetic Acid, pure.....	1 lb. .35	2 lbs. .60
Alcohol.....	1 " .45	2 " .82
Alum..... (paper).....	$\frac{1}{2}$ " .10	$1\frac{1}{2}$ " .10
Ammonium carbonate, c.p.....	1 " .65	2 " 1 30
" chloride, c.p.....	1 " .50	$1\frac{1}{2}$ " .72
" hydrate.....	2 " .52	4 " .90
" nitrate, cryst.....	$\frac{1}{2}$ " .30	$1\frac{1}{2}$ " .70
Antimony, sol. chloride, c.p.....	$\frac{1}{2}$ " .30	$\frac{1}{2}$ " .50
Arsenious oxide, white arsenic.....	$\frac{1}{2}$ " .15	$\frac{3}{4}$ " .20
Barium chloride, a.p.....	$\frac{1}{2}$ " .15	1 " .30
Bismuth nitrate cryst., c.p.....	$\frac{1}{2}$ " .83	$\frac{3}{4}$ " 2 50
Bone black.....	$\frac{1}{2}$ " .10	1 " .15
Bromine.....	1 oz. .25	1 oz. .25
Calcium chloride, crude.....	1 lb. .20	2 lbs. .35
" " cryst., c.p.....	$\frac{1}{2}$ " .20	$\frac{1}{2}$ " .30
" oxide, quick lime.....	$\frac{1}{2}$ " .10	$\frac{1}{2}$ " .10
Carbon pencil, Elec. light, $\frac{1}{4}$ inch diam., round 4 inches long.....	.5 — .25	15 .60
Chrome Alum.....	$\frac{1}{2}$ " .10	1 " .16
Cobalt nitrate, c.p.....	1 oz. .30	$\frac{1}{2}$ " .90
Cochineal..... (paper).....	1 " .10	$\frac{1}{2}$ " .25
Copper, thin sheet.....	$\frac{1}{2}$ lb. .20	1 " .40
" wire, No. 18, naked.....	$\frac{1}{2}$ " .15	$\frac{1}{2}$ " .15
" wire, No. 18, covered with cotton.....	$\frac{1}{2}$ " .20	$\frac{1}{2}$ " .20
" wire, No. 20. " " ".....	$\frac{1}{2}$ " .25	$\frac{1}{2}$ " .25
Copper chloride.....	2 oz. .14	$\frac{1}{2}$ " .35
" sulphate, c.p.....	$\frac{1}{2}$ lb. .30	$1\frac{1}{2}$ " .60
"Dutch metal" imitation gold leaf.....	1 book. .17	1 book. .17
Ferrous sulphate, pure.....	$\frac{1}{2}$ lb. .18	$1\frac{1}{2}$ lb. .35
" Sulphide, sticks..... (paper).....	1 " .25	3 " .75
Hydrochloric Acid, pure.....	6 " 1 75	12 " 3 24
Iodine.....	1 oz. .40	2 oz. .75
Lead Acetate..... (paper).....	1 lb. .16	$1\frac{1}{2}$ lb. .24
Litmus cubes..... (paper).....	1 oz. .10	2 oz. .10
Magnesium ribbon..... (paper).....	2 ft. .10	6 ft. .25
" chloride, cryst.....	$\frac{1}{2}$ lb. .15	$\frac{3}{4}$ lb. .35
" sulphate, c.p.....	$\frac{1}{2}$ " .15	$\frac{3}{4}$ " .35
Manganese Di-oxide powder..... (paper).....	$\frac{1}{2}$ " .10	$1\frac{1}{2}$ " .15
" sulphate.....	$\frac{1}{2}$ " .35	$\frac{1}{2}$ " .60
Marble.....	1 " .10	2 " .15
Mercury, redistilled.....	.5 " 4 00	5 " 4 00
" bichloride (corr. sub.).....	$\frac{1}{2}$ oz. .45	1 " .85
" oxide, red.....	$\frac{1}{2}$ " .20	1 " .95
Nickel chloride.....	1 oz. .13	$\frac{1}{2}$ " .30

-- 8571. Continued.

	No. 1.	No. 2.
Nitric acid, pure.....	2 lbs. .70	7 lbs. 1 85
Oxalic acid, cryst. c.p.....	$\frac{1}{2}$ " .25	1 " .60
Paraffine.....	1 " .23	1 " .23
Phosphorus.....	2 oz. .35	2 oz. .35
Potassium.....	1 dr. .50	1 dr. .50
" bromide, c.p.....	$\frac{1}{2}$ lb. .50	1 lb. 1 50
" carbonate, c.p.....	$\frac{1}{2}$ " .30	1 " 1 00
" chromate.....	$\frac{1}{2}$ " .15	$\frac{3}{4}$ " .40
" chlorate, cryst.....	$\frac{1}{2}$ " .15	1 " .35
" di-chromate.....(paper).....	$\frac{1}{2}$ " .10	1 " .18
" ferrocyanide.....(paper).....	$\frac{1}{2}$ " .10	1 " .30
" iodide, c.p.....	$\frac{1}{2}$ " 1 25	$\frac{3}{4}$ " 3 50
" nitrate, cryst. c.p.....	$\frac{1}{2}$ " .20	1 " .40
" sulphate, cryst. c.p.....	$\frac{1}{2}$ " .20	1 " .50
Platinum foil, medium thick, $1 \times \frac{1}{2}$ inch.....	2 pieces. .60	6 pieces, 1 80
" wire, medium thick.....	3 in. .10	24 in. .60
Pyrogallie acid.....	1 oz. .40	3 oz. 1 20
Silver nitrate, cryst.....	2 " 1 65	$\frac{1}{2}$ lb. 3 00
Sodium.....	1 oz. .50	3 oz. 1 30
" biborate.....(paper).....	$\frac{1}{2}$ lb. .10	1 lb. 16
" carbonate, c.p.....	$\frac{1}{2}$ lb. .38	1 lb. .70
" hydrate, c.p.....	$\frac{1}{2}$ " .80	1 " 1 50
" nitrate, dry.....	$\frac{1}{2}$ " .15	1 " .35
" sulphate, c.p.....	$\frac{1}{2}$ " .15	1 " .30
Strontium chloride.....	$\frac{1}{2}$ " .14	$\frac{1}{2}$ " .23
" nitrate, c.p.....	$\frac{1}{2}$ " .30	1 " 1 00
Sulphur, flour.....	$\frac{1}{2}$ " .10	1 " .10
" roll.....	1 " .10	1 " .10
Sulphur acid, pure, conc.....	9 " 2 50	18 " 4 45
Tartaric acid, cryst.....	$\frac{1}{2}$ " .20	1 " .65
Tin, granulated.....(paper).....	$\frac{1}{2}$ " .20	$1\frac{1}{2}$ " .60
Zinc, sheet, v.....	1 " .25	1 " .25
" granulated.....	1 " .25	1 " .25
Logwood chips.....	1 " .10	1 " .10
Potassium hydrate, pure, by alc.....	$\frac{1}{2}$ " .80	1 " 1 50
Complete set.....	\$30 63	\$59 00
If full set is taken, less 10% discount.....	3 06	5 90
Nett,	27 57	53 10

Teachers' set includes bottles. Students' set \$4.80 extra for bottles.

NOTE.—Chemicals, when bought in very small packages, are more costly in proportion than in larger quantities. Most substances will remain good a long time if properly cared for. It is therefore cheaper in the end to buy at the outset more than is required for a single course of experiments. But by dividing the quantities named in the above list (No. 1) by two, the actual needs for a single course will be supplied, and the first cost of the set largely reduced.

— 8572. Apparatus and Chemicals required for Remsen's Briefer Course of Chemistry.

APPARATUS.

12 Test Tubes, 5 inch.....	35
1 Test Tube Stand.....	30
1 Bunsen's Burner.....	50
$\frac{1}{2}$ lb. German Glass Tubing.....	15
1 Triang. File, $4\frac{1}{2}$ inch.....	25
1 Round File, 5 inch.....	25
2 Bunsen's Cells, pt., 1 20.....	2 40
2 Wire Clamp Supports, 75c.....	1 50
1 Porcel. Mortar, $3\frac{1}{2}$ in. and pestle.....	50
1 Horseshoe Magnet, 3 inch.....	20
2 Watch-glasses, 2 inch.....	10
2 Porcel. Dishes, 1 each, $2\frac{1}{2}$ and $3\frac{1}{2}$ inch	40
1 Iron Tripod	25
1 Mohr's Burette, 25 in 1-10 c.c.....	1 25
1 Hess. Crucible, 4 ounce.....	6
1 Deflagrat. Spoon.....	20
1 Glass-stoppered Retort, 2 ounces.....	30
6 Florence Flasks, $\frac{1}{2}$ ounce, 15c; 2-6	
ounce, 18c; 2-8 ounce, 22c; 1-12	
ounce, 25c.....	1 20
1 set Cork Borers of brass, 6; set.....	1 50
1 Glass Tube, 12 to 15 in. long, 1 to $1\frac{1}{2}$	
in. bore, one end closed.....	50
2 Funnel Tubes, assort.....	40
1 set Gramme Weights, 20.0 to 0.01, in	
box	65
1 pair Hand Scales, E. & A., 9046.....	85
2 dozen Assort. Corks	18
1 Platin. Foil, $1\frac{1}{2}$ in. square.....	50
1 Quire Filter Paper.....	35
1 Measur. Glass, 25 c.c.....	45
6 inch. Platin. Wire.....	15
1 Jewellers' Blow-pipe, 8 in.....	20
3 ft. Gas Rubber Tubing.....	40
2 ft. Rubber Tubing for connect. assorted	25

CHEMICALS.

$\frac{1}{2}$ lb. Roll Sulphur, in box.....	10
4 ounces Granul. Tin, in box.....	15
4 " Potass. Chlorate, in box.....	12
1 lb. Mangan. Dioxide, in box.....	15
1 ounce Phosphorus, in bottle.....	20
1 drgm. Sodium, in bottle.....	15
1 drgm. Potassium, in bottle.....	52
1 lb. Granul. Zinc.....	25
4 ounces Calc. Gypsum, box.....	10
4 " Sodium Sulphate, in box.....	10

4 ounces Calcium Chloride, bottle.....	\$0 15
4 " Potass. Permangan., bottle....	30
4 " Caust. Soda, purif., bottle....	25
4 " Caust. Ammonia, bottle.....	20
4 " Ammon. Chloride, box.....	10
4 " Metall. Lead, box	10
4 " Ammon. Nitrate, bottle.....	20
4 " White Arsenic, bottle.....	12
4 " Fluorspar, powd., box.....	10
2 " Potass. Bromide, bottle.....	15
1 " Potass. Iodide, bottle.....	35
$1\frac{1}{2}$ lb. Iron Sulphide, box	15
2 ounces Lead Nitrate, box.....	10
1 " Red Phosphorus, bottle.....	25
4 " Caust. Potassa, bottle.....	25
4 " Met. Antimony, box.....	10
2 " Tartar Emetic, powd., bottle	20
4 " Borax, box.....	10
4 " Fine Iron Filings, box.....	10
4 " Carbon Di-sulphide, bottle..	15
8 " Hydrochlor. Acid, bottle....	20
8 " Nitric Acid, bottle.....	20
1 lb. Sulphuric Acid, bottle.....	20
8 ounces Copperfoil.....	35
$\frac{1}{2}$ drgm. Magnesium Ribbon.....	40
4 ounces Magnesium Sulphate, box....	10
2 " Barium Chloride, box.....	10
1 " Iodine, gl. st. bottle.....	45
2 " Strontium Nitrate, bottle....	10
4 " Potass. Sulphate, box.....	10
1 " Litmus, box.....	10
1 Sheet each of Blue and Red Litmus	
Paper.....	10
4 ounces Sodium Carbon. Anhyd., purif.	
box	10
4 ounces Bleach Powder, bottle.....	10
4 " Ammon. Carbonate, bottle....	10
2 " Sodium Phosphate Cryst.,	
bottle	15
2 ounces Mercury, bottle.....	15
4 " Alum, box.....	10
4 " Potass. Bi-chromate, box....	10
1 " Metall. Bismuth, box.....	25
4 " Minium, box.....	10
4 " Litharge, box.....	10
1 " Lead Peroxide, comm. bot.	15
4 " Copper Sulphate, box.....	10
2 Boxes, and delivered free on board,	
N. Y. City.....	1 00

\$26 70

8573. List of the most necessary Apparatus for Qualitative and Quantitative Analysis, as used by the School of Mines, compiled to be a help in making out orders.

Flasks, 40 c.c., Bohemian.	Plain Beakers, No. 2, 125 c.c.	Convex Covers, 12 c.m.
" 100 c.c., "	Ditto, ditto, No. 3, 200 c.c.	Ditto, ditto, 14 c.m.
" 150 c.c., "	Ditto, ditto, No. 4, 300 c.c.	Ditto, ditto, 16.5 c.m.
" 250 c.c., "	Ditto, ditto, No. 5, 450 c.c.	Weighing Scoop.
" 400 c.c., "	Test Tubes, No. 1, 10 c.m.	Piece of Combustion Tubing,
" 700 c.c., "	Ditto, ditto, No. 2, 15 c.m.	2 metres.
" 1000 c.c., "	Ditto, ditto, No. 3, 20 c.m.	Calcium Chloride Tube,
" 1400 c.c., "	Thistle Tube, 9 to 10 in. long.	small, bent.
Funnels, No. 1, 4 c.m., Bohemian.	Flat Covers.	Funnel Tube, stop-cock,
Funnels, No. 2, 7 c.m., Bohemian.	Piece of blue glass, 8 ctm. sq.	70 c.c.
Funnels, No. 3, 8 c.m., Bohemian.	Wash Bottle, No. 1, 150 c.c.	Ignition Bulb Tube.
Funnels, No. 4, 10 c.m., Bohemian.	Ditto, ditto, No. 2, 400 c.c.	Specimen Tubes, 8 c.m.
Funnels, No. 5, 13 c.m., Bohemian.	Ditto, ditto, No. 3, 700 c.c.	U Tubes, set of four.
Funnels, No. 6, 15 c.m., Bohemian.	Ditto, ditto, No. 4, 1400 c.c.	Ditto, No. 1, 14 c.m.
Funnels, No. 7, 18 c.m., Bohemian.	Flasks, 2 litres, Bohemian.	Ditto, No. 2, 15 c.m.
Funnels, No. 8, 21 c.m., Bohemian.	Ditto, 50 c.c., Ditto, measured.	Ditto, No. 3, 30 c.m.
Watch Glasses, flat, 5 c.m.	Flasks, 100 c.c., Bohemian, measured.	Peligt Bulbs.
Glass Tube Metre.	Flasks, 200 c.c., Bohemian, measured.	Retort, ½ litre, tub.
Glass Rod "	Flasks, 250 c.c., Bohemian, measured.	Ditto, 1 litre, tub.
Bottles Corked, wide-mouthed 35 c.c.	Flasks, ½ litre, Bohemian, measured.	Ditto, 2 litre, tub.
Ditto, ditto, ditto, 100 c.c.	Flasks, 1 litre, Bohemian, measured.	Ditto, 3 litre, tub.
Ditto, ditto, ditto, 150 c.c.	Flasks, Specific Gravity.	Ditto, 3½ litre, tub.
Ditto, ditto, ditto, 250 c.c.	Flasks, parting, 150 c.c., straight neck.	Measuring Cylinder, 1 to 10 c.c.
Ditto, ditto, for alcohol, 600 c.c.	Flasks, 70 c.c., wide-mouthed.	Lipped Beakers, nests of six, 1 to 6.
Bottles, glass stoppered, narrow mouth, 15 c.c.	Ditto, Erlemeyer, 400 c.c.	Lipped Beakers, No. 1, 150 c.c.
Ditto, ditto, ditto, 30 c.c.	Ditto, ditto, 250 c.c.	Ditto, ditto, No. 2, 250 c.c.
Ditto, ditto, ditto, 250 c.c.	Pipettes, 10 c.c.	Ditto, ditto, No. 3, 350 c.c.
Plain Beakers, nests of five, (Nos. 1 to 5).	Ditto, 25 c.c.	Ditto, ditto, No. 4, 500 c.c.
Ditto, ditto, No. 1, 75 c.c.	Ditto, 50 c.c.	Ditto, ditto, No. 5, 700 c.c.
	Ditto, 100 c.c.	Ditto, ditto, No. 6, 1000 c.c.
	Burette, Gay Lussac, 50 c.c., in tenths.	Desiccators, covered.
	Convex Covers, 8 c.m.	Glass Mortar and pestle.
	Ditto, ditto, 9 c.m.	Thermometer.
		U Tubes, with side tubes.
		Liebig's Potash Bulb.
		Bulbed Calcium Chloride Tube.
		Glass Bulbs, Dumas Vapor.

PORCELAIN.

Porcelain Mortar and pestle, 12 c.m.	Porcelain Evap. Dishes, No 5.	Porcelain Casseroles, Royal Berlin, 11 ctm.
Porcelain Evap. Dishes, nest of six.	Ditto, ditto, No. 6.	Ditto, ditto, 18.5 ctm.
Ditto, ditto, No. 1.	Ditto, ditto, 19 c.m.	Ditto, ditto, 16.5 ctm
Ditto, ditto, No. 2.	Ditto, ditto, 21 c.m.	Porcelain Crucibles, Royal Berlin, 32 m.m.
Ditto, ditto, No. 3.	Porcelain Evaporating Dishes, 23.5 c.m.	Ditto, ditto, 44 m.m.
Ditto, ditto, No. 4.	Ditto, ditto, 31.5 c.m.	Ditto, ditto, 51 m.m.
	Ditto, ditto, 9.5 ctm.	

PAPER.

Package Cut Filters, 8 c.m.	Package Cut Filters, 23 c.m.	Sheets German Paper, 8. & 8.
Ditto, ditto, 10 c.m.	Ditto, ditto, 26 c.m.	Sheets Glazed Paper.
Ditto, ditto, 13 c.m.	Ditto, ditto, 30 c.m.	Note Book.
Ditto, ditto, 15 c.m.	Sheets Swedish Paper, M, No. 1.	Box of gum tickets.
Ditto, ditto, 18 c.m.		

METAL.

Ring Stands, 3 rings.
 File Triangular, 12 c.m.
 File Rat-tail, 12 c.m.
 Steel Forceps, 11 c.m.
 Steel Forceps, bent, nickel plated.
 Wire Triangles.
 Ditto, ditto, covered.
 Scissors, Rogers, 10 c.m.
 Pieces, Wire Gauze, 10 c.c.

Bunsen Burners.
 Ditto, ditto, with side flame.
 Wing-top for ditto.
 Lead Capsula.
 Water Baths, 14 c.m.
 Watch Glass Clip.
 Sand Baths, tin, 15 c.m.
 Set of four zinc Filter Patterns.
 Platinum Foils, 8 c.m.
 Ditto, Capsula.

Platinum Foils, wire, fine, 60 c.m.
 Ditto, triangle.
 Ditto, Crucible.
 Ditto, Dish.
 Gas Stove, Dome.
 Gas Stove, Fletcher's.
 Gas Stove, Ring.
 Tube Clamp.
 Riders for Balance.
 Blow-pipe.

SUNDRIES.

Filter Stands, Folding.
 Ditto, ditto, Fresenius.
 Test Tube Racks.
 Test Tube Holder.
 Rubber Tube, black, 4 m.m.
 Rubber Tube, 5 m.m.
 Rubber Tube, white, 7 m.m., extra heavy.

Rubber Stopper, with holes, Nos. 1 to 6.
 Rubber Stopper, with holes, large.
 Sponge Swabs, whalebone.
 Horn Spatula, 13 c.m.
 Towels.
 Test Tube Brushes, sponge-end.

Tube Cleaners.
 Clay Chimneys.
 10 c.c. Platinum Chloride.
 Bottle for same.
 Argentic Nitrate, crystals.
 Bottle for same.
 Re-agent Bottles on laboratory desk.

ASSAY (SPECIAL.)

Re-agent Bottles in assay Laboratory.
 Ring stand.
 Filter stand, Fresenius.
 Convex Covers, 9 c.m.
 Parting Bottles, 250 c.m.
 Parting Flasks, 150 c.c., conical.
 Funnel, No. 2, 7 c.m.
 Nest of 6 lipped Beakers.
 Glass Rod.
 Wash bottle, No. 2, 400 c.c.
 Bottles, corked, wide-mouthed, 150 c.c.
 Bottles, corked, wide-mouthed, 250 c.c.
 Porcelain Capsules, 5 c.m.
 Porcelain Mortars, 21 c.m.
 Box of Gum Tickets.
 Sheets of Glazed Paper.
 Roasting Pans.
 Iron Tray, 22x30 c.m.


Iron Mortar, 17 c.m.
 Steel Forceps, bent, nickel plated.
 Bunsen Burner.
 Rubber Tube for same.
 Towel.
 Sand bath.
 Package Out Filter, 10 c.m.
 Pure Silver, 15 grms.
 Horn Spatula, 20 c.m.
 Horn spoon, 23 c.m.
 Hand Scales, with horn pans.
 Flat Brush, 33 c.m. wide.
 Annealing Cups.
 Scorifiers, 8 c.m.
 Roasting Dishes, 7 c.m.
 Roasting Dishes, 8 c.m.
 French Crucibles, No. 5.
 French Crucibles, No. 6.
 French Crucibles, No. 8.
 French Crucibles, Covers, No. 5.

French Crucibles, Covers, No. 6.
 French Crucibles, Covers, No. 8.
 Hessian Crucibles, single, five.
 Hessian Crucibles, nests, six.
 Hessian Crucibles, nests, eight.
 Hessian Crucibles, Covers, five.
 Hessian Crucibles, Covers, six.
 Hessian Crucibles, Covers, eight.
 Lead Assay Crucibles.
 Lead Assay Covers.
 Assay Balance.
 Set of Weights with Forceps.

— 8574. Set of Apparatus Qualitative Analysis, according to Prof. Fresenius. Price\$26 00

No.	No.	No.
1.—1 Berzelius Lamp, or Bunsen's Gas Lamp.	9.—1 lb. Glass Tubing.	17.—1 Agate Mortar and Pestle.
2.—1 Glass Alcohol Lamp.	10.—Platinum Foil.	18.—1 Pair Forceps, platina tips.
3.—1 Berzelius Blow-pipe.	11.—Platinum Wire.	19.—1 Filtering Stand.
4.—1 Platinum Tip.	12.—Test Tube Stand.	20.—1 Triangle.
5.—1 Plat'm Crucible 10 c.c.	13.—13 German Test Tubes.	21.—1 Iron Tripod.
6.—1 Nest Berlin Crucibles, of 4.	14.—1 Nest (5) Bohemian Beakers.	22.—1 pair Steel Crucible Tongs.
7.—1 Nest Berlin Dishes, of 5.	15.—4 Flasks, 2, 4, 8 and 16 ounces.	23.—German Filtering Paper.
8.—3 Glass Funnels, ground top.	16.—1 pint Washing Bottl.	


—8575. Set of Apparatus for volumetric Analysis..... \$40 00



- | | | |
|--|--|---|
| <p>No.</p> <p>1.—1 Mohr's Burette, 100 CC in 1-5 CC.</p> <p>2.—1 Mohr's Burette, 50 CC in 1-10 CC.</p> <p>3.—1 Gay Lussac's Burette, 50 in 1-10 CC on polished wooden base.</p> <p>4.—1 Mohr's Burette, 25 CC in 1-10 CC.</p> <p>5.—1 Mohr's Burette, 50 CC in 1-10 CC, with glass stop-cock.</p> <p>6.—1 Bink's Burette, 100 CC or smaller, on polished wooden base.</p> <p>7.—4 Floats to fit above Burettes.</p> <p>8.—1 Wooden Support for two Burettes.</p> <p>9.—1 Iron Support, with brass clamps, for two Burettes.</p> <p>10.—1 Graduated Mohr's Pipette, 100 CC in 1-5 CC.</p> | <p>No.</p> <p>11.—1 Graduated Mohr's Pipette, 50 CC in 1-10 CC.</p> <p>12.—1 Graduated Mohr's Pipette, 10 CC in 1-20 CC.</p> <p>13.—1 Graduated Mohr's Pipette, 5 CC in 1-20 CC.</p> <p>14.—2 Volume Pipettes.</p> <p>15.—1 Fixed Pipette, 20 CC.</p> <p>16.—Ditto, ditto, 25 CC.</p> <p>17.—Ditto, ditto, 50 CC.</p> <p>18.—Ditto, ditto, 100 CC.</p> <p>19.—4 Mohr's Pinch-cocks, with tips and rubber.</p> <p>20.—1 Graduated Glass Cylinder, with lip, 50 CC.</p> <p>21.—1 Graduated Glass Cylinder, with lip, 250 CC.</p> <p>22.—1 Graduated Glass Cylinder, with lip, 500 CC.</p> <p>23.—1 Graduated Glass Cylinder, with lip, 1000 CC.</p> <p>24.—1 Mixing Jar, glass-stoppered, 1000 CC.</p> | <p>No.</p> <p>25.—1 Mixing Flask, glass-stoppered, 1000 CC.</p> <p>26.—1 Volumetric Flask, with mark, 100 CC.</p> <p>27.—1 Volumetric Flask, with mark, 250 CC.</p> <p>28.—1 Volumetric Flask, with mark, 500 CC.</p> <p>29.—1 Porcelain Plate.</p> <p>30.—1 Set (6) Bohemian Beakers, lipped.</p> <p>31.—1 Set (4) Bohemian Beakers, not lipped.</p> <p>32.—1 Glass Alcohol Lamp.</p> <p>33.—6 Test Glasses.</p> <p>34.—1 dozen Stirring Rods.</p> <p>35.—Six Glass Funnels, 1 to 4 inch diameter.</p> <p>36.—Glass Tubing.</p> <p>37.—1 doz. sheets each, blue and red Litmus paper.</p> <p>38.—1 dozen sheets turmeric paper.</p> <p>39.—Chemical pure filtering paper, Swedish.</p> <p>40.—1 Set of Liter Bottles for Standard Solutions.</p> |
|--|--|---|

8576. Set of Apparatus to perform all the experiments in Dr. Piffard's, "A Guide to Urinary Analysis" at prices quoted there in appendix.....\$86 00

Prof. Draper, set of Urinary Apparatus, (see Apparatus.)




8577. Set of Urinary Analysis, according to Dr. A. Flint, all arranged in a polished black walnut case, for travelling or physician's office, complete...\$20 00

BLOW-PIPE

- 8578. Blow-pipe Cabinet, according to Professor Plattner, of Lingke's (Freiberg), superior make, complete with gilded, agate knife edge, assay, and specific gravity balance, in folding glass case, comprising every article used in qualitative and quantitative Blow-piping.

The apparatus is laid in trays, fitted in polished mahogany cases, contained in a very substantial strapped leather case 12x12x13 inch, with handles. It bears the roughest handling or road transportation, complete, net.\$175 00




8579

- 8579. Apparatus for Qualitative and Quantitative Blow-piping according to Prof. Plattner. same as in set mentioned before singly.


No.

- 1.—Acid and Cobalt Bottle.....30 to 40 cts.
- 2.—Agate Mortar and Pestle, 2 inch diameter....\$1 85
- 3.—Anvil, of best steel.....50 cts.
- 4.—Anvil and Mortar combin'd, Prof. Leed's form \$2 00




- 5.—Balance, Plattner's in polished case.....20 00
- 6.—Ditto, ditto, with weights.....23 00

7.—Blow-pipe, Plattner's, with platinum jet. Plain....	\$1 90.	Nickel plated.....	2 00
8.—Ditto, ditto, common.....			20 to 40 cts.
9.—Borer, Charcoal, club shape.....			75 cts.
10.—Ditto, ditto, four cornered.....			45 cts.
11.—Ditto, ditto, with spatula.....			50 cts.
12.—Ditto, ditto, chisel and magnet combined.....			50 cts.
13.—Brush, assay button.....			45 cts.
14.—Ditto, mixing, camel hair.....			5 cts.
15.—Capsule, mixing, brass.....			20 cts.
16.—Ditto, ditto, nickel plated.....			25 cts.
17.—Ditto, ditto, horn.....			15 cts.
18.—Ditto, porcelain, deep, each.....			20 cts.



19.—Charcoal Saw.....	30 cts.
20.—Charcoal, natural, per doz.....	52 cts.
21.—Ditto, 3x½ inch, artificial.....	45 cts.
22.—Clay Capsules, per dozen.....	20 cts.
23.—Clay Crucibles, per dozen.....	20 cts.
24.—Clay Cylinders, each.....	24 cts.
25.—Coal Capsules, per dozen.....	18 cts.
26.—Coal Covers, square, per dozen.....	60 cts.

27.—Coal Crucibles, per dozen.....	20 cts.
28.—Coal Squares, per dozen.....	75 cts.
29.—Crucibles, Plattner's.....	25 cts.
30.—Dishes, porcelain, 3 in nest.....	24 cts.
31.—Forceps, platinum pointed, Plattner's style, nickel plated.....	\$1 75
32.—Forceps, platinum pointed, steel, nickel plated, French style.....	2 25
33.—Forceps, brass.....	40 cts.
34.—Forceps, nickel plated, extra long tips.....	75 cts.
35.—Forceps, steel, for lamp.....	20 cts.
36.—Form for Paper Cylinders.....	15 cts.
37.—Hammer, Plattner's style.....	60 cts.
38.—Hammer, wire handle, Colton's style.....	75 cts.
39.—Hammer, for chipping minerals.....	\$1 00 to 2 00
Other Hammers, see Catalogue.	
40.—Holder, cupel, with two cupels and one mould.....	\$1 45
41.—Ditto, charcoal, with platinum ring, shield and stand.....	2 20
42.—Ditto, for evaporating dish, with triangle.....	2 00



43.—Ditto, for chimney.....	1 50
44.—Ditto, for platinum wire.....	80 cts.
45.—Ditto, ditto, with 6 wires.....	\$1 00
46.—Ditto, for mattress.....	30 cts.
47.—Jets, platinum, without seam.....	60 cts.
48.—Knife.....	25 cts.
49.—Lamps, for blow-pipe, with patent swivel, nickel plated.....	\$4 35
50.—Lamps, for blow-pipe, plain brass.....	3 50
51.—Lamps, alcohol, brass cover, plated.....	70 cts.
52.—Lamps, ditto, plain.....	45 cts.
53.—Magnet, bar and chisel edge.....	34 cts.
54.—Ditto, horseshoe.....	25 cts.
55.—Magnifier, with one lense.....	45 cts.
56.—Magnifier, with 2 lenses.....	65 cts.
57.—Magnifier, with 3 lenses.....	85 cts.
58.—Magnifier, with handle.....	\$1 50 to 2 50
59.—Mattresses, extra hard Bohemian glass, with bulb, per dozen.....	75 cts.
60.—Ditto, closed tube only, per dozen.....	24 cts.
61.—Mattresses, German glass, flask shape, per dozen.....	75 cts.

62.—Mortar, Plattner's diamond	\$3 75
63.—Ditto, according to Prof. Leeds (see figure 4)	2 00
64.—Moulds, for square coals and covers with two stamps	4 50
65.—Moulds, brass, for clay crucibles	4 00
66.—Moulds and stamp, of hard wood, for making coal crucibles	50 cts.
67.—Moulds and stamp, for making coal capsules	50 cts.
68.—Nippers, flat nose	50 cts.
69.—Plat. Wire, per foot	20 to 50 cts.
70.—Plat. Foil, per square inch	20 to 40 cts.
71.—Pliers, cutting, Plattner's	from \$1 00 to 1 50
72.—Soda papers, box	20 cts.
73.—Spatula, mixing, steel	25 cts.
74.—Spoon, ivory	24 cts.
75.—Spoon, platinum	\$1 00 to 2 50
76.—Scale, Plattner's, for measuring silver buttons, of ivory	3 00
77.—Scissors, for lamp	50 cts.
78.—Streak plate	20 cts.
79.—Supports for Crucibles, metallic, for two	20 cts.
80.—Supports for Crucibles, clay	24 cts.
81.—Test Lead Measure	50 cts.
82.—Test Lead Sieve	\$1 00
83.—Tips of Platinum for Blow-pipe	50 cts.
84.—Tray, for coal	45 cts.
85.—Tray, for dirt	35 cts.
86.—Tubes, of hard glass, per dozen	30 cts.
87.—Tube, dropping, for cobalt solution	10 cts.
88.—Watchglasses, two inch, per dozen	40 cts.
89.—Wick	10 cts.
90.—Re-agent Bottles, Bohemian, glass stoppered, flat tops, with labels, per doz	\$2 00
91.—Ditto, cork stoppered, 18 bottles set in wooden block	1 50

8580. List of Blow-pipe Re-agents.

No.	No
1.—Carbonate of Soda, pure and dry.	14.—Gold, foil.
2.—Neutral Oxalate of Potassium, pulverized.	15.—Arsenic, metallic.
3.—Cyanide of Potassium, “	16.—Test Papers, blue and red litmus.
4.—Iodide of “	17.—Salt, pulverized and dry.
5.—Borax and Rorax Glass, “	18.—Fluorspar, fine and dry.
6.—Salt of Phosphorus (phosphate of soda and ammonia.)	19.—Silica, ignited and white.
7.—Nitric (crystals).	20.—Oxide of Copper.
8.—Bi-sulphate of Potassium.	21.—Chloride of Silver.
9.—Vitrified Boracic Acid in small fragments.	22.—Starch Meal.
10.—Nitrate of cobalt in solution.	23.—Graphite, fine and pure.
11.—Test Lead, finely granulated.	24.—Concentrated Sulphuric, Nitric, and Muriatic Acid.
12.—Tin, in foil, best	25.—Acetic Acid.
13.—Iron, wire or pieces of $\frac{1}{2}$ inch to 1 inch long.	26.—Carbonate of Ammonia in powder
	27.—Charcoal cut in blocks.
	28.—Sifted and washed bone ash.

Frame for 18 re-agents

60

Ditto, ditto, with 18 labeled bottles

\$1 50

Ditto, ditto, filling of above, the 18 most necessary ones

2 00

8581. **Apparatus for Blow-piping**, according to **Prof. Plattner**, as used in Columbia College, the whole in elegant velvet lined, polished, mahogany case, with handle and lock, for traveling, complete with case.....\$38 00

The set includes :


No.	No.	No.
1.—1 set of 3 Porcelain dishes.	16.—1 heavy Platinum Tip for same.	30.—Test Lead.
2.—1 Diamond Steel Mortar.		31.—Tin.
3.—1 pair Platinum Pointed Forceps	17.—1 Steel Hammer with wire handle	32.—Phosphorus Salt.
4.—1 pair heavy Tip Steel Forceps.	18.—1 Set Mould and Stamps.	33.—Borax Powder.
5.—1 pair Steel Forceps.	19.—1 pair of Steel Nippers, Plattner's.	34.—Borax Glass.
6.—1 Steel Chisel.	20.—1 Double Lense.	35.—Boracic Acid fused.
7.—1 Charcoal Borer, 4 cornered, with Spatula.	21.—Ivory Spoon.	36.—Plattner's Flux.
8.—1 Charcoal Borer, club shape.	22.—12 Matraases.	37.—Bismuth Flux.
9.—1 pair Fine Scissors.	23.—1 Alcohol Lamp, with nickel plated air tight top.	38.—Boracic Acid.
10.—1 Wire Holder, with	24.—1 Chamois Skin.	39.—Carbonate Soda.
11.—5 Platina Wires in the handle.	25.—6 Glass Tubes.	40.—Salt.
12.—1 Plattner's Blow-pipe Lamp, with patent swivel, nickel plated.	26.—6 pieces square cut Charcoal.	41.—Soda.
13.—1 Charcoal Saw.	27.—Metal Tray, for coal.	42.—Soda Nitrate
14.—1 Holder for the Matraases.	28.—Metal Tray, for ashes.	43.—Charcoal.
15.—1 Nickel Plated Plattner's Blow-pipe.	29.—18 Flat top stoppered and labeled Re-agent Bottles, containing the following Re-agents.	44.—Boneash sieved.
		45.—Boneash washed.
		46.—Copper Oxide.
		47.—Bisulphate Potash.
		48.—1 Camel-Hair Brush.
		49.—Dropping Pipette.
		50.—1 Frame for the Re-agent Bottles.
		51.—Test Papers.
		52.— $\frac{1}{2}$ doz. Watch Glasses.
		53.—Mixing Scoop.



ASSAYING.

— 8682. **ASSAYER'S OUTFIT**, including the most necessary articles, in quantities large enough to do considerable work. Total cost of outfit as per list below the Balances and Weights included.

Price	\$228 00
Ditto, ditto, without the Balances and Weights (see also page 45)	105 00
1.—Ore Balance	\$15 00 to 20 00
2.—Bullion Balance	65 00
3.—Weights, Assay, Ton and Gramme	16 00
4.—Muffles, $\frac{1}{2}$ dozen at 75 cents each, according to furnace	4 50 to 12 00
5.—Hessian Crucibles, 50 nests, small fives	2 50
6.—Scorifiers, 500 at 2 cents each	10 00
7.—Cupel Mould	2 50



8.—Scorification Moulds	95
9.—Crucible, Scorification and Cupel Tongs	3 00 to 4 00
10.—Hammers	1 00 to 1 50
11.—Pokers and Scrapers	1 00
12.—Cutting Shears, Vise and Anvil	5 00

13.—Files, Chisels, Saw, Hatchet, etc.....	\$ 2 50
14.—Iron Mortars, large and small.....	3 25
15.—Plate and Rubber.....	12 00
16.—Box Sieve.....	2 00
17.—Tin Sampler.....	75
18.—Sieves, wood frames, 80 mesh.....	1 40
19.—Mixing Scoop.....	35
20.—Re-agent Bottles, glass stoppered, set of 40 $\frac{1}{2}$ pints.....	5 83
21.—Parting Bottles.....	90
22.—Bottles for Samples, corked, dozen.....	1 20
23.—Ring Stands and Alcohol Lamps.....	1 20
24.—Wash Bottles, two, one large, one small.....	90
25.—Horn Spatulas, Spoon, etc.....	75
26.—Parting Flasks, Annealing Cups, etc.....	1 50
27.—Porcelain Mortar.....	1 00
28.—Glass Rods, Tubes, Funnels, Beakers, etc.....	2 50
29.—Note Book, Towels, Brushes, etc.....	1 50
30.—Extra Apparatus, such as Iron Pan for mechanical assay, Pipettes, etc.....	4 00
31.—Blow-pipe, Blow-pipe Lamp, etc.....	6 50
32.—Hammer and Anvil, small.....	1 30
33.—Button Brush.....	50
34.—Scissors, Knife, Magnifier and Magnet.....	2 20
35.—Two Forceps and Tongs, steel.....	1 75
36.—Test Tubes and Stand.....	1 00
37.—Filter Papers, Test Papers, etc.....	1 00
38.—Platinum Wire, Foil, etc.....	2 00
39.—Set of heavy Scales with Weights.....	8 00
40.—Bone-ash for making Cupels.....	4 00
41.—Litharge.....	1 00
42.—Soda, Borax, etc.....	1 50
43.—Test Lead.....	5 00
44.—Nitric, Argol, Potassium Cyanide.....	4 00
45.—Nitric, Muriatic and Sulphuric Acids, common and chemically pure.....	6 00
46.—Extra Re-agents, etc., to fill set No. 20.....	6 00

For Furnaces, (see list of Furnaces.) pages 138-48.

Other Apparatus to make an Assay Laboratory complete.

GLASS.

Wash Bottles.	Glass Tubing.	Retorts.
Funnels.	" Rods.	Measuring Cylinders.
Watch Glasses.	Calcium Chloride Tubes.	Lipped Beakers.
Convex Covers.	Funnel Tube.	Plain Beakers.
Flat Covers.	" " with stop-cock.	Flasks, measured.
Piece Blue Glass.	Drying Tubes.	" Specific Gravity.
Desiccators, covered.	Ignition Bulb Tube.	" Parting.
Bottles, corked.	U Tubes.	Pipettes.
" glass stoppered.	Test Tubes.	Burettes.
	Specimen Tubes.	

PORCELAIN.

Porcelain Mortars, 4 $\frac{1}{2}$ in.	Porcelain Evap. Dishes, 12 in.	Porcelain Casseroles, 5 $\frac{1}{2}$ in.
" " 5 "	" Casseroles, 3 $\frac{1}{2}$ in.	" Crucibles, 1 $\frac{1}{2}$ in.
" " Ex. Pestle for	" " 4 in.	" " 1 $\frac{1}{2}$ in.
" Evap. Dishes, nest	" " 4 $\frac{1}{2}$ in.	" " 2 in.
of 6.	" " 5 in.	

PAPER.

Packages Cut Filters, 3 in.	Packages Cut Filters, 5½ in.	Packages Cut Filters, 9 in.
" " 3½ in.	" " 6 in.	Sheets Swedish Paper.
" " 4 in.	" " 7 in.	" Glazed Paper.
" " 4½ in.	" " 8 in.	Note Books.
" " 5 in.		

METAL.

Ring Stands.	Wire Triangles (covered),	Set Filter Patterns.
Files, triangular.	3 inches.	Platinum Foils, 1½ in.
Weights, Scales.	Scissors.	" " 3 in.
Steel Forceps.	Pieces Wire Gauze.	" Wire, 10 feet.
" " (bent.)	Bunsen's Burners.	Platinum Crucible, ¾ oz.
Wire Triangles.	Water Baths.	Gas Stoves.
" " (covered),	Watch Glass Clips.	Blow-pipes.
2 inches.	Sand Baths.	Clamps.

SUNDRIES.

Filter Stands.	Rubber Corks.	Horn Spatulas, 6 in.
Test Tube Racks.	Sponge Probangs.	Towels.
Rubber Tubing, black, ¼ in.	Horn Spatulas, 4 in.	Test Tube Brushes.
" " white, ¼ in.	" " 5 in.	Clay Chimneys.
" " ½ in.		

RE-AGENTS.

Hydrochloric Acid,	Hydro-Di-Sodic Phosphate.	Platinic Chloride.
(concent.)	Potassic Ferrocyanide.	Ammonic Molybdate.
Hydrochloric Acid, (dilute.)	Potassic Ferricyanide.	Ammonic Sulphocyanide.
Nitric Acid, (concent.)	Ferric Chloride.	Baric Carbonate.
Nitric Acid, (dilute.)	Acetic Acid.	Sodic Carbonate, (dry.)
Sulphuric Acid, (concent.)	Calcic Sulphate.	Borax, (crystallized.)
Sulphuric Acid, (dilute.)	Mercuric Chloride.	Phosphorus Salt, (crystal-
Hydrosulphuric Acid.	Stannous Chloride.	lized.)
Potassic Hydrate.	Sodic Acetate.	Sodic Nitrate, (crystals.)
Sodic Carbonate.	Ammonic Sulphate.	Potassic Cyanide, (powder.)
Ammonic Hydrate.	Potassic Dichromate.	Cobaltic Nitrate.
Ammonic Carbonate.	Magnesian Sulphate.	Ferrous Sulphate, (crystals.)
Ammonic Chloride.	Lime Water.	Test Papers, (blue, red and
Ammonic Sulphide.	Calcic Chloride.	yellow.)
Ammonic Oxalate.	Plumbic Acetate.	Common Sulphuric Acid.
Baric Chloride.	Indigo Solution.	Common Hydrochloric Acid.
	Argentio Nitrate.	

EXTRA RE-AGENTS.

Alcohol, (absolute.)	Chloroform.	Potassic Nitrate.
Alcohol, (common.)	Distilled Water.	Potassic Nitrite.
Ammonic Fluoride.	Iron, wire and plate.	Potassic Chlorate.
Arsenic, (metallic.)	Lead, bar and foil.	Potassic Permanganate,
Battery Acid, (dilute.)	Mercury.	(crystals.)
Battery Fluid.	Nitro-Hydrochloric Acid,	Silver, foil.
Benzol, (pure.)	(aqua regia.)	Sodic Acetate, (crystals.)
Benzol, (common.)	Oxalic Acid, (crystals.)	Sulphur, roll.
Bromine Water.	Potassic Iodide, (crystals.)	Sulphur, flowers.
Chlorine Water.	Potassic Carbonate, (dry.)	Zinc, bar and sheet.

— 8583. Apparatus and Chemicals necessary for steel analysis, according to Troilius, in quantities sufficient for considerable work. All Chemicals strictly c. p.

Acid acetic, 5 lbs.	Ditto, chlorate, 5 lbs.
Ditto, chromic, 1 lb.	Potassium cyanide-ferro, $\frac{1}{2}$ lb.
Ditto, hydrochloric, 30 lbs.	Ditto, cyanide-ferri, $\frac{1}{2}$ lb.
Ditto, hydrofluoric, $\frac{1}{2}$ lb.	Ditto, hydrate by alcohol, 2 lbs.
Ditto, molybdic, 3 lbs.	Ditto, permanganate, 1 lb.
Ditto, nitric, 49 lbs.	Pumice stone, 1 lb.
Ditto, oxalic, $\frac{1}{2}$ lb.	Silver nitrate, $\frac{1}{2}$ ounce.
Ditto, sulphuric, 18 lbs.	Sodium acetate, 1 lb.
Alcohol, pint.	Ditto, carbonate, dry c. p. 2 lbs.
Ammonium chloride, 2 lbs.	Ditto, thiosulphate, 2 lbs.
Ditto, hydrate, 28 lbs.	Zinc metallic, c. p. $\frac{1}{2}$ lb. 2 lbs. common.
Ditto, oxalate, $\frac{1}{2}$ lb.	Wax, Bees, $\frac{1}{2}$ lb.
Ditto, carbonate, $\frac{1}{2}$ lb.	Ditto, sealing, $\frac{1}{2}$ lb.
Asbestos, 2 lbs.	1 Balance, analytical, to weigh up to 100 grms. and sensible to 1-20 milligram.
Barium carbonate, $\frac{1}{2}$ lb.	1 Balance, Robervahl, No. 3.
Ditto, chloride, 1 lb.	1 set weights, 50 grms. and down to 1 milligram, with 3 riders.
Bromine, 1 lb.	1 set weights, 1 kilo to 1 gramme.
Calcium chloride, (dry) 2 lbs.	Beaker's, Griffin's, wide form, lipped, 1-6; 12 nests.
Copper and Ammonic chloride, 10 lbs.	Beaker's, Griffin's, wide form, lipped, 1-3; 12 nests.
Ditto, sulphate (common), 5 lbs.	Beaker's, conical, Bohemian glass, $\frac{1}{2}$ litre capacity, 12.
Iron sesquichloride, 1 lb.	Bellows, Fletcher's new pattern, No. (9a) foot blower.
Ditto, protosulphate, 5 lbs.	Blast Lamp, Bunsen, No. 5.
Ditto, protosulphate and ammon., 1 lb.	Burners, Fletcher's, solid flame, No. 47, large size, 3.
Ditto, sulphide, 2 lbs.	Burners, Finckner's improved form, 6.
Iodine, 1 ounce.	Bottles, reagent, 1 pint, glass stoppered, 1 dozen.
Magnesium chloride, 1 lb.	Bottles, reagent, 1 quart, glass stoppered, 1 dozen.
Mercury, 1 lb.	Bottles, common, wide mouth for drillings, 2 ozs, 4 gross.
Microcosmic salt, $\frac{1}{2}$ lb.	Bottles, Woulff's, 2 necked, pt. 4.
Paper white wrapping, 5 qrs.	Mortar, agate, 3 $\frac{1}{2}$ inch.
Ditto, filtering, Schleicher & Schuell's, 595, 5 qrs.	Ditto, wedgewood, 3 inch.
Ditto, filtering, Schleicher & Schuell's, 589 cut c. p. 11 c. m., 3 pck.	Ditto, ditto, 5 $\frac{1}{2}$ inch.
Ditto, filtering, Schleicher & Schuell's, 589 cut c. p. 9 c. m., 2 pck.	Ditto, iron, 2 gallon.
Ditto, filtering, Schleicher & Schuell's, 589 cut c. p., 7 c. m., 4 pck.	Tongs, crucible.
Potassium carbonate, $\frac{1}{2}$ lb.	Pipette, 100 c.c.
Ditto, bi-chromate, 2 lbs.	Ditto, 50 c.c. 2.
Brushes, camel-hair, small, 6	Ditto, 10 c.c.
Ditto, ditto, large, 1.	Platinum triangles, 4 each, 11 grms, 44 grms.
Bulbs for sulphur determination, Troilius improved form, 6.	Plates, porcelain, for testing.
Burettes, Mohr's, 50 c.c. graduated to 1-10 c.c. 1.	Racks, test tube 2.
Burettes, Mohr's, 100 c.c. graduated to 1-10 c.c. 1.	Sieves, copper, with mesh, 50 to 1 inch and 80 to 1 inch.
Carboys for distilled water, 2.	Stands, burette, 1.
Condenser, block tin worm, in zinc tank, to be attached to steam-pipe.	Ditto, for funnels, 6.
Corks, wooden, to fit drilling bottles, 4 gross.	Ditto, retort, iron, with rings.
Corks, wooden, assorted, small, 1 gross.	
Ditto, rubber, ditto, 1 lb.	
Crucibles, porcelain, Royal Berlin, 6, No. 00.	
Crucibles, platinum, each 20 grm. 4=80 grms.	

Cylinders, Erdmann, 4.

Ditto, glass, 1000 c.c. graduated to 10 cc. ground stopper.

Ditto, ditto, 25 c.c. grad. to 1 c.c. 1.

Dishes, porcelain, pint, 4.

Ditto, ditto, 4 oz.

Files, 4 in. Δ , 4.

Flasks, 2 gallon, 1.

Ditto, 2 qt. 6.

Ditto, 1 qt. 12.

Ditto, 1 pt. 6.

Ditto, 1 pt. ground stopper labelled from A to L, 12

Funnels, 2½ inch, 2 dozen.

Ditto, 1½ inch, 2 dozen.

Ditto, 4 inch, 4.

Ditto, 9 inch, 2.

Ditto, for filtering with asbestos, 12.

Glass measuring, 16 oz. graduated.

Ditto, covers, Watch, 2½ inch, 12.

Ditto, ditto, ditto, 4 inch, 12.

Ditto, ditto, ditto, 5 inch, 12.

Hydrometers, one for above 1000 and one for below 1000.

Hydrometer Jars, 18x1½ inch.

Labels, gummed, No. 221, 12 boxes.

Ditto, reagents, 2 books.

Stand, tripod, 4.

Thermometers, 360 deg. cent.

Rubber Finger Tips, 1 dozen.

Tubes, aspirator, Geissler's, 2

Ditto, funnel, stop-cock, 2.

Ditto, test, 5x½ inch, 5 dozen.

Ditto, for carbon determination, 1 set.

Ditto, glass, assorted, 3 lb.

Rods, glass, assorted, 3 lbs.

Rubber Tubing, vulcanized, ½ inch, 24 feet

Rubber Tubing, pure, ½ inch, 12 feet.

Rubber Tubing, pure, 3-16, 12 feet.

1 dessicator.

SUNDRIES,

1 Broom ; 1 dust brush and pan ; scissors ; hammer.


1 small magnet ; clock ; camera for carbon determination.

2 baths for carbon determination ; matches.

Total for apparatus\$414 03

Total for chemical or reagents . \$104 60


\$518 63



SUGAR ANALYSIS.

— 8584. Complete Outfit for Saccharimetric Polarization, as per list below \$217 00

The best and standard instruments for these investigations are made by Messrs. Schmidt & Haensch and by Dr. Scheibler, whose agents we are for this country.



Catalogue Nos.

- 7013. Polariscope or Saccharimeter, Soleil-Scheibler, regular standard. . \$175 00
- 7012. Polariscope or Saccharimeter, half-shade, new standard. This instrument possesses all the advantages of the Laurent half-shade instrument, and none of its disadvantages. A color-blind person can use it, and determine the percentage of sugar with as much accuracy as any other. It is just as accurate as the Soleil-Ventzke and Soleil-Scheibler, its use is more easily acquired, and it gives surprisingly accurate results in the hands of those without previous experience. It is thus particularly to be recommended to planters, manufacturers and others, who have not the services of a professional chemist. Even for the most experienced chemist we believe it to be the best instrument, because accuracy depends in no way on the color-sensitiveness of the worker, and results are more speedily obtained. Even though the chemist himself is not in the least degree color-blind, a future assistant may be. It is absolutely the best instrument for polarizing dark-colored sugars and molasses. The greatest drawback to the use of half-shade polariscopes like the Laurent heretofore has been the necessity for using the sodium flame with all the inconvenience which this implies. With this new instrument the ordinary gas or kerosene lamp may be used. We shall be pleased to exhibit the working of this new instrument. \$175 00
- 7027. 1 Polariscope Tube, 200 m.m. 6940. 2 Pipettes, 3 c.c.
- 1 " " 100 m.m. 1 Pipette, 10 c.c.
- 8324. 1 Tripod. 8389. 1 Wash Bottle.
- 7031. 1 Polariscope Lamp, oil or gas. 5361. 1 Syphon Aspirator Bottle, complete.
- 1 doz. " " Wicks. 6388. 2 Funnels.
- 5411. 1 Fine Balance, 300.0, in case. 6288. 1 quire Filter Paper.
- 5468. 1 set fine Weights, 200 to 0.001, in case. 6134. 2 Dripping Glasses, 5x2 inch.
- 6195. 1 German Silver Dish, with counterpoise weights. 6839. Porcelain Mortar and Pestle, No. 4.
- 6357. 2 Graduated Flasks, 50 and 55 c.c. 6378. Forceps, ivory tips.
- 2 " " 100 and 110 c.c. 5466. 1 Sugar Weight, 26.048 grms.
- 1 " " 13.024 grms.


— Instructions for using the instrument furnished with the outfit.

The above sugar-testing outfit complete, boxed, \$217 00. Any part sold separately. If ordered with the largest and most improved wedge compensation instrument, see No. 7015, and all the latest improvements, price \$343 00

SELECTIONS OF PHYSICAL APPARATUS.

For the use of Schools and smaller Institutions.

These sets have been compiled with the intentions of bringing Physical Apparatus within the reach of Students and smaller Institutions. So inexpensive the apparatus are of good workmanship, fully illustrating all the fundamental laws of physics.



O SET NO. 1.

LAWS OF MATTER.

1. Universal Support.....	\$ 6 00
2. Set of Balls.....	2 40
3. Set of Wires.....	50
4. Capillary Tubes.....	45
5. Osmose Bell.....	65
6. Cohesion Hemispheres.....	40
7. Adhesion Disk.....	25
8. Gravity Block.....	50
9. Momentum Spring.....	20
10. Whirling Ring.....	2 00
11. Illustration of Pulleys.....	4 00
12. Illustration of Levers.....	35
13. Inclined Plane and Car.....	75
14. Set of Weights.....	1 75

DYNAMICS.

15. Equilibrium Tubes.....	75
16. Pressure of Liquids.....	1 15
17. Hydrometer.....	75
18. Lifting Pump.....	1 25
19. Force Pump.....	1 25
20. Siphon.....	20
21. Balloon and Car.....	75
22. Glass Jar.....	1 00

PNEUMATICS.

23. Air Pump.....	7 00
24. Spherical Receiver.....	3 25
25. Magdeburg Hemisphere.....	3 50
26. Barometer Tube.....	45
27. Bell in Vacuum.....	30
28. Sheet Rubber.....	25
29. Rubber Bag.....	1 00
30. Mariotte's Law.....	1 25
31. Stop-Cock.....	1 20

HEAT.

32. Spirit Lamp.....	45
33. Bar and Gauge.....	75
34. Compound Bar.....	65
35. Lamp Stand.....	85
36. Glass Flask.....	30
37. Palm Glass.....	45
38. Glass Tube.....	15
39. Conductometer.....	50
40. Wire Gauze.....	10
41. Wollaston's Engine.....	2 00

Set No. 1.—Continued.

SOUND.

42. Sonometer	4 75	57. Soft Iron Bar	15
43. Diapason	1 00	58. Magnetic Needle	60
44. Organ Pipe	3 50	59. Iron Turnings	10
45. Vibrating Rod	50	60. Battery	1 50
46. Violin Bow	1 25	61. Solenoid	1 25


LIGHT.

47. Kaleidoscope	65	62. Parallel Currents	1 00
48. Thick Mirror	20	63. Electro-Magnet	2 00
49. Prism	30	64. Electro Motor	0 00
50. Prismatic Lens	35	65. Magneto Machine	4 00
51. Pair of Lenses	1 00	66. Handles	50
52. Color Disk	1 25	67. Insulated Wire	85
53. Incidence and Reflection	1 00	68. Friction Cylinder	35
54. Irradiation Circle	25	69. Electroscope	50
55. Magnifying Lens	50	70. Pith Balls	25

ELECTRICITY.

56. Pair of Magnets	80	71. Electrical Machine	11 00
		72. Leyden Jar	1 35
		73. Discharger	1 50
		74. Electrical Bells	1 10
		75. Spiral Tube	2 00


\$100 50



42



49



63



72

○ SET No. 2.




12




11



11




13



11



11




11


LAWS OF MATTER.

1. Universal Support	6 00	9. Gravity Block	50
2. Set of Balls	2 40	10. Momentum Spring	20
3. Set of Wires	50	11. Whirling Table	4 75
4. Capillary Tubes	45	12. Central Forces	1 25
5. Capillary Plates	25	13. Whirling Ring	1 35
6. Osmose Bell	65	14. Illustration of Pulleys	4 00
7. Cohesion Hemispheres	40	15. Illustration of Levers	35
8. Adhesion Disk	25	16. Inclined Plane and Car	75
		17. Set of Weights	1 75

Set No. 2.—Continued.



31



22

DYNAMICS.

18. Equilibrium Tubes.....	\$ 75
19. Buoyancy Vase.....	1 75
20. Pressure of Liquids.....	1 15
21. Archimides Principle.....	1 60
22. Nicholson Hydrometer.....	2 00
23. Hydrometer.....	75
24. Lifting Pump.....	1 25
25. Force Pump.....	1 25
26. Siphon.....	20
27. Tantalus' Cup.....	65
28. Equality of Pressure.....	40
29. Balloon and Car.....	75
30. Glass Jar.....	1 00

PNEUMATICS.

31. Air Pump.....	21 00
32. Receiver, quart.....	55
33. Receiver, gallon.....	1 10
34. Hand Glass.....	50
35. Magdeburg Hemisphere.....	3 50
36. Guinea and Feather Tube.....	5 00
37. Barometer Tube.....	45
38. Expansion Apparatus.....	40
39. Bacchus Illustration.....	45
40. Sheet Rubber.....	25
41. Rubber Bag.....	1 00
42. Mariotte's Law.....	1 25
43. Stop-Cock.....	1 20

HEAT.

44. Spirit Lamp.....	45
45. Bar and Gauge.....	75
46. Compound Bar.....	65
47. Lamp Stand.....	85
48. Palm Glass.....	45
49. Glass Tube.....	15
50. Conductometer.....	50
51. Wire Gauze.....	10
52. Fire Syringe.....	1 75
53. Specific Heat.....	1 75
54. Conversion Apparatus.....	75

SOUND.

55. Crova's Disk.....	45
56. Savart's Wheel.....	40
57. Siren Disk.....	25
58. Sonometer.....	7 50
59. Diapason.....	2 40
60. Organ Pipe.....	3 50
61. Vibrating Rod.....	50
62. Violin Bow.....	1 25
63. Sand Pendulum.....	75


LIGHT.

64. Kaleidoscope.....	65
65. Thick Mirror.....	20
66. Convex Mirror.....	2 40
67. Concave Mirror.....	2 35
68. Prism.....	40
69. Prismatic Lens.....	35
70. Set of Lenses.....	2 50
71. Color Disk.....	1 00
72. Persistency of Vision.....	60
73. Incidence and Reflection.....	1 00

Set No. 2.—Continued.

ELECTRICITY.

74. Pair of Bar Magnets.....	80	87. Induction Coil.....	6 50
75. Bar of Soft Iron.....	15	88. Handles.....	50
76. U. Magnet.....	50	89. Insulated Wire.....	85
77. Magnetic Needle.....	60	90. Friction Cylinder.....	35
78. Iron Turnings.....	10	91. Electroscope.....	50
79. Grenet Battery.....	3 00	92. Pith Balls.....	25
80. Galvanometer.....	3 25	93. Gold Leaf Electroscope.....	1 10
81. Solenoid.....	1 25	94. Electrical Machine.....	11 00
82. Floating Solenoid.....	75	95. Test Needle.....	35
83. Parallel Currents.....	1 00	96. Faraday's Cap.....	35
84. Electro-Magnet.....	2 25	97. Leyden Jar.....	1 45
85. Helix and Ring.....	2 75	98. Discharger.....	1 50
		99. Electrical Bells.....	1 10
			<hr/>
			\$154 75



94



103



109

○ SET NO. 3.

Comprises the Instruments in the Set No. 2, with the following:

100. Universal Stand.....	\$ 3 00	111. Decomposing Cell.....	1 20
101. Balance.....	7 50	112. Telegraph Sounder and Key..	4 75
102. Pascal Vase.....	4 50	113. Magneto-Electric Machine.....	4 00
103. Hydraulic Press.....	6 75	114. Set of Resistance Coils.....	4 00
104. Wollaston's Engine.....	2 00	115. Set of five Spools.....	2 75
105. Ohladni's Plate.....	1 50	116. Movable Coatings Jar.....	2 75
106. Savart's Bell.....	3 00	117. Spiral Tube.....	2 00
107. Achromatic Prism.....	3 25	Included in Set No. 2.....	154 25
108. Dipping Needle.....	2 25		<hr/>
109. Bunsen's Battery....	1 50		\$211 85
110. Electrolysis of Salts.....	40		

SELECTIONS OF PHYSICAL APPARATUS.


For the use of High Schools, Colleges and Universities.

These Sets of Apparatus have been compiled with great care, to include the most desirable instruments to prove the important Laws of Physical Science, as taught in all the modern school books, avoiding duplications of experiments, and making each as perfect as possible for the cost of the set.

Any desired alterations may be made, departments omitted, or taken from different sets; or any changes in the articles from the Catalogue, with corresponding reductions from the list prices.

These Instruments have been for thirty-five years universally approved for their excellence in quality and construction.

- SET NO. 1



LAWS OF MATTER.

1. Adhesion Disk.....	\$ 30
2. Capillary Tubes.....	60
3. Endosmeter.....	75
4. Inertia Apparatus.....	60
5. Collision Balls.....	3 75
6. Ritchie's Gravity Block.....	50
7. Whirling Ring.....	2 20
8. Lever.....	80
9. Pair of Pulleys.....	2 00
10. Set of Weights.....	2 00

HYDRODYNAMICS.

11. Equilibrium Tubes.....	2 00
12. Upward Pressure.....	1 20
13. Siphon.....	25
14. Lifting Pump.....	1 50
15. Force Pump.....	1 50

PNEUMATICS.

16. Air-Pump.....	13 50
17. Receiver.....	80
18. Hand-Glass.....	55
19. Expansion Apparatus.....	40
20. Magdeburg Hemispheres.....	5 00
21. Barometer Tube.....	1 25
22. Guinea and Feather Tube.....	5 75
23. Sheet Rubber.....	35
24. Collars and Oil.....	35

HEAT.

25. Spirit Lamp.....	75
26. Fire Syringe.....	1 75
27. Bar and Gauge.....	1 15
28. Wire Gauze.....	30
29. Conductometer.....	1 25
30. Principles of Ventilation.....	1 50
31. Palm Glass.....	50

HEAT.—Continued.

32. Lamp Stand.....	85
33. Pint Flask.....	30

OPTICS.

34. Prism.....	40
35. Prismatic Lens.....	85
36. Demonstration Lenses.....	2 75
37. Newton's Disk.....	1 25
38. Magnifying Lens.....	50


ELECTRICITY.

39. Glass Cylinder.....	30
40. Electrical Machine.....	11 50
41. Electrometer.....	50
42. Flier.....	1 00
43. Electrical Bells.....	1 25
44. Pith Balls.....	25
45. Leyden Jar.....	1 50
46. Discharger.....	1 50
47. Bar Magnet.....	80
48. Magnetic Needle.....	65
49. Grenet Battery.....	3 50
50. Galvanometer.....	3 25
51. Powder Cup.....	90
52. Electrolysis of Salts.....	65
53. Solenoid.....	1 25
54. Electro-Magnet.....	2 25
55. Set of Wires.....	50

LAWS OF MATTER, 1-10.....	13 50
HYDROSTATICS, 11-15.....	6 45
PNEUMATICS, 16-24.....	27 95
HEAT, 25-33.....	8 35
OPTICS, 34-38.....	5 25
ELECTRICITY, 39-55.....	31 25
Box and Packing.....	1 75

\$94 60

- SET No. 2.



57

MECHANICS.

1. Adhesion Disk	\$ 30
2. Capillary Tubes	60
3. Endoameter	75
4. Inertia Apparatus	65
5. Collision Balls	3 75
6. Ritchie's Gravity Block	50
7. Pendulums	1 25
8. Whirling Ring	2 20
9. Lever and Fulcrum	80
10. Wedge	1 00
11. Four Pulleys, and bar fitted to No. 24	3 50
12. Set of Weights	2 00

HYDRODYNAMICS.

13. Equilibrium and Buoyancy	1 75
14. Pressure of Liquids	1 35
15. Hydrometer	1 00
16. Hydrometer Jar	40
Bottle Imp	20
17. Siphon	25
18. Tantalus' Cup	80
19. Hydraulic Press	7 75
20. Lifting Pump	1 50
21. Force Pump	1 50

PNEUMATICS.

22. Air Pump	13 50
23. Receiver	80
24. Hand Glass	55
25. Expansion Apparatus	40
26. Magdeburg Hemispheres	5 00
27. Water Hammer	65
28. Barometer Tube	1 25
29. Guinea and Feather Tube	5 75
30. Rubber Bag	1 50
31. Sheet Rubber	20
32. Collars and Oil	50

HEAT.

33. Spirit Lamp	75
34. Bar and Gauge	1 15
35. Compound Bar	85
36. Wire Gauge	30
37. Conductrometer	1 25
38. Principles of Ventilation	1 50
39. Specific Heat	2 25
40. Palm Glass	50
41. Lamp Stand	85
42. Glass Flask	30

ACOUSTICS.

43. Violoncello Bow	1 50
44. Resonant Jar	1 50
45. Diapason	6 50
46. Organ Pipe and Slider	3 75
47. Sonometer	10 00

OPTICS.

48. Convex Mirror	2 50
49. Concave Mirror	2 75
50. Kaleidoscope	65
51. Prism	55
52. Prismatic Lens	35
53. Demonstration Lenses	2 75
54. Newton's Disk	1 25

ELECTRICITY.

55. Glass Cylinder	30
56. Vulcanite Cylinder	65
57. Toepler-Holtz Machine	25 00
58. Electrometer	50
59. Gold Leaf Electrometer	1 25
60. Flier	1 00
61. Electrical Bells	1 25
62. Pith Balls	25
63. Spiral Tube	2 25
64. Movable Coatings Jar	3 00
65. Leyden Jar	1 50
66. Discharger	1 50
67. Bar Magnets, two	90
68. Magnetic Needle	65
69. Grenet Battery	3 50
70. Oersted's Galvanometer	3 25
71. Powder Cup	90
72. Electrolysis of Salts	65
73. Solenoid	1 25
74. Electro-Magnet	2 25
75. Telegraph Sounder and Key	4 75
76. Set of Wires	50
77. Galvanometer	3 25
78. Resistance Coils	4 00

MECHANICS, 1-12	17 30
HYDRODYNAMICS, 13-21	16 50
PNEUMATICS, 22-32	30 10
HEAT, 33-42	9 70
ACOUSTICS, 43-47	23 25
OPTICS, 48-54	10 80
ELECTRICITY, 55-78	64 05
Boxing and Packing	3 50

\$175 45

- SET NO. 3.

MECHANICS.

1. Universal Support.....	6 00
2. Universal Stand.....	3 00
3. Adhesion Disk.....	30
4. Set of Balls.....	2 40
5. Capillary Plates.....	40
6. Set of Wires.....	50
7. Capillary Tubes.....	60
8. Endosmeter.....	75
9. Osmose of Gases.....	30
10. Momentum Spring.....	20
11. Whirling Table.....	4 75
12. Inertia Apparatus.....	60
13. Central Forces.....	1 25
14. Whirling Ring.....	1 35
15. Attwood Machine.....	15 00
16. Ritchie's Gravity Block.....	50
17. Gyroscope.....	2 25
18. Path of Projectile.....	3 25
19. Set of Pulleys.....	4 00
20. Set of Gears.....	2 00
21. Lever.....	35
22. Inclined Plane and Car.....	75
23. Wedge.....	1 00
24. Set of Weights.....	2 00
25. Metric Rod.....	40
26. Balance.....	9 75
27. Spring Balances, two.....	30

HYDRODYNAMICS.

28. Equilibrium Tubes.....	2 00
29. Buoyancy Vases.....	1 75
30. Pascal's Vases.....	4 50
31. Pressure of Liquids.....	1 35
32. Archimedes' Principle.....	1 75
33. Imp in Jar.....	50
34. Hydrometer, light.....	1 00
35. Hydrometer, heavy.....	1 00
36. Hydrometer Jar.....	40
37. Siphon.....	24
38. Tantalus' Cup.....	80
39. Hydraulic Press.....	7 75
40. Lifting Pump.....	4 00
41. Force Pump.....	6 50
42. Liquid Jet Apparatus.....	5 25

PNEUMATICS.

43. Air-Pump.....	26 00
44. Receiver, one qt, plain.....	50
45. Receiver, 2 gal. capped.....	3 00
46. Hand-Glass.....	55
47. Expansion Apparatus.....	40
48. Magdeburg Hemispheres.....	5 00
49. Water Hammer.....	65
50. Bacchus Illustration.....	2 00
51. Weight and Buoyancy.....	6 00
52. Barometer Tube.....	1 25
53. Guinea and Feather Tube.....	5 75
54. Bell in Vacuum.....	1 55
55. Rubber Bag with stop-cock.....	2 25
56. Sheet Rubber.....	35
57. Collars and Oil.....	50
58. Mariotte's Law.....	2 50
59. Screw Plug.....	45
60. Sliding Rod.....	1 50

HEAT.

61. Spirit Lamp.....	75
62. Fire Syringe.....	1 75
63. Bar and Gauge.....	1 15
64. Pyrometer.....	4 20
65. Compound Bar.....	85
66. Thermometer in Tube.....	1 25
67. Lamp Stand.....	85
68. Air Thermometer.....	25
69. Comparative Thermometer.....	1 00
70. Wire Gauze.....	30
71. Conductometer.....	1 75
72. Principles of Ventilation.....	1 50
73. Pair of Reflectors.....	7 00
74. Specific Heat.....	2 25
75. Palm Glass.....	50
76. Wollaston's Globe.....	2 25

ACOUSTICS.


77. Cord of Wire.....	1 75
78. Violoncello Bow.....	1 50
79. Crova's Disk.....	45
80. Savart's Bell Resonator.....	3 00
81. Savart's Wheel.....	40
82. Diapason on Case.....	6 50
83. Organ Pipe and Slider.....	3 75
84. Reed Pipe.....	4 00
85. Sonometer.....	10 00
86. Rods of Fir.....	2 00
87. Circular Plate.....	2 25
88. Hopkins' Tube.....	2 75
89. Sand Pendulum.....	75
90. Lissajon's Apparatus.....	2 65
91. Manometric Flames.....	2 00

OPTICS.

92. Convex Mirror.....	2 75
93. Concave Mirror.....	3 00
94. Kaleidoscope.....	65
95. Pair Mirrors.....	4 00
96. Polariscope.....	4 00
97. Mica Plates.....	20
98. Incidence and Reflection.....	1 00
99. Persistency of Vision.....	60
100. Prism.....	75
101. Achromatic Prism.....	3 50
102. Demonstration Lenses.....	2 75
103. Set of Disks.....	2 00
104. Eye Model.....	4 50
105. Zoetrope.....	2 75
106. Iceland Spar.....	50

ELECTRICITY.

107. Glass Cylinder.....	30
108. Vulcanite Cylinder.....	65
109. Faraday's Cap.....	35
110. Electrophorus.....	2 50
111. Toepler-Holtz Machine.....	25 00
112. Conductor.....	3 50
113. Test Needle.....	35
114. Faraday's Bag.....	1 25
115. Electrometer.....	50
116. Gold Leaf Electrometer.....	1 25
117. Flier.....	1 00



Set No. 3.—Continued.

118. Electrical Bells.....	1 25	MAGNETISM.—Continued.	
119. Plate of Dancing Balls.....	65	145. Contracting Helix.....	2 50
120. Pith Balls.....	25	146. Lifting Coil.....	1 50
121. Electric Spoon.....	75	147. Electro Magnet.....	2 25
122. Spiral Tube.....	2 25	148. Revolving Magnet.....	7 00
123. Movable Coat Jar.....	3 00	149. Insulated Wire.....	85
124. Diamond Jar.....	3 00	150. Page's Shocker.....	7 50
125. Set of Leyden Jars.....	3 75	151. Handles and Wires.....	1 50
126. Jointed Discharger.....	2 50	152. Telegraph Sounder and Key.....	4 75
127. Set of Points.....	1 50	153. Telegraph Relay.....	3 50
128. Gassiot's Cascade.....	1 00	154. Magneto-Electric Machine.....	4 00
		155. Resistance Coils.....	4 00
		156. Set of Spools.....	2 75
		4 Screw Connectors.....	80
		157. Induction Coil.....	7 00
<hr/>			
MAGNETISM.			
129. Bar Magnets, two.....	1 20	MECHANICS, 1-27.....	63 95
130. Bar of Iron.....	15	HYDRODYNAMICS, 28-42.....	38 80
131. Magnetic Needle.....	65	PNEUMATICS, 43-60.....	60 20
132. U Magnet.....	60	HEAT, 61-76.....	27 60
133. Mayer's Magnets.....	25	ACOUSTICS, 77-91.....	43 75
134. Wheel Armature.....	50	OPTICS, 92-106.....	32 95
135. Daniel Battery.....	2 00	ELECTRICITY, 107-128.....	56 55
136. Grenet Battery.....	3 50	MAGNETISM, 129-157.....	70 50
137. Oersted's Galvanometer.....	3 25	Boxing and Packing.....	7 50
138. Powder Cup.....	90		
139. Electrolysis of Salts.....	1 25		
140. Decomposing Cell.....	2 50		
141. Voltmeter.....	85		
142. Parallel Currents.....	1 00		
143. Solenoid.....	1 25		
144. De la Rive's Ring.....	75		
			\$401 80

Tyndall's set of Electrical Apparatus.—To perform all the experiments in Tyndall's "Lessons in Electricity," consisting of 57 separate pieces in box packed ready for shipment.....\$65 00

Physical Apparatus of European manufacture, or of special designs according to foreign works on Physics, imported to order duty free, at manufacturers original prices.



EIMER & AMEND.




Eimer & Amend's Prices Current.

—SUPPLEMENT—

- * 8600. Adjusting table, of brass, with three set screws. For exact adjustment of hydrometer jars, graduates, etc. \$4 00
- * 8601. Air pump, Mercury, Greiner & Friedrich's, arranged for fastening to wall 50 00
8602. Ditto, ditto, with base, see No. 8603. 60 00
- * 8603. Ditto, ditto, with crank to elevate the mercury vessel. 90 00
8604. Ditto, ditto, much larger size. 120 00




8600




8603

- * 8605. Apparatus. Allen's, for estimating sulphur in oils, complete. 15 00
- Modern apparatus for gas analysis, see special list.

- * 8606. Apparatus for drying, Glaser's..... 7 50
 * 8607. Apparatus. Finkner's, for determining carbon in iron..... 10 00
 Ditto, for estimating sulphur in iron..... 7 50
 * 8608. Apparatus for generating H, H₂S and Co₂ after Steenbuch..... 5 50
 * 8609. Ditto, Kipp's, improved..... 10 00
 ○* 8610. Apparatus for generating sulphuretted hydrogen in large quantities.
 E. & A.'s, suitable for college laboratory. Generator, 6 gallon capacity, Woulff
 bottle of stoneware, rubber stoppers, glass stopcocks and connections, com-
 plete with plain clamp.....\$25 00 With double clamp.....\$10 00 extra.
 See Report of Commissioner of Agriculture Department Station.
 Any size larger, up to 75 gallons, from \$35.00 up to \$150.00.




8606




8607




8608



8609



8610




8612a




8612b

- 8612. Apparatus, milk testing, Short's, complete..... 15 00
 The set includes :
 ○* 8612a. One copper water bath and rack..... 7 00
 ○* 8612b. 12 tubes, 2 c. c., graduated..... 4 50
 ○ 8612c. 12 tubes, plain..... 2 25
 ○ 8612d. 2 pipettes, 2 c. c. graduated..... 0 20
 ○ 8612e. 1 pipette, 20 c. c. graduated..... 0 25
 ○ 8612f. 1 wash bottle, pint..... 0 80




* 8613. Apparatus for stirring, Rabe's, complete.....	\$16 00
8613a. Turbine alone.....	7 50
8613b. Shaking arrangement.....	3 50
8613c. Ditto, and disc.....	5 50
* 8613d. Apparatus for shaking, complete.....	17 00

- * 8614. **Vacuum Apparatus**, for laboratory experiments, diameter 250 m. m. Vacuum produced by filter pump, air pump or by use of steam direct from boiler. 125 00
- * 8615. **Apparatus for weighing** on tared filters, complete set. 5 00
- 8616. **Aspirator Bottles**, of March's famous stoneware. 6 gallons capacity. Stoppered and with stop-cock. Suitable as reservoir for distilled water.. 8 50
- * 8617. **Aspirators**, Winkler's, of zinc. \$15 00
- 8617a. Ditto, of copper, finely finished. 25 00




8615


For Assayers' Supplies,
see Balances, Furnaces,
and our large catalogue.



8617



8614




8618

- * 8618. **Azotometer or Nitrometer**, Franke's. 10 00

- * 8619. Azotometer, Marshall's, Urea..... 3 00

Bacterioscopic Apparatus and supplies are a specialty with us.

We have in stock a large variety, and our arrangements with Messrs. W. J. Bohrbeck and F. & M. Lautenschläger, of Berlin, enable us to import at makers' prices. Our facilities for making to order Bacterioscopic apparatus are unequalled in this country.



8619

8620

Culture Ovens, after Dr. Carl Abel, with new arrangement for keeping absolutely constant temperatures, made by F. & M. Lautenschläger, Berlin. This apparatus is the best ever made, requires no attention, is warranted, and abroad, where it is used extensively, is considered practically perfect.

- * 8620. All of copper, superior finish,
15 in. high, 10 in. wide, 10 in. deep, inside.....\$150 00
- 8621. Ditto, ditto, 15½ in. high, 19½ in. wide, inside, 10 in. deep..... 180 00
- 8621a " " 26 " 24 " " 12 " " 260 00
- Electric Regulator, for gas, complete with electric thermometer, electro magnet, battery, in oakwood case, connecting wires, mercury regulator, etc., with directions.....\$45 00**
- Koch's Safety Burner for same..... 9 00


BALANCES.

AT MAKER'S PRICES.


- * 8622. **Assay Balance, Becker's Improved, short beam, agate planes and knives. Glass Plate.** Beam graduated in 1-50 milligr. Needle deviates 50 divisions for 1 milligr.....\$135 00

- 8622a. Ditto, ditto, with aluminium beam, bows, pans, etc..... 145 00


- * 8623. **Assay Balance, Oertling's, Short Beam, capacity 30 grains.** Sensitive to 1-1000 grain, glass plate. Rapid and accurate.\$250 00



8623




8622



8624

- *8624. **Analytical Balance, Automatic**, rapid and exact, 200 grammes capacity each pan, sensitive to 1-10 milligr., provided with automatic mechanism for varying the sensibility and handling the weights, when case is closed. Including weights of platinum from 1 gramme down.....\$250 00




8625

- * 8625. **Analytical Balance, Sartorius' Latest Model**, sensitive to 1-10 milligr. 200 grammes capacity each pan, with aluminium beam, No. 1.....\$200 00
 8625a. Ditto, with phosphorous bronze beam, No. 2..... 130 00


8626. **Analytical Balances, Sartorius', etc.,** without special balancing attachment on beam. No. 3.....\$ 80 00
8627. Ditto. ditto, with bronzed iron column. No. 4 70 00
- * 8628. **Analytical Balance, Bunge's,** capacity, 200 grammes, sensitive to 1-10 milligr. Agate planes and knife edges, glass plate, finely finished.....\$175 00
- All other Bunge's Balances imported to order.

Analytical Balances, Becker's Rotterdam Short Beam, Rapid, Accurate.


- 8629. **Analytical Balance, Improved, Short Beam,** glass plate, finely finished, capacity, 100 grammes, agate bearings, sensitive to 1-10 milligr.\$90 00
- Beam graduated into 1-10 milligr. See illustration No. 5393, large Catalogue
- Agate knife edges for above, extra . 10 00
- * 8630. **Analytical Balances, Short Beam,** capacity, 100 grammes, without improved arrest for pans, agate bearings, beam graduated in 1-5 milligr. sensitive to 1-10 milligramme.\$51 00
- Agate knife edges for above, extra. 8 00



8628




8631




8630

- * 8631. **Balance for the Lecture Room, or Chemical Laboratory,** capacity, 5 kilogrammes, complete outfit, in case\$150 00

8632. **Balance**, only, same as above.....\$125 00
 8633. Ditto, ditto, for Physical Laboratory, 1 kilo capacity..... 75 00
 * 8634. **Balance**, for weighing large vessels. Very suitable for making standard solutions. Beam, 18 inches long, height above pans, 18½ inches, pans, 10 inches diameter, capacity, 10 kilos.....\$25 00
 —* 8636. **Sartorius' Hydrostatic Balance**, for specific gravity determination of liquids, complete in case.....\$26 50



8634



8636

WEIGHTS.

Adjusted to the utmost accuracy.

In polished boxes, velvet lined, fractions of grammes of platinum.

- 8637. **Analytical Weights, No. 1 quality**, 500 grammes and down to 1 milligr. with riders..... Becker's make, \$28 00 Our make, \$24 00
 ○ 8638. Ditto, 1000 grammes and down to 1 milligr. with riders.....\$30 00
 ○ 8639. **Analytical Weights, No. 2 quality**, 2 kilogrammes and down to 1 milligramme.....\$18 50
 ○ 8640. Ditto, 5 kilogrammes and down to 1 milligr.....\$31 50
 ○ 8641. Ditto, 10 kilogrammes and down to 1 milligr.....\$53 75

BATTERIES.


* 8642. **Batteries**, Meidinger's, Lower vessel, 7 inches high, small, each.....\$1 75

Ditto, ditto, 8½ inches high, large, each..... 2 25

○* 8643. **Nickel-Plating Battery**. An improved Bunsen Cell of great power, for electro-plating, electro-motors, etc. One hundred gallons of nickel solution have been used successfully with two of these cells. The glass jars contain six quarts, forming a very convenient tank for experimental work.

Cell complete.....	\$5 00
Carbon, 1x4½x9.....	\$1 60
Carbon Clamp, Platinum faced. 1 00	
Porous Cup..... 50	

Glass Jar, 6x8x9 inches....	1 00
Zinc, heavy rolled.....	1 00
Zinc Connector.....	15



8642


○ 8644. **Batteries**, dry, Gassner's.

Cylindrical form, 7 in. high, 3 in. diameter, each.....\$1 50

Oval form, 7 in. high, 5 in. long, 1½ in wide, each..... 1 50

Batteries, Storage, (Accumulators,) any make, at manufacturers' prices.

* 8645. **Blast Arrangement**, connected with water faucet, will operate Bunsen's Blast Lamp perfectly, each \$4 00. With 3 metal stopcocks.....\$8 00



8643



8645



8647

BOTTLES.

Re-agent Bottles, flint glass, indestructible enamelled labels, finest quality ever made.

The background of this label is of white enamel, forming letters in clear block type, on surface of bottle.

— If of light colored green glass, 10% less.

— 8646. **Bottles, Tinctures, with high or flat stoppers.**

Capacity,	4	8	12	16	32 ounces.
	.65	.75	.85	.90	\$1 10 each.

—* 8647. **Ditto, ditto, with high, cut stoppers.**

Capacity,	4	8	12	16	32 ounces.
	.75	.85	\$1 00	1 05	1 30 each.


- 8648. **Bottles, Tincture, salt-mouth, with high or flat stoppers,**
Capacity, 2 4 8 16 ounces.
 .60 .70 .85 .95 each.
- 8649. **Ditto, ditto, with cut hexagon stoppers.**
Capacity, 2 4 8 16 ounces.
 .65 .80 .95 \$1 15 each.
- 8650. **Bottles, same as above, but with labels, without (outside) band. Sizes to 12 oz. inclusive, at 5c. each less. Sizes, 16 to 48 oz. inclusive, at 10c. each less.**
- 8651. **Ditto, with ordinary black enamelled lettering, about 40% less than above list prices.**
- 8652. **Ditto, ditto, but with border, about 30% less than above list prices.**
- * 8653. **Bottles, Specific Gravity, Squibbs'. For different standard volumes.**
Capacity, 25 CC. 50 CC. 100 CC.
 \$3 00 3 25 3 75 each.
8654. **Ditto, with extra wide necks for solids, 10% more.**
- * 8655. **Bottles, for dropping, stopper closes bottle or allows liquid to flow and air to enter. Single.....20 cents. Dozen.....\$1 75**




8653



8655



8657



8657a



8658


BURETTES.

Burettes, new form. Blue enamelled strip on white enamelled background.
Illustration No. 8657a shows principle.


- 8656. **For use with pinch-cocks.**
25 CC 1-10 50 CC 1-10 100 CC 1-5 100 CC 1-10
\$1 50 1 75 2 25 2 50
- * 8657. **With Geissler's stop-cocks.**
25 CC 1-10 50 CC 1-10 100 CC 1-5 100 CC 1-10
2 00 2 75 3 00 3 25
- * 8658. **Ditto, with new 3-way stop-cock and side tube for filling from reservoir.**
Capacity, 25 CC 1-10 50 CC 1-10 100 CC 1-5
\$2 75 3 50 3 75

BURNERS.

- * 8659. Burners, Muencke's. Milled ring moves burner tube and regulates air supply. \$1 25
 * 8660. Burner, height adjustable, with chimney. For use with spectroscope. 2 00
 * 8661. Burner, Dr. Venable's, Gasolene, each. 1 75
 * 8662. Burner, combination Gasolene, each. 1 25




8659




8661



8663



8660




8662

- * 8663. Cathetometers, with movable telescope and levelling screws. 45 00
 — 8664. Ditto, ditto, with millimeter micrometer screw and nonius. 60 00

Larger and more complete Cathetometers from \$150 00 to \$1,200 00
 Descriptions and special prices on application.


- * 8665. **Centrifugal Machine**, small, for drying precipitates and salts. Capacity one-half gallon..... 40 00
 —* 8666. Ditto, inside cylinder 180×300 m.m. Provided with governor and brake.... 75 00
 —* 8667. "Centrifuge" Soxhlet's, operated by hand. Readily adapted for use with power. 30 00



8666



8665



8667

CHARTS.

- 8668. **Technological Wall-Maps**, for Universities and Colleges.
 Size 170×125 c.m.

- I. Bessemer Steel Manufacturing, by Prof. A. V. Kerpely.
 - II. Glover Tower, Manufacturing of Sulph. Acid, by H. Schaffner.
 - III. Ammonia Ice Machine, by F. Carré.
 - IV. Beer Brewing, by Gustav Noback.
 - V. Condensation of Hydrochloric Acid, by H. Schaffner.
 - VI. Sugar Refining.
 - VII. Diffusion Apparatus, by Julius Robert.
 - VIII. Martin Steel Manufacturing, by Siemens.
 - IX. Iron Furnace for cokes. Producing from 50 to 60 tons a day.
 - X. Puddling Furnace, by Dr. Jos. Schmiedhamer.
 - XI. Sulphur Distillation, by Dr. Pasqualini.
 - XII. Tile-Making; Hofmann's Ring-Oven... each, \$7 00
- Mounted on linen back, each..... extra, 3 00

- 8669. Technological wall charts, colored, with explanation by Dr. Friedrich Knappe, size, 100×120 cm.


- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Iron furnace. 2. Grain mill, grinding process. 3. High pressure steam engine, cross section and details. 5. High Pressure steam boiler, view of the interior. 6. Gas oven, cross section. 7. Gas oven, length section. 8. Grain mill. 11. Puddling furnaces. 12. Two Frischhofen. 21. Zinc oven. 23. Beer Brewing, malt roasting. 24. Beer Brewing, mash-box, Hops and Yeast. 31. Lime Kiln. 35. Glass Furnace. 36. Swamp Oven. 37. Salt works, Gradirbau. 38. Salt Works, Boiling Pans. | <ol style="list-style-type: none"> 39. Charcoal Kiln. 40. Coke Oven. 41. Manufacture of Sulphuric Acid, lead chamber. 42-43. Manufacture of Soda. 44. Steam Hammer. 45. Foundry. 46. Centrifugal Drying Machine. 47. Smoke Apparatus. 48. Coal-washing Apparatus. 50. Cement Oven. 51. Hollander. 52. Gasometer. 53. Ericsson's caloric engine, cross section. 54. Ericsson's caloric engine, details. 55-56. Appolt's Coke Furnace. 59. Beer Brewing, mixing machine. 60-61-62. Glass manuf'g, stretch furnace. 63-64. Water-column machine. |
|---|---|

Price of each map \$5 60
 Mounted on linen, extra, \$2.75.

- * 8670. Clamps.—Universal Test-tube Holder and Tweezer Combined, Dr. Geo. W. Melotte's, (Patented Sept. 20th, 1887.)

This instrument, with or without the handle, will hold *all sizes* of Test Tubes, all sizes and shapes of Matrasses, smaller sizes of flasks, etc., it can be used as a Tweezer and Forceps to pick up and hold securely anything from a pin or pea up to Blowpipe Charcoal, Stoppers, etc., etc.

Prices, Single pieces, 40 cents each; One dozen lot, \$4 00; One hundred lot, \$32 00; Five hundred lot, \$125 00.



8670

COLLECTIONS.

Arranged by Dr. A. Krantz.

- 8671. Collections of Rocks, according to Rosenbusch. Prepared in two sizes, cut square, small, $6\frac{1}{2} \times 8\frac{1}{2}$ c.m. Prices, specimens, from 12 cents to 75 cents each
 Large, $8\frac{1}{2} \times 11$ c.m. Prices, specimens, from 20 cents to \$1 00 each
 Some unusually expensive pieces excepted. Larger collections to order, only.

Collection Rocks for Schools, etc.

- | | |
|---|----------|
| ○ 8672. Collection, 200 specimens and varieties, $6\frac{1}{2} \times 8\frac{1}{2}$ c.m. | \$42 00 |
| ○ 8673. Ditto, ditto, 500 specimens and varieties. | \$140 00 |
| ○ 8674. Ditto, ditto, 1000 specimens. | \$350 00 |


- 8675. **Collection, Minerals**, 100 specimens, for students, size about 4×6 c.m. \$12 00
- 8676. Ditto, ditto, 200 specimens and varieties, packed in 2 wood cases..... \$24 00
- 8677. Ditto, ditto, 500 specimens and varieties, packed in 5 wood cases..... \$146 00
- 8678. Ditto, ditto, 1000 specimens and varieties, loose..... \$380 00

Minerals for Chemical Analysis, etc., by pound. See our List of Chemicals.


- 8679. Ditto, ditto, 185 specimens, size 5×6 c.m., illustrating physical properties of the minerals..... \$87 50
- 8680. Ditto, ditto, of Pseudomorphous minerals, 100 specimens, 5×6 c.m..... \$50 00
- 8681. Ditto, ditto, Metallurgical, of the most important ores and metallic compounds, 200 specimens, 5×6 c.m..... \$100 00
- * 8682. **Combustion Furnace**, Glaser's, modified by Anschütz & Kékulé, improved by E. & A. Provided with mica plates, enabling operator to watch flame during combustion, 34 inches long, 21 burners..... \$50 00

Burners may be removed and used for Kjeldahl's digestions, etc., etc.

Larger sizes to order, only.



8682



8683

8685

CRUCIBLE TONGS.

- * 8683. **Crucible Tongs**, Blair's, platinum tips or shoes, each..... \$6 50
- 8684. Ditto, ditto, all finely-finished steel, same shape as No. 8675, each..... \$2 00
- * 8685. Ditto, ditto, Goose-neck, with platinum tips, each..... \$2 00
- 8686. Ditto, ditto, solid nickel, double bend, 8 inches long, fitted with platinum shoes or caps, more durable than platinum plates..... \$6 00
- 8687. **Crucibles, Platinum, Gooch's.** Capacity, 10 CC; approximate weight 15 grammes; per gramme..... 65c
- For other sizes Gooch Crucibles, see our large catalogue.
- 8688. Ditto, **Porcelain**, Gooch's, with covers, to be used with perforated platinum disc. Capacity, 1 ounce, each..... 50c
- 8689. **Platinum Disc**, for above, each..... 75c
- 8690. **Perforated porcelain plates**, (separate) for above, each..... 25c.


For Chemicals, See our Special List.

For Drugs, etc., See our Special List.


DESICCATORS.

- * 8700. Desiccators, Scheibler's, $5\frac{1}{2}$ inch diameter, with stop-cock.....\$3 00
 —* 8701. Digesters, Iron, well-made and carefully tested, from 100 to 350 lbs. pressure, per square inch, with gauge and safety valve, completa.
 Capacity, 1 2 5 Litres.
 \$62 40 67 90 77 00


If mounted with the new pressure gauge instead of the ordinary one, \$11 20 extra
 Ditto, tested to 2,000 lbs. pressure, any size, to order, only.
 Other sizes to order, only.




8700




8701



8702




8704



8705

- * 8702. Distilling Apparatus, perfectly automatic, size A produces 13 gallons of distilled water in 24 hours; burner consumes 6 feet of gas per hour.....\$15 00
 ○ 8703. Ditto, ditto, size B produces 32 gallons distilled water in 24 hours; burner consumes 14 feet of gas per hour.....\$25 00
 —* 8704. Ditto, ditto, for preparing distilled water by steam heat quickly and in larger quantities. Of heavy copper, steam coil near bottom; automatic valve controlling water supply, water level gauge, etc.
 Capacity, 3 gallons, \$35 00 5 gallons, \$45 00
 * 8705. Distilling Apparatus of heavy copper, brass flanges, secured by stout clamps, suitable for preparation of Aldehydes, Tars, etc.
 Capacity, $\frac{1}{2}$ 1 2 3 gallons.
 \$25 00 30 00 40 00 45 00


- * 8706. **Drying Oven**, for drying in current of hydrogen, steam, etc., 16 inches long and 10 inches wide outside, each\$30 00
- * 8707. Ditto, ditto, **Victor Meyers'**, for drying at constant temperatures, mounted on tripod.....\$12 00
- * 8708. Ditto, ditto, **Wiesnegg's** double wall, **porcelain lined**, inside dimensions, 12 in. X 10 in. X 10 in., with burner, complete.....\$65 00




8706




8707




8708



8712



8709



8710

- * 8709. **Electrolytic Apparatus**, finely-finished, glass rod, ring and clamp.....\$4 00
- * 8710. Ditto, ditto, with 2 clamps.....\$4 00
8711. **Electrolytic Apparatus**, modern form, for copper determinations in large copper mills; with 6 or 12 Platinum cylinders or spirals, on insulated support. According to weight of Platinum.....\$60 00 to \$175 00
- * 8712. **Extraction Apparatus**, all glass, ground joints, modified Soxhlets, each.\$3 00
- Electrical Apparatus, see page 327.**

FILTER PAPER.

8713. Filter Paper, Schleicher & Schüll's, "Black Ribbon," No. 589, washed.
Prepared especially for use in Iron analysis. After incineration the residue of these filters weigh,

Diameter:	5½	7	9	11	12½	15 c.m.
	0,00004	0,00007	0,00011	0,00017	0,00021	0,00025 ashes.
Ditto,	2½	2½	3½	4½	5	6 inches.
	.70	.80	\$1 00	1.20	1.45	1.70 per package.

Originally made for Krupp, and other large German steel works. Packages of 100 filters each.

○ 8714. Ditto, ditto, Swedish, No. 1 F* cut, ready for use.

Diameter.	5½	7	9	11	12½	15 c.m.
	2½	2½	3½	4½	5	6 inches.
No. 1.	10	14	22	28	32	38 each.
No. 2.	8	12	18	24	28	32 "

8715. Filter Paper, Schleicher & Schüll's, No. 591, for the filtrations of Lacquers, Oils, Syrups, etc. Size, 21½×23 in. ○ Ream, \$24 00. Quire.....\$1 50


FLASKS.

* 8716. Flasks, Assay, Bohemian glass, capacity, 4 oz., 25c. each, 8 oz., 35c. each.

* 8717. Ditto, "Joliet," heavy, capacity 16 ounces. Used extensively in Iron Companies' laboratories, each30

* 8718. Ditto, Erlenmeyer form, with side neck, capacity, 8 16 32 ounces.
each. .35 .45 .55

8719. Ditto, Bohemian, contracted neck. Imported to order.

**FUNNELS.**

8720. Funnels, glass, Bunsen's, ground inside to angle of 60°

Diameter,	2½	3	3½ inches.
	.25	.30	.35 each.

—* 8721. Ditto, separatory, Dr. Squibb's, with stop-cocks and stopper.
Capacity, 4 oz., \$1 75 each, 8 oz., \$2 50 each.

* 8722. Ditto, Hirsch's, porcelain, with fixed perforated porcelain plate.
Diameter, 2 3 3½
.75 .90 \$1 05 1 35 each.

Ditto, Larger sizes, to 9 inch diameter, to order, only.

* 8723. Ditto, glass, ribbed. Diameter, 4 5 6 7 8 inches.
Capacity, 8 16 24 32 64 ounces.
15 .20 .25 .30 .50 each.

* 8724. Ditto, Dropping, Walter's, for examining single drops, capacity, 60 c.c. each. \$2 00

FURNACES.

○* 8725. **Furnace, Brown's Assay**, size : 27 inches high, and 14 inches square, size of muffle, 12×6×4 inches, or 10½×5½×3½; weight, 125 lbs.\$20 00


—* 8726. **Gas Cylinders**, of superior steel, warranted absolutely gas tight and tested to a pressure of 300 lbs. to the square inch. Capacity, at a pressure of 200 pounds to square inch, 100 gallons. Size, 10 in. diameter×32 in. high, weight, 40 lbs. Price.....\$24 00

— 8727. Ditto, of copper, capacity at 200 lbs. pressure, 50 gallons, size, 7 in. diameter×28 in. high, weight, 20 lbs. Price.....\$20 00


Wrench and couplings furnished with each cylinder.

* 8728. **Gas Distributor**, brass, large stop-cocks of 3-8 in. bore, finely finished...\$10 00

N. B.— Top part for Nos. 8726-27, with gauge....13 00
Without gauge..... 7 00



8728




8725



8726

GEISSLER TUBES.


- * 8729. Geissler Tubes. Length, 4 5 6 10 12 20 inches.
 .50 .60 .75 \$1 25 2 00 3 50 each.
- * 8730. Ditto, ditto, containing fluorescent solutions.
 Length, 6 8 10 12 16 inches.
 \$1 00 1 50 2 00 2 50 3 00 each.
- * 8731. Ditto, ditto, 12 to 15 in. high, each \$4 50
- * 8732. Ditto, ditto, 10 to 12 in. high, spirals of Uranium glass, can be mounted on wood base, each \$4 50



8729



8731



8730



8732



8733


* 8733. Ditto, ditto, filled with various gases for spectrum analysis, selected, each... \$2 50

Glass-blowing and Engraving by Experts, in our own shops. Graduations warranted correct.

- Metal Work, any description, made in our own shops by experienced mechanics.**
- 8734. Hæmatinometer, Hoppe-Seiler's, for measuring blood corpuscles, pr pair, \$15 00
- 8734b. Hæmometer, after Fleischl. \$35 00

HELIOSTATS.

- 8735. **Heliostat**, after Fues..... \$190 00
 — 8736, Ditto, with two mirrors, operated by hand, arranged to fasten to shutter.... \$79 50
 Slit arrangement for same, extra..... \$9 00
 * 8737. Ditto, Spencer's, with clock-work..... \$67 50
 — 8738. Ditto, Meyerstein's, with clock-work..... \$38 00



8737

HYDROMETERS.


8739. **Hydrometers, Standard Sucrose**, as made for Drs. Wiley and Spencer. Arranged in sets of 9, up to 90°, standard quality in 1-10°=0 to 10, 10 to 20, 20 to 30, etc. Each..... \$1 25 Per set of 9..... \$10 00
- 8740. Ditto, for diffusion battery, in sets of 20, in 1-20° standard quality, 0 to 5, 5 to 10, 10 to 15, 15 to 20, 20 to 25, 25 to 30, 30 to 35, 35 to 40, 40 to 45, 45 to 50, 50 to 55, 55 to 60, 60 to 65, 65 to 70, 70 to 75, 75 to 80, 80 to 85, 85 to 90, 90 to 95, 95 to 100, each..... \$1 75
- 8741. **Machine, for cutting and grinding mineral sections**, modern, with every improvement. Lathe form, foot power, complete..... \$135 00
- 8742. Ditto, ditto, operated by hand..... \$36 00
- 8743. **Rock Sections, collections**, of 20 specimens for students. Prepared by Prof. Seebach, examined and described by Prof. Zirkel..... \$12 50
- 8744. Ditto, collection of Petrographic, 150 specimens. Arranged by Prof. Rosenbush. 8½×11cm..... \$45 00
- 8745. Ditto, collection, 350 specimens, Massive-Volcanic, systematized and prepared after Prof. Rosenbush's "Mikroskopische Physiographie der Massigen Gesteine." Price..... \$212 50
8746. **Paper Pulp, Schleicher & Schull's**, washed and purified, convenient for filtering large quantities of liquids, per lb..... 70c
- 8747. **Polarizing Apparatus**, Norremberg's, latest form, wide field, with draw-tube, etc..... \$60 00
- 8748. **Polarizing Apparatus**, after Groth for crystallographic optical investigations, with Stauroscope, Goniometer, Oil-vessel, Heating arrangement, and with all recent improvements, complete. \$375 00

KJELDAHL'S APPARATUS.


Latest Designs.

For Nitrogen Determination, made by us for Laboratories of Agricultural Experiment Stations, Fertilizer Works, etc.


* 8749. Kjeldahl's Condenser, copper, tin lined, 6 coils of pure block tin.....	30 00
8750. Ditto, ditto, 10 coils.....	50 00
8751. Ditto, ditto, of zinc, 6 coils.....	25 00
* 8752. Kjeldahl's Digesting Shelf, with 6 burners.....	18 00
8753. Ditto, ditto, with 10 burners.....	25 00
* 8754. Kjeldahl's Distilling Shelf, with 6 burners.....	18 00
8755. Ditto, ditto, 10 burners.....	25 00



8749



8752




8752-54


* 8756. Kjeldahl's Digesting Shelf, round form, 6 burners.....	16 00
8757. Kjeldahl's Digesting Flasks, each	40
a—Kjeldahl's Distilling Flasks, each	30
b— " Connecting Bulb Tubes, each.....	25
8758. Knives, for cutting Glass, each	75

LABORATORY FIXTURES.

- * 8759. **Air Bath, Blair's**, Cast-iron Trough, supported on fire bricks. Top of asbestos board and Sheet-iron 30 00



8759




8760

- * 8760. **Sand Bath or Hot Plate, Blair's**, Iron Plate, supported on Fire-brick, 25 00

- * 8761. **Basins, of March's famous Stoneware**, used extensively abroad. General shape, particularly the shelf, considered a great convenience. \$14 40

Basins, Iron, porcelain lined. Sizes and prices on application.




8761

- * 8762. **Drying Oven.** Double wall, of copper, with heavy brass doors. Boiler and Condenser, for preparing Distilled water. Mounted. Arranged to be used with a large gas burner.....300 00


• Ditto, larger sizes and different arrangements to order.

- * 8763. **Evaporating Bath. Iron.**


Section with 12 holes..... 40 00
 Section with 18 " 60 00
 Section with 1-12 in. 2-10 in. and 2-4 in. holes..... 40 00



8762



8763




8765

8764. **Kettles**, of enameled iron, caldron shaped.

Capacity.	26 gallons,	40 gallons.
Each,	17 50	25 00

- * 8765. **Sand Bath**, according to Ruedorff, of wrought iron, with 3 row-burners, as per sketch..... 7 50


8766. **Water Bath, round, for steam, most modern form. Each provided with steam valve and overflow. Set right through table top. No tripod needed.**
- | | | | |
|-------|--------|--------|--------|
| | 6 in. | 8 in. | 10 in. |
| Each, | \$2.50 | \$3.50 | \$8.00 |
- * 8767. **Water-bath, with 4 openings each, 6 inches deep, 5 inches wide, $2\frac{1}{2}$ in. high, as used by Dr. Blair in analysis of iron ores, provided with water regulator, 25 00**
8768. **Single copper boxes, as used in connection with this bath, $4\frac{1}{2} \times 3\frac{1}{2}$ in. each...\$1 50**
- 8769. **Ditto, with larger ovens, arranged to hang on wall, and with openings at top for ventilation, etc..... 35 00**
- * 8770. **Jugs, Gutta Percha, for acids, etc., with stoppers.**
- | | | | | | | | | |
|-----------|--------|-------|-------|-------|-------|-------|-------|-------------|
| Capacity, | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 gallons. |
| Price, | \$9 00 | 15 00 | 19 50 | 24 00 | 28 00 | 32 00 | 36 00 | 40 00 each. |



8767



8770



8771


- * 8771. **Ladles, with detachable handles.—Of cast iron, in three sizes, $4\frac{1}{2} \times 2\frac{3}{4}$, $4\frac{3}{8} \times 2\frac{3}{8}$, $4 \times 2\frac{3}{8}$, inside measurement. One handle will fit any ladle, and can be removed while it is on the fire. The prices of ladles and handles are therefore given separately below.**

No. 14L, Ladle, $4\frac{1}{2} \times 2\frac{3}{8}$ inch.....	40c	No. 14s, Ladle, $4 \times 2\frac{3}{8}$ inch.....	25c
No. 14m, Ladle, $4\frac{3}{8} \times 2\frac{3}{8}$ inch.....	35c	No. 14H, Handles, each.....	25c


LAMPS

- 8772. **Microscope Lamp**, new, for gas.....\$10 00
 ○ 8772a. Ditto, with Auer von Welsbach incandescent cone.....\$15 00
 ○* 8773. Ditto, ditto, for oil.....\$6 00


The flame is surrounded by an opaque chimney, and light is transmitted (law of total refraction) through glass rod. Used without condenser above or below stage.




8773



8774



8775



8776

- * 8774. **Lamps, Magnesium, "flash"**.....\$4 00
 —* 8775. **Lamps, Polariscopes, Landolt's improved, for Sodium Light**.....\$16 00
 ○* 8776. **Lamp, for Dark Room**, gives several times light of ordinary "Ruby" lamp.
 Complete with wicks, amber chimney, etc.....\$3 50

MAGIC LANTERNS.

The prices of Magic Lantern and Stereopticon depend upon the required objectives.

- * 8777. **Magic Lanterns.** Price, with a first-class $\frac{1}{2}$ size Achromatic Objective..\$50 00
 ○* 8778. **Oxy-Hydrogen Stereopticon.** Price, with first-class $\frac{1}{2}$ size achromatic objectives.....\$125 00

This Stereopticon consists of two well-ventilated tubular lanterns $4\frac{1}{2}$ in. diameter, made of Russia sheet iron, with all seams folded and riveted, and nicely japanned in imitation of black rubber. With hinged doors at the side and back of each lantern; first quality condensing lenses, $4\frac{1}{2}$ inch. in diameter; superior achromatic objectives, nicely mounted in brass with rack and pinion adjustment for focusing; improved Oxy-Hydrogen compound jets, warranted to burn entirely noiseless, and new device for regulating the lime cylinders and for adjusting the position of the jets; latest improved dissolving key, warranted not to darken the screen, and arranged to be used with compressed gases direct from cylinders.

This instrument is provided with swing joints, rotating on plated pillars fastened to a walnut base.

The $\frac{1}{2}$ size objectives will produce a brilliant and well-defined picture of any desired size, up to 25 feet diameter.

8779. **Darlot Objectives,** nicely mounted in brass, with rack and pinion adjustment for focusing, can be had in matched pairs.


Size, Focus,	$\frac{1}{4}$ 4 $\frac{1}{2}$	$\frac{1}{2}$ 5 $\frac{1}{2}$	$\frac{3}{4}$ 7	$\frac{1}{2}$ 8 $\frac{1}{2}$	$\frac{4-4}{10\frac{1}{2}}$ 10 $\frac{1}{2}$ inch.
Price,	\$7 00	12 00	14 50	21 00	32 00

8780. Magic Lantern Condensers.


- 4 in. diameter \$3 60 | 4 $\frac{1}{2}$ in. diameter \$4 00
 5 in. diameter \$4 50

The following table of sizes and distances will be found useful.

Size Objective.	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$	4-4	4-4
Distance,	14	20	36	50	50	60	57	64	80
Gives a	7	10	12	19	14	17 $\frac{1}{2}$	15	17	16
									22 ft. picture.



8778



8777

MICROSCOPES.

Microscopes, Objectives and Accessories,


Manufactured by CARL ZEISS, JENA.

EIMER & AMEND, SOLE AGENTS.

The Zeiss' Objectives, Achromatic and Apochromatic, the Stands and Accessories, are so well-known for their unsurpassed excellency that it is needless to say more about them here. We quote wholesale prices, duty paid.


Outfits for most scientific purposes, and especially for the Investigation of Bacteria.

—* 8781. Microscope, Stand Ia	\$150 00
With Revolving Objective Table	\$200 00
Apochromatic Objectives. 16,0 mm 8,0 mm 4,0 mm	
0.30 n. ap. 0.65 n. ap. 0.95 n. ap. ..	\$184 50
2,5 mm., Water immersion.	
1.25 n. ap.	\$135 00
2,0 mm 3,0 mm., Homog. immersion.	
1.30 n. ap. 1.40 n. ap.	\$405 00
Compensating Eye-pieces. 2, 4, 8, 12.....	\$45 00
6, with Micrometer.....	\$13 50
Sliding Objective Changer, with 6 slides. Rec. in place of nose-	
pieces.....	\$31 50
Stage Micrometer.....	\$4 50
Camera lucida, (after Abbé).....	\$13 50
Total for outfit.....	\$982 50
— 8782. Microscope, Stand I.....	\$150 00
Apochromatic Objectives. 16,0 mm 8,0 mm 4,0 mm	
0.30 n. ap. 0.65 n. ap. 0.95 n. ap. ..	\$184 50
2,5 mm. Water immersion.	
1.25 n. ap.	\$135 00
2,0 mm. Homog. immersion.	
1.30 n. ap.	\$180 00
Compensation Eye-pieces. 2, 4, 8, 12.....	\$45 00
6, with Micrometer.....	\$13 50
Sliding Objective Changer, with 5 slides. Rec. in place of nose-	
pieces.....	\$27 00
Camera lucida, (after Abbé).....	\$13 50
Total for outfit.....	\$748 50



8781

Digitized by Google



8786

- * 8788. **Microscope, Stand VII., with Illuminator.**\$35 00
 Iris diaphragm for same..... \$6 00
 Objectives, A, D.....\$29 70
 1-12 (Homog. immersion, 1,20 mm aperture)\$72 00
 Huyghenian Eye-pieces, 2, 4..... \$6 30
 Total for outfit\$149 00
- 8789. **Microscope, Stand VII, \$30 00**
 Objectives, A, D, F.....\$67 50
 Huyghenian Eye-pieces, 2, 4....\$6 30
 Total for outfit\$103 80
- 8790. **Microscope, Stand VII. \$30 00**
 Objectives, A, D.....\$29 70
 Huyghenian Eye-pieces, 2, 4....\$6 30
 Total for outfit\$66 00

ZEISS' APOCHROMATIC OBJECTIVES.

In the construction of the objectives thus designated, new kinds of glass and a greatly improved method of correction have been employed, with the result that the secondary spectrum is removed and the spherical aberration uniformly corrected for the different parts of the spectrum. There is therefore a much more perfect concentration of the rays in the image than with the best objectives hitherto made, and there is neither focal difference nor spherical aberration even in the case of chemically effective rays.

They also allow very high eye-pieces to be used without detriment to the accuracy or brightness of the image, thus giving high magnifying power with relatively long focal length, and enabling a series of very varying amplifications to be obtained with the same objective.


The natural color of objects, even in the more delicate tints, are reproduced unaltered by these objectives in consequence of the very slight intensity of the residual tertiary spectrum.

The differences in the amplification of the image for the various colors are reduced to the same amount in all the objectives, and are removed by the compensating eye-pieces hereafter described. The images therefore are uniformly free from color throughout the whole field of view.

The spherical aberration outside the axis is so completely corrected that the sharpness of image existing in the centre of the field of view is maintained almost up to the margin although the focal adjustment between the centre and margin is necessarily somewhat different in consequence of the unavoidable curvature of the surface of the image.

The construction of each objective is based on calculations which extend to the smallest details of optical action. Every element—radii of curvature, thickness, diameter and distance of the lenses from one another—in relation to the spectro-metrical constants of the various kinds of glass employed and the numerous conditions, which have to be simultaneously fulfilled, are all accurately adjusted and numerically determined for each objective. The technical execution is carried out exactly on the data furnished by these calculations, with the strictest check on all the elements in the various stages of manufacture and without any subsequent empirical touching up.

In the list given below the objectives are arranged according to their aperture. In the 2d column are the different focal lengths while the 3d column gives the corresponding proper



8788

amplification of the objective (the quotient of the conventional distance of distinct vision (250 mm) divided by the focal length of the objective).

The objectives are constructed according to order, either for the continental tube-length of 160 mm or for the English of 250 mm or 10 inches. The tube-length is measured from the upper surface of the setting of the objective to the upper margin of the body tube on which the eye-piece rests.

Great care must be taken to preserve the correct tube-length, as any deviation materially injures the performance of the objectives and particularly those for homogeneous immersion.

The settings of all the objectives are engraved with the name of the firm and also with the aperture, focal length, and length of the body tube for which they are adjusted.

In ordering, it is desirable that these three points should be specified so as to avoid any mistake as to the particular objective required (thus: Apochrom. 1.40—3.0 mm—long tube).

The apertures given are the guaranteed minimum values; the real amount is nearly always higher. The focal lengths are exactly as stated.

— 8791.

ZEISS' APOCHROMATIC OBJECTIVES.

	Numerical Aperture.	Equivalent Focal Length in mm.	Objective Magnification in mm.	Price.
Dry {	... 0.30 16.0 15.5 \$45.00 ...
	... 0.65 8.0 21 58.50 ...
	... 0.95 4.0 63 81.00 ... With Correction.
Water Immersion	... 1.25 2.5 100 135.00 ... With Correction.
Homogene Immersion {	... 1.30 3.0 2.0 83 125 180.00 180.00 ...
	... 1.40 3.0 2.0 83 125 225.00 225.00 ...
Monobromide of Naphthaline Immersion.	... 1.60 2.50 100 360.00 ...

LIST OF ZEISS' ACHROMATIC OBJECTIVES.

	Designation.	Numerical Aperture and Air Angle.	Equivalent Focal Length.	Price	
				Without Correction.	With Correction.
Dry {	... a ₁ 40 mm \$5.40
	... a ₂ 35 mm 5.40
	... a ₃ 30 mm 5.40
	... a* 38-26 mm 18.00
	... aa 0.17 26 mm 12.15
	... A 0.20 18 mm 10.80
	... AA 0.30 18 mm 13.50
	... B 0.35 12 mm 13.50
	... C 0.40 7 mm 16.20
	... D 0.65 4.3 mm 18.90
	... DD 0.85 4.3 mm 24.30 33.30 ...
	... E 0.85 2.7 mm 29.70 38.70 ...
Water Immersion	... F 0.85—0.90 1.85 mm 37.60 56.80 ...
	... D* 0.75 4.3 mm 33.75
do	... H 1.15—1.20 2.4 mm 49.50 58.50 ...
do	... J 1.8 mm 64.80 73.80 ...
Homog. Immersion	... $\frac{1}{12}$ 1.20 2.0 mm 72.00
do	... $\frac{1}{12}$ 1.30—1.35 2.0 mm 135.00

TABLE OF MAGNIFYING POWER

of the Zeiss' Objectives with several Huyghenian
Eye-pieces,

and with a body-length of 160mm.

Eye-pieces :	1	2	3	4	5	
a₁	7	10	15	20	a₁
a₂	11	16	23	30	...	a₂
a₃	20	30	40	50	a₃
a*	4-8	7-14	10-20	15-30	a*
aa	25	35	47	60	77	aa
A, AA	37	50	70	90	115	A, AA
B	60	85	115	145	185	B
C	105	145	200	265	325	C
D, DD, D*	175	240	325	420	540	D, DD, D*
E	280	390	535	680	865	E
F	415	585	790	1000	1277	F
H	320	440	610	770	985	H
J	430	585	810	1030	1314	J
$\frac{1}{12}$	358	530	730	925	1180	$\frac{1}{12}$
	1	2	3	4	5	

ZEISS' MICROSCOPIC ACCESSORIES.

- 8800. **Camera Lucida, Abbe's**.....\$13 50
- 8800a. Ditto, improved, the prism case together with the mirror may be swung back round a horizontal pivot.....\$18 90
- 8801. **Condenser, Abbe's, sub-stage, with Iris Diaphragm**.....\$30 00
- 8802. **Nose-piece for 2 objectives**.....9 00
- 8803. Ditto, for 3 objectives.....\$12 15
- 8804. **Polarizing Arrangement**, for use with Abbe condenser, analyzer after Hartnack, with divided circle to the analyzer.....\$24 30
- 8805. **Stage Screw Micrometer**, for the exact measurement of objects too large to be included in one visual field. The divisions on drum-head read to: 0.002 mm. Whole turns of screw are indicated on a dial. The screw measures up to 10 mm. Arranged to fix on stage of larger stands ... \$54 00
- 8806. **Stage Micrometer**, one millim. divided into 100 parts, on a glass slip. In case.....\$4 50
- 8806a. Ditto, ten millim., the last being divided in tenths.....\$2 75
- 8807. **Eye-Piece Micrometer**, 5 millim., divided into 50 parts, with figures. To drop into eye-piece.....\$2 25

COMPENSATING EYE-PIECES.

The setting of the eye-pieces is so arranged that the lower focal point of all numbers in each series lies in the same plane when inserted in the body-tube. No alteration of focus is therefore required on changing the eye-piece, and the "optical tube-length" (i. e. the distance between the upper focal point of the Objective and the lower one of the eye-piece), which is the standard factor for the magnifying power, remains constant. This optical tube-length in the continental microscopes (excluding small differences between the various objectives) is 180 mm., provided that the length of the body, from the screw-collar of the objective to the upper end of the tube on which the eye-pieces rest, is 160 mm.

The eye-pieces of extremely low power designated as *Searchers* serve the purpose of reducing to its lowest limits the available magnification with each objective, thereby facilitating the preliminary examination and the labour of searching for particular points with high powers. Thus No. 1 of this series enables an objective to be employed with its own initial magnifying power, i. e. as if it were used as a simple lens without an eye-piece. They will be found of special service with immersion objectives, where great inconvenience is caused by having to change a lens already adjusted for another of lower power.

The working eye-pieces for regular observation beginning with a magnification of 4 are likewise of entirely new construction and may be used with advantage even in the highest numbers. The eye-point in all lies so high above the eye-lens and the diameter of the lens itself is so large, that the usual inconveniences attending the use of eye-pieces of short focus are entirely obviated.

Owing to the uniform position of the eye-points of the compensating eye-pieces any one of these may, without difficulty, be used with the usual drawing prisms, including, in particular, the *ABBE* Camera. The most appropriate for the purpose are naturally the lower powers 4 and 6.

The numeration of these eye-pieces is carried out on the principle suggested by Prof. *ABBE*. The number which denotes how many times an eye-piece, when used with a given tube-length, increases the initial magnifying power of the objective, affords the proper measure of the eye-piece magnification and, at the same time, furnishes the figures for rational numeration. On this basis the series of our compensating eye-pieces is arranged according to their magnifying powers, which are respectively 1, 2, 4, 6, 8, 12, 18, and these figures likewise serve as their designation.

The magnification obtained by combining a compensating eye-piece with any apochromatic objective is arrived at directly by multiplying its number by the initial magnification of the objective as given in the preceding table. An objective of 3.0 mm focus for example yields in itself a magnification of 83.3 (calculated for a conventional distance of vision of 250 mm); eye-piece 12 therefore gives with this objective $12 \times 83.3 = 1000$.

An order for eye-pieces to be used on stands which are not of our make should be accompanied by an exact impression of the edge of the tube in sealing-wax or some other exact gauge of the internal diameter of the tube; the best gauge, will, in all cases, be the tube itself.

List of Compensating Eye-pieces, for the continental tube.

Eye-piece Number.....	Searcher Eye-pieces.		Working Eye-pieces.				
	1	2	4	6	8	12	18
Equivalent focal length in mm...	180	90	45	30	22.5	15	10
Price.....	\$9.00	9.00	9.00	9.00	13.50	13.50	11.25

Table of Magnifications of the Apochromatic Objectives with the Compensating Eye-pieces.

For an image distance of 250 mm.

Focus of the Objective.	Searcher Eye-pieces.		Working Eye-pieces.				
	1	2	4	6	8	12	18
16.0....	15.5	31	62	94	125	187	281
8.0....	31	62	125	187	250	375	562
4.0....	62	125	250	372	500	750	1125
3.0....	83	167	333	498	667	1000	1500
2.5....	100	200	400	600	800	1200	1800
2.0....	125	250	500	750	1000	1500	2250
1.5....	167	333	667	1000	1334	2000	3000

PROJECTION EYE-PIECES.

These are used for projecting the image formed by the objective on a screen for demonstrating purposes or upon a photographic plate. They consist of a convex lens and a compound system, which is most carefully corrected both spherically and chromatically after the principle of apochromatic lenses, and is entirely free from secondary chromatic aberration and from *difference of focus between the visual and chemical rays*. A diaphragm is placed between the lenses for limiting the field, and the compound lens can be made to approach or recede from this diaphragm. The cap of the projection eye-piece forms a diaphragm by which internal reflexion in the body-tube is entirely obviated. The aperture of this diaphragm is made to correspond with the greatest aperture of the apochromatic lenses.

The projection eye-pieces are specially corrected for our apochromatic lenses on the principle of the compensating series, but may, nevertheless, be advantageously employed with ordinary achromatic lenses of large aperture.

The designation of these eye-pieces corresponds, as in the case of the other compensating eye-pieces, to those amplifications which they would yield (magnifications being measured after the same principle as for the other compensating eye-pieces) if used for ocular observation.

The magnifications are 2 and 4 for the 160 mm. tube.

We do not construct projection oculars yielding higher amplifications beyond those indicated as these would not possess any practical advantage over the ordinary compensating eye-pieces, which can be used when higher amplifications are required.

The magnification for any distance of image from the eye-piece is obtained, by dividing this distance, expressed in millimeters, by the focal length of the objective in use and multiplying the result by the number of the projection eye-piece employed. Thus the objective of 3 mm. gives with the projection eye-piece 2 an image magnified 1000 times at a distance of 150 cm., for

$$\frac{1500}{3} \times 2 = 1000.$$

This rule holds good, strictly speaking, for long distances only; for short distances the figure so obtained is in excess of the true value.

The image distance may be reduced in the case of 2 to about 400 mm. and with 4 to about 250 mm. (reckoning from the eye-piece); it may, however, be increased to any desired length.

Price of the Projection Eye-pieces: 18 Dollars each.

HUYGHENIAN EYE-PIECES.

We supply these for use with the ordinary achromatic objectives. Their focal lengths and magnifications are shown in the following table.

Eye-piece No.....	1....	2 ...	3....	4....	5....
Focus in mm.....	50....	40....	30....	25....	20....
(Eye-piece) magnification.	3....	4....	5.5....	7....	9....
Price.....	\$3.15 each.				


The magnification is computed by the same rule as in the compensating series, the varying position of their lower focal planes being, however, taken into consideration.

With regard to the selection of eye-pieces for a microscope we would remark, that all our achromatic objectives are capable of still giving effective magnifications for regular observation with Ocular 4, good illumination being understood in the case of the highest powers.


We no longer supply the "orthoscopic" eye-pieces of former catalogues, as they are greatly inferior to the compensating and projecting oculars.

MICROTOMES.


- * 8808. Microtome, improv'd system, Schanze-Weigert. Objects may be cut in any position. Complete with 2 clamps, paraffine table and freezing apparatus. Length of razor course, 17 cm., snap arrangement, without knife, in case\$54 00
- 9809. Ditto, ditto, length of razor course, 20 cm., com. . \$59 50
- 8810. Ditto, ditto, length of razor course, 30 cm., com. . \$89 00
- 8810a. Knives for above, in case, from \$5.75 to \$13.00, according to size.
- * 8811. Microtome, Students', length of razor course, 3½ inches\$15 00
- 8811a. Knife for above, in cherry case\$3 00
- * 8812. Microtome, great improvement over old form "section cutters"\$10 00




8812



8808



8811




8813

○* 8813. **Professional Photo-Micro Camera**, with tapering bellows and one section with ground glass, posterior rectangular tube, one frame section, complete adjustments, one $5\frac{1}{2} \times 8\frac{1}{2}$ plate-holder, one achromatic amplifier.....\$115 00

- 8813a. One additional section Bellows and Frame, extra \$15 00
 8813b. Anterior Rectangular Tube with Nose-piece, extra \$12 00
 8813c. Mechanical Stage, with grooved pulleys, for cords in place of plain stage, extra. Price \$20 00
 8814. Plane and Concave Mirrors with Attachments, extra \$4 00
 —* 8815. Small Photo-Micro Camera, Zeiss'. Adjustable Bellows, 2 feet long, brass levelling support for microscope; all finely mounted \$35 00

We supply everything used in connection with the Microscope.


N^o C.

8816


- * 8816. Mills, made especially for general laboratory use. Adopted by all agricultural experiment stations. Size "C," plates 160 mm diam. \$76 80
 Extra plates, per pair \$6 00
 — 8817. Ditto, size "B" \$61 20
 Extra plates, per pair \$5 00
 —* 8818. Mills, ditto, small, mounted on iron box, with drawer Plates 80 mm diam. \$25 00
 Extra plates, per pair \$4 00
 * 8819. Nitrogen Bulbs, Trollius, each 60c



8818



8819



8815


- 8819a. Paper for absorbing Milk, according to M. A. Adams, absolutely free from fat, as manufactured by Messrs. Schleicher & Schüll, and recommended by Prof. Soxhlet. In strips 6.5×56. ctm., 50 in a package, called No. 571.
 Price per package \$1 75
 The Adams Method is the only official in England and has been adopted also in this country by all Agricultural Stations. Each strip provided with trade mark.
 8820. Parchment Paper Tubing, for dialytic experiments, 40 mm diameter. Bundles, 110 yards, per bundle \$4 00

PHOTOGRAPHIC APPARATUS.

- * 8822. **Novelette Camera, 8×10, with single swing, extra length, for copying, enlarging, etc.**

The bed is composed of three sections. By removing the rear section a regular 8×10 Novelette Camera is obtained. The extra section is held firmly in position by two dowel pins and our hook clamps, and can be removed in less than three seconds. A movable support is placed under the bellows to hold it in position and prevent sagging. All is packed in an ordinary carrying case.

Length of focus 32½ inches | Total weight..... 7 pounds
Price, including one of our new style double Novelette Holders and Case... \$40 00




8822

LANDSCAPE CAMERA.

- * 8823. **This Camera is made of highly polished mahogany, and the metal work has the draw file finish, the same as that used on the finest mathematical instruments.**

It is provided with rising front and singleswing and is adapted to front focus, having the double rack and pinion movement.

The ground glass is fitted with the patent spring actuated movement which keeps it always attached to the camera without being in the way of the operator. The camera may be used for making pictures either vertically or horizontally by means of a plate on the side. The price includes camera, one Eclipse double dry plate holder and canvas carrying case.



8823

Size of View,	4×5	4½×6½	5×7	5×8	6½×8½	8×10
Price,	\$10 50	11 00	12 00	13 50	16 00	22 50
Extra d'bl Zephyr Holders,	\$1 20	1 25	1 25	1 35	1 60	1 85 each.
Extra d'bl Eclipse Holders,	\$2 00	2 20	2 20	2 20	3 30	4 30 each.

- 8823a. **Landscape Camera, complete equipment, includes beside the camera, a patent Eclipse double dry plate holder, fine single achromatic lens, Triplex Tripod and canvas carrying-case, which contains all the above-named articles except the tripod legs.**

Size of View,	4×5	4½×6½	5×7	5×8	6½×8½	8×10
Price,	\$16 00	17 00	18 00	20 00	24 00	31 50
Extra Zephyr d'bl Plate Holders,	\$1 20	1 25	1 25	1 35	1 60	1 85 each.
Extra Eclipse d'bl Plate Holders,	\$2 00	2 20	2 20	2 20	3 30	4 30 each.

Photographic Supplies of every description.

- * 8824. **Patent Antiplanetic Group Lens**, made by C. A. Steinhell Soehne, Munich. New in principle and construction, consisting of two non-symmetrical cemented pairs, placed closely together. It is rectilinear and is remarkable for its powerful and even illumination and sharpness. In rapidity it is only excelled by the regular and expensive portrait combinations.



Recent Improvements in the mounting of the lenses of this series make them still more compact than formerly and allow the front hood of lens to screw off uncovering a screw thread which can be very conveniently used for adjusting lens to detective cameras, shutters, prisms or other appliances.

Designed for Portraits, Groups, Architecture, Landscape, Instantaneous Work and Enlargements. Unexcelled for Flashlight Portraits and Groups.

No.	0	1	1b	2	2b
Aperture,	$\frac{1}{4}$	11-16	13-16	1	1 3-16 in.
Focal length,	$1\frac{1}{4}$	$3\frac{1}{2}$	$4\frac{1}{4}$	$5\frac{1}{2}$	$6\frac{1}{2}$ in.
Size of Portrait or Group,	$1\frac{1}{2} \times 1\frac{1}{2}$	$3\frac{1}{2} \times 3\frac{1}{2}$	$4\frac{1}{2} \times 3\frac{1}{2}$	$4\frac{1}{2} \times 3\frac{1}{2}$	5×4 in.
Size of View or Landscape,	2×2	$4\frac{1}{2} \times 3\frac{1}{2}$	$4\frac{1}{2} \times 3\frac{1}{2}$	5×4	$5\frac{1}{2} \times 4\frac{1}{2}$ in.
Price,	\$18 00	21 00	25 00	28 00	33 00

No.	3	4	5	6	7
Aperture,	1 5-16	1 11-16	$1\frac{1}{4}$	$2\frac{1}{4}$	3 1-16 in.
Focal length,	$7\frac{1}{4}$	$9\frac{1}{2}$	$10\frac{1}{2}$	$14\frac{1}{2}$	$17\frac{1}{2}$ in.
Size of Portrait Group,	$5\frac{1}{2} \times 4\frac{1}{2}$	7×5	$8\frac{1}{2} \times 6\frac{1}{2}$	10×8	12×10 in.
Size of View or Landscape,	7×5	$8\frac{1}{2} \times 6\frac{1}{2}$	10×8	12×10	15×12 in.
Price,	\$37 00	48 00	60 00	95 00	140 00

For Photographic Chemicals,
see our Chemical List.



8825

- * 8825. **Photometers, Weber's, folding.** Results more accurate than with any other instrument. Preferred to Bunsen's.
Packed complete, in case, $22 \times 10\frac{1}{2} \times 6$ in. \$160 00


Any and all Supplies for Physical Laboratories from stock, of our own make and importation, or imported to order at manufacturers' prices.

PIPETTES.* 8826. **Pipettes, Automatic, with three-way stop-cock.**


Capacity,	10	25	50	100 CC.
Each,	\$2 00	2 25	2 50	2 75

* 8827. **Pipette, Crampton's Sucrose and Glucose.....** \$2 008828. **Pipettes, Sugar, Dr. Wiechmann's, 10 CC., complete, fitted.....** \$1 508829. **Plates, Porous, Bisque, 10 inch diameter, for drying crystals, etc., each.....** 30c8830. **Plates after Hirsch, porcelain, perforated, edges bevelled, to fit funnels.**


Diameter,	1	1½	2 inches.
	.20	.30	.40 each.



8832




8832



8827



8831



8833



8826

PLATINUM.○* 8831. **Platinum Dishes, for iron analysis.** These dishes have flat bottoms, straight sides, and are wired at the top, with the wire fused into the dish under the lip.

No. 1, diameter, 90 mm.; depth, 50 mm.; weight, about 80 grammes.

No. 2, " 100 " " 55 " " 100 "

No. 3, " 110 " " 58 " " 125 "

Per gramme.....55c

* 8832. **Large Platinum Stills for Acid Works.** Special prices and descriptions on application.○* 8833. **Platinum Crucible, tubulated, according to Dr. Gooch, as used in iron analysis for the determination of combined water and carbon in carbonaceous matter, per gramme.....** 55c**Platinum in any form, pure, or alloyed with any percentage of Iridium.**

POLARISCOPES.

New, Schmidt & Haensch Half-Shade Instrument, with double quartz compensation. These Polariscopes are becoming standard throughout the world.



- * 8834. Polariscopes, 200 mm Tube\$250 00
- 8835. Ditto, 400 mm Tube\$275 00
- 8836. Ditto, 600 mm Tube\$300 00
- 8837. Polariscopes, new, Landolt's, Schmidt & Haensch's make. With two 400 mm Tubes, either of which may be brought into field of vision by a simple lever movement.\$600 00

This is believed to be the most practical and complete instrument ever made.

NOTE.—The first new Landolt Polariscopes imported by us is used by Dr. Wiley, U. S. Dept. Agriculture, Washington.

Polariscopes, for Sugar House, special, with unimportant parts, (standard, etc.) of iron, in place of hand finished brass.

- 8838. Polariscopes, half shade, 200 mm Tube\$150 00
- 8839. Polariscopes, Regular Color Instrument, 200 mm Tube\$150 00



POLARISCOPES ACCESSORIES.

Control Tubes for Polariscopes, an absolute medium for testing correctness of polariscopes scale at any part.

- * 8840. Control Tube for Half-Shade Instruments, for 200 mm Tube Instrument.\$27 00
- 8841. Ditto, for 400 mm tube instrument.\$28 50
- 8842. Ditto, for 600 mm tube instrument.\$30 00
- 8843. Conversion and Observation Tube, after Prof. Landolt, with jacket for water circulation. 100 mm tube.\$7 50
- 8844. Ditto, 200 mm tube.\$8 00
- 8845. Ditto, 400 mm tube.\$9 50
- Thermometer of Jena normal glass, for same.\$2 50

- * 8846. Press, New, Hydraulic,
Maximum power, 300 atmospheres,
with cylinders $4\frac{1}{4} \times 18$ and $7\frac{1}{4} \times 20$
inches, and Manometer.

Complete.....\$250 00


**Prisms of Quartz, Rock Salt, Nichols,
etc., of any description, furnished
to order, at low figures.**

- * 8847. Pump, arranged for use with
Vacuum Apparatus No. 8614 and for
general purposes. Cylinder, $2\frac{1}{4}$ in.
diameter, stroke, $5\frac{1}{8}$ in.; 1300 litres
water per hour, at 35 revolutions
per minute.....\$100 00


- * 8848. Retorts, of Iron, Cylin-
drical, new form, for gradually
generating oxygen, $3\frac{1}{2} \times 22$ in.. \$4 00

8849. Folding Support for above...\$1 00


**Soapstone or Slate for Laboratory
Tables, any size.**



8847




8846



8848

SUPPORTS.


* 8861. Supports, for 2 burettes.....	\$3 50
8862. Ditto, for 3 burettes	\$4 00
* 8863. Supports for Absorption Tubes.....	\$4 00
* 8864. Supports, for 6 burettes.....	\$7 50
8865. Ditto, for 4 burettes.....	\$6 00



8861



8863



8864

— 8865a. Surface Evaporator, according to Siemens.

a—Small, for 5 in. Evaporating Dish.....	\$45 00
b—Large, for 10½ in. “ “	55 00

8865b. Syphon Extractor, modification of Soxhlet's, for Milk Analysis, according to Knorr. As used by Prof. Wiley in the U. S. Department of Agriculture, Washington. Complete with condenser and flask.

Small, \$2.00 Medium, \$2.75 Large, \$4.00

8865c. Test Paper as litmus, blue, red, neutral and tumeric, in small books, each, 5 cts. Dozen.....50 cts.

WATER BATHS.


8866. Waterbath, round, of copper, for steam. Mounted on steam-valve.

Diameter,	6 inches,	8 inches,	10 inches.
Price,	\$2.50	\$3 50	\$8.00


○* 8866a. Water Baths, for use with (fat) extraction apparatus, Muencke's. Bath of copper, with constant water level and 6 sets of rings..(see cut on p. 314)..\$15 00

8866b. Six-arm holder and adjustable burners for above.....\$15 00

- 8867. **Waterblast**, in connection with Gasolene Gas Generator, furnishing sufficient gas for 5 Bunsen burners. Complete, with rubber connection.....\$15.00
- 8867a. Ditto, ditto, larger size, for 10 Bunsen burners. Complete, as above. 27 00



8866a




8869

ELECTRICAL APPARATUS.

Dynamos, not mounted, any size and make.

- 8868. **Dynamo Electrical Machines**, for Lecture Table use.
Capacity, 1,4 amperes, 40 volts\$36 00
- 8868a. Ditto, ditto. Capacity, 2,8 amperes, 40 volts.....\$50 00
- * 8869. Ditto, ditto, larger. If wound with medium size wire (making machine suitable for Lecture room work) 10 amperes, 9 volts.....\$110 00



8870


○* 8870. **Dynamo Electrical Machines, for Physical Laboratories.** Furnished wound as indicated in table below. Price.....\$217 50

	Large wire.			Medium.			Fine.		
Internal Resistance,	0,03			0,50			9,00		
Current strength. Amperes,	30.0	40.0	50.0	10.0	15.0	20.0	2.0	3.0	4.0
E. m. f. Volts.	5.0	4.0	3.0	15.0	12.0	7.5	75.0	60.0	40.0
Volt-amperes. "Watts,"	150	160	150	150	180	150	150	180	160

Dynamos, not mounted, same sizes and prices as given below for motors.

○* 8871. Electric Motors.

Type,	A. O.	A. 1.	A. 2.	B. O.	B. 1.	B. 2.	C. 1.	C. 2.
H. P. Sew'g mach. size.	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{3}{4}$	1	2
Price,	\$20.	*\$36.	\$56	\$90	\$130	\$145	\$160	\$250
Approx. speed. Variable at will.	†3000	2300	2000	2000	2000	2000	1500	1500
Dia. of pulley,	1	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{2}$	2 $\frac{1}{2}$	4	4 in.
Width of Belt,	3-16	3-16	3-16	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$ round.
Weight,	13	16	25	50	70	90	155	200
Circuits,	4to10	12to110	20to110	25to110	25to110	25to110	60to220	60to222 volts
Capacity of dynamos in Watts.	50	100	150	200	400	600	800	1600



8871

We supply everything in line of Electrical Supplies, Foreign and Domestic, at Manufacturers' Prices.

WORKS ON CHEMISTRY.

BREWING, DISTILLING AND WINE MAKING.

BASSET, N. Guide Theorique et Pratique du Fabricant d'Alcools et du Distillateur. 3 vols, 8vo, paper. Paris, 1868-73	\$ 9 00	them. Translated by F. Faulkner. 8vo, cl., ill. and plates. London, 1879	6 00
BLACK, W. A Practical Treatise on Brewing. 5th edition. 8vo, cloth. London, 1875.	4 25	SCAMELL, Geo. Breweries and Maltings; their Arrangement, Construction, Machinery, and Plant. 2d edition, revised, enlarged and partly re-written by Fred. Colyer. 8vo, cl., ill. London, 1880	6 00
BRANT, W. T. Practical Treatise on Raw Materials and the Distillation and Rectification of Alcohols. 12mo, cloth. Phila., 1886	2 50	TAYLOR, D. The Gauger's Manual; containing calculations of spirits above and below proof, as shown by the U. S. Standard Hydrometer. 8vo, cloth. N. Y., 1868	1 00
FAULKNER, F. Theory and Practice of Modern Brewing. 8vo, cloth. London, 1884	8 40	WARE, L. S. The Sugar Beet. Including a History of the Beet Sugar Industry in Europe, etc., etc. 8vo, cloth. Philadelphia, 1880	4 00
PASTEUR, M. Etudes sur la Vinaigre, sa Fabrication, ses Maladies, moyens de les prevenir. 8vo. Paris	1 60	WRAY, L. The Practical Sugar Planter. A Complete Account of the Cultivation and Manufacture of the Sugar Cane. 8vo, cloth, ill. London, 1848	4 25
PASTEUR, L. Studies on Fermentation. The Diseases of Beer. Their causes and the means of preventing			

CHEMISTRY, PHYSICS AND PHILOSOPHY.

ALLEN, Alfred H., F. C. S. An Introduction to the Practice of Commercial Organic Analysis. Vol. 1, Cyanogen Compounds, Alcohols, and their Derivatives, Phenols, Acids, etc. 8vo, cloth. London, 1885.		BARRESWIL et DAVAUNE. Chimie Photographique, contenant les Eléments de Chimie expliqués par des Exemples empruntés à la Photographie, etc. 3d edition. 8vo, paper	3 50
— Vol. 2. Fixed Oils and Fats, Hydrocarbons, Phenols. 8vo, cloth. London, 1887		BASSET, N. Guide Pratique du Fabricant de Sucre. 3 vols. 8vo, paper. Paris, 1873-75	10 50
APJOHN, Jas. Manual of the Metalloids. 12mo, cloth. London, 1864 ..	3 00	BAYLEY, Thos. A Pocket-book for Chemists, Chemical Manufacturers, Metallurgists, Dyers, Distillers, Brewers, etc., etc. 32mo, oblong. London, 1881	2 00
ARMSTRONG, H. E. Introduction to the Study of Organic Chemistry, the Chemistry of Carbon and its Compounds. 12mo, cl. London, 1874 ..	1 25	BEALE, L. S. How to Work with the Microscope. 5th edition. 8vo, cl. London, 1880	7 50
ATFIELD, John. Chemistry; General Medical and Pharmaceutical; Including the Chemistry of the U. S. Pharmacopœia. 10th edition, revised by the author. 12mo, cl. Phila., 1883	2 75	BEILSTEIN, F. An Introduction to Qualitative Chemical Analysis. Translated by L. J. Osburn. 12mo, cloth. N. Y., 1876	75
AVELING, E. B. Natural Philosophy for London University Matriculation, dealing with all the required subjects, and containing over 150 examples, worked out in full. 12mo, cloth. London, 1881	1 60	BENEDICKT, R. The Chemistry of the Coal Tar Colors. Translated and edited by E. Knecht. 12mo, cloth. London, 1886	1 75
BARFF, F. S. An Introduction to Scientific Chemistry, designed for the use of Schools. 12mo, cloth. London, 1869	2 00	BENJAMIN, M. Sugar Analysis. A Description of the Methods used in Estimating the Constituents. 8vo, paper. N. Y., 1880	25
BARKER, Geo. F. A Text-Book of Elementary Chemistry, Theoretical and Inorganic. 12mo, cl. Louisville	1 75	BERNAYS, A. J. Notes for Students in Chemistry. Being a Syllabus of Chemistry. Sixth Edition. 16mo, cloth. Phila., 1878	1 25

Chemistry, Physics and Philosophy.—Continued.

BERTHELOT, M. <i>Traité Élémentaire de Chimie Organique</i> . 8vo, paper. Paris, 1872.....	4 50	CAMPBELL, D. <i>A Practical Text-Book of Inorganic Chemistry, with Qualitative and Quantitative Analysis</i> . 12mo, cloth. London, 1849.....	75
— P. E. <i>Explosive Materials</i> . A series of Lectures delivered before the College of France, Paris, to which is added a Short Historical Sketch of Gunpowder from the German of Karl Braun, and a Bibliography of Works on Explosives. (Van Nostrand's Science Series, No. 70). 16mo, boards. N. Y., 1883.....	50	CAPRON, J. R. <i>Photographed Spectra</i> . One hundred and twenty-six Photographs of Metallic, Gaseous, and other Spectra, with description of Plates, Index, etc. 8vo, cloth. London, 1877.....	12 00
BLOXHAM, C. L. <i>Chemistry, Inorganic and Organic, with Experiments, and a Comparison of Equivalent and Molecular Formulae</i> . 8vo, cl. 6th edition. London, 1888.....	4 50	CARNELLEY, Thos. <i>Physico-Chemical Constants. Melting and Boiling Point Tables</i> . 2 Vols. 4to, cloth. London, 1885.....	33 60
— <i>Laboratory Teaching, or Progressive Exercises in Practical Chemistry</i> . 12mo, cloth. London, 1869..	2 75	CARPENTER, W. B. <i>The Microscope and its Revelations</i> . 7th edition. Ill., 12mo, cloth. London, 1891.....	6 50
BLYTH, A. W. <i>A Manual of Practical Analysis of Food and the Detection of Poisons</i> . 12mo, cloth. London, 1879.	3 50	CHRISTIAN, R. S. <i>A Technical Treatise on Soap and Candles</i> . With a glance at the Industry of Fats and Oils. 8vo, cl. Phila., 1881.....	
— <i>A Dictionary of Hygiene and Public Health, including Sanitary Chemistry, etc.</i> 8vo, cloth. London, 1876.....	10 00	CHURCH, A. H. <i>The Laboratory Guide; a Manual of Practical Chemistry for Colleges and Schools, specially arranged for Agricultural Students</i> . 12mo, cl. London, 1874....	2 50
— <i>Foods. Their Composition and Analysis, with an Essay on the History of Adulterations</i> . With numerous tables and ill. 8vo, cl. London, 1882.....	6 00	CLARKE, L. L. <i>Objects for the Microscope</i> . 2d edition. Revised and enlarged. 12mo, cloth.....	1 40
— <i>Poisons. Their Effects and Detection. A Manual for the Use of Analytical Chemists and Experts</i> . With an introductory essay on the growth of Modern Toxicology. With tables and illa. 8vo, cloth. London, 1884..	6 00	CLASSEN, Alex. <i>Elementary Quantitative Analysis; Translated with Additions by Edgar F. Smith, A.M.</i> Ill., 12mo, cloth. Phila., 1878.....	2 00
BOOTH, J. C. and MORFIT, C. <i>Encyclopedia of Chemistry, Theoretical and Practical</i> . 7th edition, 8vo, ill. Phila., 1872.....	5 00	CLAUSIUS, R. <i>The Mechanical Theory of Heat</i> . Translated by Walter R. Browne, M.A. 12mo, cl. London, 1879.....	2 60
BOWMAN, J. E. <i>An Introduction in Practical Chemistry, including Analysis</i> . Edited by Chas. L. Bloxham. 12mo, cl. 8th edition. London, 1885	2 00	COOKE, J. P., Jr. <i>Chemical Problems and Reactions</i> . 12mo, cl. Phila., 1866	1 00
BRANT, W. T., WAHL, W. H. <i>The Techno-Chemical Receipt Book</i> . Containing several thousand Receipts, covering the latest, most important, and most useful discoveries in Chemical Technology, and their Practical Application in the Arts and the Industries. Edited chiefly from the German of Drs. Winckler, Elsner, Heintze, Mierzinski, Jacobson, Koller, and Heinzerling. Illustrated. 12mo, cloth. Philadelphia, 1886.....	2 00	— <i>Principles of Chemical Philosophy</i> . Revised edition. 8vo, cloth. Boston, 1881.....	3 50
CAIRNS, Fred. A., A. M. <i>A Manual of Quantitative Chemical Analysis for the use of Students</i> . 8vo, cl. N. Y., 1880.....	2 00	COOKE, The New Chemistry. (International Scientific Series.) 12mo, cl. N. Y., 1874.....	2 00
CALDWELL, A. Q. A. and BRENE-MAN, S. B. <i>Manual of Introductory Chemical Practice, for the use of Students</i> . 3d edition, revised and corrected. 8vo, cloth. N. Y., 1883.....	1 50	— <i>Elements of Chemical Physics</i> . Fourth edition. 8vo, cl. Boston, 1886	4 50
		CORNWALL, H. B. <i>Manual of Blow-pipe Analysis, Qualitative and Quantitative, with a Complete System of Determinative Mineralogy</i> . With 69 woodcuts and one lithographic plate. 8vo, cloth. New York, 1882.....	2 50
		CONINGTON, F. T. <i>Hand-Book of Chemical Analysis</i> . 12mo, cl. London, 1856.....	3 00
		— <i>Tables for Qualitative Analysis</i> . 12mo, cloth. London, 1864.....	1 00
		CROOKES, Prof. Wm. <i>Radiant Matter. A Resume of the Principal Lectures and Papers on the "Fourth State of Matter"</i> . 8vo, paper, ill. Phila., 1881.....	50
		— <i>Select Methods in Chemical Analysis (chiefly Inorganic)</i> . 8vo, cloth. 2d edition, enlarged, London, 1886..	8 00

Chemistry, Physics and Philosophy.—Continued.

CROOKES, Prof. W. Dyeing and Tissue Printing. 12mo, cloth. London, 1887	1 50	FOWNES, English (12th) edit. 2 vols., crown, 8vo, cloth. London, 1877....	4 50
DAWSON, Geo. A Manual of Photography, founded on Hardwich's Photographic Chemistry. 8th edition. 12mo. Phila., 1873.....	2 00	FOYE, Prof. J. C. Chemical Problems, with brief statements of the principles involved. Second edition, revised and enlarged. (Van Nostrand's Science Series, No. 69). 16mo, boards. N. Y., 1883.....	50
DAVIES, Thos. The Preparation and Mounting Microscopic Objects. 12mo, cloth. N. Y., 1880.....	1 00	FRANKLAND, E. Experimental Researches in pure, applied and physical Chemistry. Thick, 8vo, cloth, ill. London, 1877.....	12 50
DOUGLAS, Prof. S. H. and PRESCOTT, Prof. A. B. Qualitative Chemical Analysis. A Guide in the Practical Study of Chemistry and in the Work of Analysis. 8th edition, revised, enlarged. 8vo, cloth. N. Y., 1887.....	3 50	— Lecture Notes for Chemical Students. Inorganic Chemistry. 2 vols. London, 1870-81.....	4 00
DYERS' and Color-Makers' Companion, containing upward of 200 Receipts for Making Colors, on the Most Approved Principles. 16mo.....	1 25	— P. F. Agricultural Chemical Analysis. 12mo, cl. London, 1883..	2 00
EDDY, Prof. H. T. Thermodynamics. (Van Nostrand's Science Series, No. 45.) 18mo, stiff paper boards, ill. N. Y., 1879.....	50	FRESENIUS, C. Manual of Qualitative Chemical Analysis. 8vo, cloth. 10th English edition. London, 1887.	6 00
ELDERHORST, W. Blow-pipe Analysis, and Determinative Mineralogy. Edited by H. B. Nason, Ph. D. Philadelphia, 1881.....	2 50	— Manual of Quantitative Chemical Analysis. 7th English edition. 8vo, cloth. Vol. I, London, 1876... Vol. 2. Part 1, 2 and 3, each....	6 00 1 00
ELIOT, C. W. and STORER, F. H. A Compendious Manual of Qualitative Chemical Analysis. Revised by W. R. Nichols. 12mo, cloth. N. Y., 1879.....	1 50	FREY, Heinrich. The Microscope and Microscopical Technology. A Text-Book for Physicians and Students. Translated and edited by George Cutter, M.D. Second edition, 8vo, cloth. N. Y., 1880.....	6 00
ELLIS, Geo. E. R. An Introduction to Practical Organic Analysis. 12mo, cloth. London, 1885.....	60	GERBER, N., Dr. Chemical and Physical Analysis of Milk, Condensed Milk and Infants' Milk-Foods. With special regard to Hygienic and Sanitary milk inspection. Translated from the German edition, and edited by Dr. H. Endemann. 8vo, 19 plates. N. Y., 1882. Paper.....	1 00 1 25
ENCYCLOPEDIA OF CHEMISTRY. Theoretical, Practical and Analytical; as applied to the Arts and Manufactures, by writers of eminence. Illustrated by numerous engravings. 2 vols. Royal, 8vo, cloth.....	15 00	GMELIN, Leopold. Hand-book of Chemistry. Translated by Henry Watts, B.A., 18 vols, and index, cl. London, 1848-1872....	Scarce
EVERETT, J. D., M.A. Units and Physical Constants. 12mo, cloth. London, 1886.....	1 25	GORE, G. The Art of Scientific Discovery or, The General Conditions and Methods of Research in Physics and Chemistry. 8vo, cl. London, 1878	6 00
FARADAY, M. Experimental Researches in Chemistry and Physics. 8vo, cloth. London, 1867.....	6 00	GRAHAM, Thos. Elements of Chemistry. 2 vols. 8vo, cloth. London, 1850.....	6 00
— A Course of Six Lectures on the Various Forces of Matter. 13mo, cloth, ill.....	2 00	— Chemical Handicraft, a classified and descriptive Catalogue of Chemical Apparatus, suitable for the performance of class experiments. Sixteen hundred engravings. 8vo, cl. London, 1877.....	1 60
— The Chemistry of a Candle. 12mo, cloth, ill.....	2 00	— Chemical Recreations. First Course of Chemical Experiment, Instructions in Chemical Manipulations. 8vo, ill. 13th edition. London, 1854.....	1 00
FLEISCHER, Dr. E. A System of Volumetric Analysis. Translated by M. M. P. Muir. 12mo, cloth, ill. London, 1877.....	2 00	— The Chemistry of the Non-metallic Elements and their Compounds, being the Second Division of the Chemical Recreations. 8vo, cloth, ill. London, 1860.....	4 25
FOURIER, Joseph. The Analytical theory of Heat, translated with notes by Alex. Freeman, M.A. 8vo, cloth. Cambridge, 1878.....	4 50		
FOWNES, Prof. Geo., Chemistry, including Agricultural Chemistry. (Weale's Series).....	60		
— A Manual of Elementary Chemistry. 12mo, cloth. Phila., 1885...	2 75		

Chemistry, Physics and Philosophy.—Continued.

GRAHAM, Thos., The Chemical Testing of Wines and Spirits. 12mo, cl. 2d edition. London, 1872.....	2 00	KINGZETT, Chas. T. Animal Chemistry; or, the Relations of Chemistry to Physiology and Pathology. A Manual for Medical Men and Scientific Chemists. 8vo, cloth. London, 1878.....	5 00
GUTHRIE, Fred. The Elements of Heat and of Non-metallic Chemistry. Post 8vo, London, 1868.....	2 80	— The History, Products and Processes of Alkali Trade, including the most recent improvements. 8vo, cl. London, 1877.....	2 50
HASSALL, A. H. Food; Its Adulterations, and the Methods for their Detection. Illustrated by 200 Engravings. Thick 12mo, cloth. London, 1876.....	8 75	KOHLRAUSCH, Prof. F. An Introduction to Physical Measurements. 2d edition. Translated from the fourth German. 8vo, cloth. London, 1883	6 00
HELMHOLTZ, Prof. H. L. F. On the Sensations of Tone as a Physiological Basis for the Theory of Music. Translated by A. J. Ellis. 2d English edition. 8vo, cloth. London, 1885....	9 50	LOCK, A. G. and C. G. A Practical Treatise on the Manufacture of Sulphuric Acid. With construction plates to scale. 8vo, cl. London, 1879	7 50
HOFFMAN, F. Manual of Chemical Analysis as applied to the Examination of Medicinal Chemicals. 8vo. Phila., 1883.....	4 25	LOCKYER, J. Norman. Studies in Spectrum Analysis. Illustrations and colored plates. International Scientific Series. 12mo, N. Y., 1878.....	2 50
HUNT, Robt. Researches in Light in its Chemical Relations, embracing a consideration of all the photographic processes. 2d edition. London, 1854.....	4 00	LOMAS, John. A Manual of the Alkali Trade, including the manufacture of Sulphuric Acid, Sulphate of Soda and Bleaching Powder. 2d edition with additions. Royal 8vo, cloth. London, 1886.....	10 00
HUNT, Prof. Thos. Sterry. A New Basis for Chemistry. A Chemical Philosophy. 12mo, cl. Boston, 1887	2 00	LOVE, Thos. The Art of Dyeing, Cleaning, Scouring and Finishing, on the Most Approved English and French Methods. 8vo, cloth. Phila., 1863.....	5 00
JACKSON, C. T. A Manual of Etherization, containing Directions for the Employment of Ether, Chloroform, and other Anæsthetic Agents, by Inhalation, in Surgical Operations. 12mo, cloth. Boston, 1861.....	75	LUNGE, George, Ph. D. A Theoretical and Practical Treatise on the Manufacture of Sulphuric Acid and Alkali, with the Collateral Branches. 3 vols., 8vo, cl. London, 1879-91 ..	38 00
JAMIN, M. J. Cours de Physique de l'Ecole Polytechnique. 4 vols, half morocco. Paris, 1886-91.....	21 60	— and HURTER, F. The Alkali-Makers' Pocket-Book. Tables and Analytical Methods for Manufacturers of Sulphuric Acid, Nitric Acid, Soda, Potash and Ammonia. 12mo, cloth. London, 1884.....	3 00
JAGNAUX, Raoul. Traité pratique d'analyses chimiques et d'essais industriels. Méthode nouvelle pour le dosage des substances minérales, minerais, métaux, alliages et produits d'art. 12mo, paper. Paris, 1884....	2 10	LUPTON, Sydney. Numerical Tables and Constants in Elementary Science. 16mo, cloth. London, 1884.....	70
JOHNSTON, Jas. F. W. The Chemistry of Common Life. American edition brought down to the present time by Arthur H. Church, M.A. 12mo, cloth, ill. N. Y., 1880.....	2 00	— Elementary Chemical Arithmetic. With 1100 Problems. 12mo, cloth. London, 1882.....	1 10
JOUDIE, M. H. Quantitative Estimation of Phosphoric Acid. Translated by J. Barker Smith. 8vo, paper. London, 1881.....		MANSFIELD, C. B. A Theory of Salts. A Treatise on the Constitution of Bipolar (Two-Membered) Chemical Compounds. Crown 8vo, cloth. London, 1865.....	4 00
JONES, F. Practical Chemistry. Preface by Prof. Roscoe. 12mo, cloth. London, 1878.....	70	MAWSON & SWAN'S Book of Chemical Labels. 8vo, paper.....	50
— H. Chapman. Experimental Organic Chemistry for Students. 16mo, cloth. N. Y., 1881.....	1 00	MAXWELL, J. C. Theory of Heat. 12mo, cloth. London, 1875.....	1 25
JUNGFLEISCH, E. Manipulations de Chimie. 8vo, cloth. Paris, 1885....	9 45	— Matter and Motion. With illustrations (Van Nostrand's Science Series, No. 36.) 16mo, boards. N. Y., 1878.....	50
KAY-SHUTTLEWORTH, J. First Principles of Modern Chemistry. A Manual of Inorganic Chemistry for Students. 12mo, cl. London, 1868.	1 80		

Chemistry, Physics and Philosophy.—Continued,

MILLER, W. A. Elements of Chemistry, Theoretical and Practical. 3 vols. 8vo. 6th edition. London, 1877-80	23 50	ODLING, Wm. Lectures on Animal Chemistry, delivered at the Royal College of Physicians. 12mo, cloth. London, 1866.....	2 00
— Introduction to the Study of Inorganic Chemistry. 12mo, cloth. London, 1871.....	1 50	— A Manual of Chemistry. Part I. 8vo.....	3 60
MILLS, E. J. Destructive Distillation. A Manualette of the Paraffine Coal Tar Resin, Oil, Petroleum and kindred Industries. 3d edition. 8vo, cl. London, 1885.....	1 60	— A Course of Six Lectures on the Chemical Changes of Carbon. 12mo, cloth. London, 1869.....	1 80
MONCKHOVEN, D. Photographic Optics, including the description of Lenses and enlarging Apparatus. 12mo, ill. London, 1867.....	3 00	O'NEIL, Chas. A Dictionary of Dyeing and Calico Printing, New edition. 8vo, cloth. Phila., 1869.....	5 00
MOTT, H. A., Jr. The Chemists' Manual. A Practical Treatise on Chemistry, Qualitative and Quantitative Analysis, Assaying, etc. New edition, revised. Royal 8vo, cloth. N. Y., 1883	4 00	PARKINSON, Rev. S. A Treatise on Optics. New edition. 12mo, cloth. London, 1870.....	2 50
MOYRET, M. Traité de la teinture des Soies precede de l'His oire chimique de la Soie. 8vo, paper. Paris, 1877	7 00	PASTEUR, L. Studies on Fermentation. The Diseases of Beer, Their Causes and Means of Preventing Them. A Translation of "Etudes sur la Biere," with Notes, Illustrations, etc., by L. Faulkner and D. C. Robb, B.A. 8vo, cloth. London, 1879	6 00
MUIR, M. M. P. A Treatise on the Principle of Chemistry. 8vo, cloth. London, 1884.....	4 50	PEET, D. Manual of Inorganic Chemistry for Students. Revised by Isaac Lewis Peet, A.M. 18mo, cl. N. Y., 1868.....	75
— and WILSON, D. M. The Elements of Thermal Chemistry. 8vo, cloth. London, 1884.....	3 25	PINNER, A. An Introduction to the Study of Organic Chemistry. Translated and revised from the 5th German edition. 12mo, cloth. New York, 1886.....	1 50
MUTER, John. Introduction to Analytical Chemistry. 2d edition. Royal 8vo, London, 1878.....	3 00	PLATTNER, T. H. Manual of Qualitative and Quantitative Analysis of the Blow-Pipe. Translated from the latest German edition, by Henry B. Cornwall, A.M. With 87 wood cuts and 1 plate. 8vo, cloth. N. Y., 1871.....	5 00
NAPIER, J. Chemistry applied to Dyeing. 8vo, cl. Phila., 1869.....	5 00	PLYMPTON, Prof. Geo. W. The Blow-pipe. A Guide to its use in the Determination of Salts and Minerals. Compiled from various sources. 12mo, flexible cloth. N. Y., 1874.....	1 50
— A Manual of Dyeing and Dyeing Receipts. 3d edition. 8vo, cl., ill., with specimens. London, 1875.....	8 40	PRESCOTT, A. B. Chemical Examination of Alcoholic Liquors. A Manual of the Constituents of the Distilled Spirits and Fermented Liquors of Commerce, and their Qualitative and Quantitative Determination. 12mo, cloth. N. Y., 1875..... Out of print.	
NAQUET, A. Principes de Chimie Fondée sur les Theories Modernes. 2d edition. 2 vols. 12mo, paper. Paris, 1867.....	3 50	— Outlines of Proximate Organic Analysis, for the Identification, Separation and Quantitative Determination of the more commonly Organic Compounds. 12mo, cloth. N. Y., 1875.....	1 75
— A Guide to the Determination of Poisons, Falsification of Writings, Adulterations of Alimentary and Pharmaceutical Substances, Analysis of Ashes, and Examination of Hair, Coins, Arms and Stains, as applied to Chemical Jurisprudence, for the use of Chemists, etc. Translated from the French of Naquet by J. P. Battershall, Ph. D., with a Preface by C. F. Chandler, Ph. D. 2d edition, revised. 12mo, cloth. N. Y., 1884...	2 00	— Organic Analysis. A Manual of the Descriptive and Analytical Chemistry of Certain Carbon Compounds in common use, for the Qualitative and Quantitative Analysis of Organic Materials, Commercial and Pharmaceutical Assays, the Estimation of Impurities under authorized Standards; Forensic Examinations for Poisons, and Elementary Organic Analysis. About 500 pages. 8vo.	5 00
— Principles of Chemistry, founded on Modern Theories. Translated by Wm. Cortes. Thick, 8vo, cl. London, 1868.....	7 50		
NOAD, H. M. Chemical Analysis, Quantitative and Qualitative. 8vo. cl.	6 00		
NORMANDY, A. The Commercial Hand-Book of Chemical Analysis, or Practical Instructions for the Determination of the Intrinsic or Commercial Value of Substances used in Manufactures, in Trades, and in the Arts. New edition, revised by Dr. Noad. 12mo, cl. London, 1875....	5 00		

Chemistry, Physics and Philosophy.—Continued.

PRESCOTT, A. B. First Book in Qualitative Chemistry. 12mo, cloth. N. Y., 1879.....	1 50	SCHORLEMMER, C. A Manual of the Chemistry of the Carbon Compounds; or, Organic Chemistry. 8vo, cloth. London, 1874.....	3 75
PYNCHON, Prof. Thos. R. An Introduction to Chemical Physics, designed for the Use of Academies, Colleges, and High Schools. Illustrated with numerous engravings, and containing copious experiments, with directions for preparing them. New edition, revised and enlarged. 12mo, cloth. N. Y., 1874.....	3 00	SHARPLES, S. P. Chemical Tables. 12mo, cloth.....	2 00
RAINS, Geo. W. Interesting Chemical Exercises in Qualitative Analysis for Ordinary Schools. 12mo, cl. N. Y. 1880.....	50	SLATER, J. W. Hand-Book of Chemical Analysis. 12mo, cloth.....	3 00
RAYLEIGH, Baron. The Theory of Sound. 2 vols. 8vo, cloth. London, 1877-78.....	6 50	— Manual of Colors and Dye Wares; their Properties, Applications, Valuation, Impurities, and Sophistications. 12mo, cloth. London, 1870.....	3 00
REGNAULT, M. V. Elements of Chemistry, for the Use of Academies, Colleges, etc. 2 vols. 8vo.....	7 50	SMITH, D. The Dyer's Instructor, comprising Practical Instruction in the Art of Dyeing Silk, etc. Containing nearly 800 Receipts. 12mo.....	2 00
REICHARDT, Dr. E. Guide pour l'Analyse de l'Eau. Traduit de l'Allemand. 8vo, paper. Paris, 1876....	1 80	STEVENSON, Thos., M.D. Spirit-Gravities, with Tables. 16mo, cloth. London, 1880.....	2 00
REIMANN, M. On Aniline and its Derivatives; a treatise upon the Manufacture of Aniline and Aniline colors. Revised and edited by Wm. Crookes. 8vo, cloth. N. Y., 1868.....	2 50	STRECKER, Adolph. Short Text-Book of Organic Chemistry. By Dr. Johannes Wislicenus. Translated and edited, with additions by Hodgkinson and Greenaway. 8vo, cloth. New York, 1881.....	5 00
RICHARDSON, Thos. and WATTS, H. Treatise on Acids, Alkalies, and Salts. 2d edition. 3 vols. 8vo, cl. London, 1867.....	20 00	STORER, F. H. A Cyclopaedia of Quantitative Chemical Analysis. To be completed in Six Parts. Parts 1 and 2 published. Price per part....	1 65
ROSCOE, H. E. Lessons in Elementary Chemistry, Inorganic and Organic. New edition, revised by the author. London, 1880.....	1 50	STORER, C. W. and ELIOT, F. H. A Manual of Inorganic Chemistry. 2d edition. 8vo, cloth. N. Y., 1868 Out of print.	
— Spectrum Analysis. Six Lectures. Appendixes, colored Plates, and Illustrations. 4th edition. 8vo, cloth. London, 1886.....	6 00	STUTZER, A. Nitrate of Soda. Its Importance and Use as Manure. Rewritten and Edited by Paul Wagner. 12mo, paper. London, 1887.....	1 00
ROSCOE, H. E. and SCHORLEMMER, C. A Treatise on Chemistry Vol. 1. The Non-Metallic Elements. 8vo, cloth. N. Y., 1878.....	5 00	SUTTON, F. A Systematic Hand-Book of Volumetric Analysis, of the Quantitative Estimation of Chemical Substances by Measure, Applied to Liquids, Solids and Gases. 5th edition. 8vo, cl. London, 1886.....	5 00
ROSCOE, H. E. and SCHORLEMMER, C. Vol. 2. Metals. Parts 1 and 2. 8vo, cloth. N. Y., 1879. Each.....	3 00	TAYLOR, R. L. Chemistry for Beginners. 12mo, cloth. London, 1887.....	60
— Vol. 3, Parts 1 and 2. 8vo, cl. N. Y., 1882. Each.....	5 00	TESCHEMACHER, E. F. and SMITH, J. D. On the Estimation of Phosphoric Acid by Magnesia for Commercial Purposes. 8vo, cl. London, Out of print.	
— Vol. 3, Pt. 3, '87, \$3; Pt. 4, \$3; Pt. 5, \$5.00		THUDICHUM, J. L. W., M.D. Annals of Chemical Medicine, Including the Application of Chemistry to Physiology, Pathology, Therapeutics. Pharmacy. Toxicology, and Hygiene. Vol. 1, 8vo, cloth. London, 1879....	5 00
ROSE, H. A Practical Treatise on Chemical Analysis, Quantitative and Qualitative. Translated from the French, with notes and additions, and with an Introduction by A. Normandy. 3 vols. 8vo. London, 1849.....	12 50	TIDY, Chas. M., M.D. Hand-Book of Modern Chemistry, Organic and Inorganic, for the Use of Students. 8vo, cloth. Phila., 1878.....	5 50
ROSS, Lt. Col., W. A. Manual of Blow-pipe Analysis, showing all known methods, old and new. 12mo, cloth. London, 1884.....	2 00	TUCKER, J. H., Ph.D. A Manual of Sugar Analysis, including the applications in general of Analytical Methods to the Sugar Industry, with an introduction on the Chemistry of Cane Sugar—Dextrose Levulose. Second edition. 8vo, cloth. N. Y., 1883....	3 50
SCHERER and BLANFORD on the Blow-pipe Analysis. 3d edition, 12mo, cloth. London, 1875.....	2 00		

Chemistry, Physics and Philosophy.—Continued.

VALENTIN, W. G., F.C.S. Twenty Lessons in Inorganic Chemistry. With engravings on wood. 12mo, cloth. London, 1879.....	1 00	WINKLER, C. Hand-Book of Technical Gas Analysis. Translated with additions by G. Lunge. Small, 8vo, cloth. London, 1885.....	3 00
VILLE, M. G. On Artificial Manures, their Chemical Selection and Scientific Application to Agriculture. Translated by Wm. Crookes, F.R.S. 8vo, cloth. London, 1882.....	6 00	WILSON, Geo. Inorganic Chemistry, with New Notation. Revised and enlarged, by H. G. Madan. 12mo, cloth, ill. London, 1871.....	1 75
VON WAGNER, L. Practical Treatise on the Manufacture of Starch Glucose, Starch Sugar and Dextrine. 8vo, cloth. Phila., 1881.....	3 50	WILL, H. Tables for Qualitative Chemical Analysis. 3d edition. 8vo, cloth. Phila., 1881.....	1 50
WANKLYN, J. A. Milk Analysis. A Practical Treatise on the Examination of Milk and its Derivatives, Cream, Butter, and Cheese. 12mo, cloth. N. Y., 1874.....	1 00	WILLIAMS, C. G. A Hand-Book of Chemical Manipulations. 12mo. London, 1879.....	6 00
— and COOPER, W. J. Bread Analysis. A Treatise on the Examination of Flour and Bread. 12mo, cl. London, 1881.....	2 50	WOOD, Thos. Chemical Notes for the Lecture Room, on Heat, Laws of Chemical Combination, and the Chemistry of the Non-Metallic Elements. 3d edition. London, 1871..	2 00
— Water Analysis. A Practical Treatise on the Examination of Potable Water. 6th edition, rewritten. 12mo, cloth. London, 1884.....	2 00	— Notes on the Metals; a Second Series of Chemical Notes for the Lecture Room. 8vo. London, 1868....	2 00
— Tea, Coffee and Cocoa. A Practical Treatise on Analysis of Tea, Coffee, Cocoa, Chocolate, etc. 12mo, cl. London, 1874.....	2 00	WORMELL, Richard. Thermodynamics, 16mo, cloth. London, 1877.....	75
WATTS, H. Dictionary of Chemistry and the Allied Branches of other Sciences. 9 volumes, 8vo. cloth..	75 00	WORMLEY, Thos. H. Micro-Chemistry of Poisons. 8vo. Phila., 1885..	7 50
		WURTZ, Ad. A History of Chemical Theory, from the age of Lavoisier to the present time. Translated by Henry Watts, B.A. 12mo, cloth. London, 1869.....	2 00
		— Dictionnaire de Chimie, Pure et Appliquée. 5 vols. 8vo, half russia. Paris, 1870-1877.....	40 00
		— The Atomic Theory. Translated by E. Cleminshaw. (International Scientific Series. 12mo, cl., ill. N. Y., 1880.....	1 50

ELECTRICITY AND THE ELECTRIC TELEGRAPH.

AGLAVE and BOULARD. The Electric Light; its History, Production and Application. By Em Algrave and L. Boulard. Translated from the French by T. O'Conner Sloane, E. M. Edited, with notes and additions, by C. M. Lungren, C. E. Illustrated with 252 wood cuts. 8vo, cloth. N. Y., 1884.....	5 00	FONTAINE, Hippolite. Electrolysis; a Practical Treatise on Nickeling, Coppering, Gilding, Silvering and Refining of Metals and Treatment of Ores by means of Electricity. Translated from the French by J. A. Berley. With 34 illustrations. 8vo, cloth. London, 1885.....	3 50
CATALOGUE of Books and Papers relating to Electricity, Magnetism, The Electric Telegraph, etc., including The Ronald's Library, compiled by Sir Francis Ronalds, F.R.S. with a Biographical Memoir, edited by A. J. Frost. 8vo, paper. London, 1880.....	3 50	GLADSTONE, J. H. TRIBE, Alfred. The Chemistry of Secondary Batteries of Planté and Faure. 12mo, cloth. London, 1883.....	1 00
CROMPTON, R. E. The Electric Light for Industrial Uses. 8vo, paper, ill. London, 1880..... Out of print.		GORE, G. The Art of Electro-Metallurgy, including all known processes of Electro-Deposition. 12mo, cl., ill. N. Y., 1877.....	2 00
		— Theory and Practice of Electro-Deposition, including every known mode of Depositing Metals. 12mo, cloth. London, 1887.....	80

Electricity and The Electric Telegraph.—Continued.

INCANDESCENT ELECTRIC LIGHTS. By Comte Th. Du Moncel, Wm. H. Preece, J. W. Howell and C. W. Siemens. 16mo, boards. (Van Nostrand's Science Series, No. 57.) New York, 1887.....	50	REPORTS of the Committee on Electrical Standards, appointed by the British Ass'n. Revised by Sir W. Thomson and Prof. J. Clerk Maxwell. 8vo, cloth. London, 1873.....	3 75
KROHN, F. Magneto and Dynamo-Electric Machines, with a Description of Electric Accumulators. A Practical Hand-Book. Second Edition, Enlarged, with a Preface and an Additional Chapter on the Best Type of Machine. By W. B. Esson. 12mo, cloth. Ill. London, 1887....	Out of print.	REPORT ON LIGHTING by Electricity. Ordered by the House of Commons to be printed, June, 1879.	
LOCKWOOD, Thos. D. Electrical Measurement and the Galvanometer; its Construction and Use. 12mo, cloth, ill. N. Y., 1883. 1872. Rare.....	1 50	SCHOOLBRED, J. N. Electric Lighting and its Practical Applications, with results from existing examples. 12mo, cloth. London, 1879...	Out of print.
LORING, A. E. A Hand-Book of the Electro-Magnetic Telegraph. 18mo, stiff paper boards, ill. N. Y., 1878. (Van Nostrand's Science Series, No. 39) Cloth....	75	URQUHART, J. W. Electro-Plating. A Practical Hand-Book, including the Practice of Electrotyping. 12mo, cloth, ill. London, 1880.....	2 00
MARTIN, T. C. and J. Wetzler. The Electric Motor and its Applications. With numerous illustrations. Quarto, cloth. N. Y., 1887.....	3 00	Electric Light; its Production and Use, embodying plain Directions for the working of Galvanic Batteries, Electric Lamps, and Dynamo-Electric Machines. Edited by C. F. Webb. 8vo, cloth, with 94 illustrations. London, 1880.....	3 00
MAXWELL, J. C. A Treatise on Electricity and Magnetism. 2 vols. 8vo. Oxford, London, 1881.....	1 90	Electro-Motors. A Treatise on the Means and Apparatus Employed in the Transmission of Electrical Energy and its Conversion into Motive Power. 12mo, cloth, ill. London, 1882	3 00
— An Elementary Treatise on Electricity. 8vo, cloth. Oxford, 1881...	1 90	Electrotyping. A Practical Manual. 12mo, cl. ill. London, 1881	2 00
McCLURE, J. B. Edison and his Inventions, with full explanations of the Telephone, Phonograph, Tase-meter, Electric Light, and all his principal discoveries, etc. 12mo, cloth, ill. Chicago, 1889.....	1 00	VON URBANITZKY, A. R. Electricity in the Service of Man. A Popular and Practical Treatise on the Applications of Electricity in Modern Life. From the German, edited with copious additions by L. Wormell, and an introduction by John Perry, M. E. With 850 illustrations. 8vo, cloth. N. Y., 1886...	6 00
NAPIER, J. A Manual of Electro-Metallurgy, with the Application of the Art to Manufacturing Purposes. 5th edition. 12mo, cl. London, Out of print	Out of print	WAHL, Wm. H. Galvanoplastic Manipulations. A Practical Guide for the Gold and Silver Electro-Platers and the Galvanoplastic Operator. Comprising the Electro Deposition of all Metals by means of the Battery and the Dynamo-Electric Machine, etc. 189 illustrations. 8vo, cl. Phila. 1883	10 00
NOAD, H. M. The Student's Text of Electricity. A new edition, carefully revised by W. H. Preece. 8vo, cloth, ill. London, 1879.....	4 00	WATT, A. Electro-Deposition. A Practical Treatise on the Electrolysis of Gold, Silver, Copper, Nickel and other Metals and Alloys. With Descriptions of Voltaic Batteries, Magneto and Dynamo-Electric Machines, Thermopiles, and of the Materials and Processes used in every Department of the Art, and several chapters on Electro-Metallurgy.....	Out of print.
— A Manual of Electricity including Galvanism, Magnetism, Diamagnetism, Electro-Dynamics, Magneto-Electricity, and the Electric Telegraph. 500 wood engravings. 8vo, cloth, ill. London, 1859.....	8 00	WATT, Alex. Electro-Deposition. A Practical Treatise on the Electrolysis of Gold, Silver, Copper, Nickel and other Metals and Alloys, with Several Chapters on Electro-Metallurgy. 2nd edition, Revised and Corrected. Nearly 600 pp. 12mo, cl. London, 1887	3 50
PLANTÉ, GASTON. The Storage of Electrical Energy, and Researches in the Effects Created by Currents Combining Quantity with High Tension, with 89 illustrations. Translated from the French by Paul B. Elwell. 8vo, cloth. London, 1887.....	4 00	— Electro-Metallurgy, Practically Treated. New and enlarged edition. 12mo, cloth. N. Y., 1879.....	1 00
PRESCOTT, G. B. The Electric Speaking Telephone. 8vo, cloth. With illustrations. N. Y., 1884.....	6 00		
— Dynamo-Electricity; its Generation, Application, Transmission, Storage and Measurement. With 545 illustrations. 8vo, cloth. N. Y., 1884	5 00		

GEOLOGY, MINERALOGIC, MINING METALLURGY.

AGASSIZ, L. Geological Sketches. 2 vols. 12mo, cloth.....	\$3 00	KERL. Treatise on Metallurgy adapted from the last German edition of Kerl's Metallurgy, by Wm. Crookes, F.R.S. and Ernst Rohrig. 3 vols. 8vo, cloth. Each.....	15 00
ANDRE, Geo. G. Rock-Blasting. A Practical Treatise on the Means employed in blasting rocks for industrial purposes. 8vo, cloth. London, 1878	3 00	— The Assayer's Manual. An Abridged Treatise on the Docimastic Examination of Ores, Furnace and other artificial products. Translated by W. T. Brannndt and edited by W. H. Wahl. 8vo, cloth. Phila., 1883.	3 00
APJOHN, Jas. Manual of the Metalloids. 2d edition. 12mo, cloth. London, 1865.....	3 00	KING, C. W. Natural History, Ancient and Modern, of Precious Stones and Gems, and of the Precious Metals. 12mo, cloth.....	2 40
BAUERMAN, H. Treatise on the Metallurgy of Iron. 5th edition. (Weale's Series.) London, 1882....	2 00	KUSTEL. Roasting of Gold and Silver Ores, and the Extraction of their Respective Metals without Quicksilver. 8vo, cloth, ill. San Francisco, 1880.	3 00
BISCHOFF, G. Elements of Chemical and Physical Geology. Translated by B. H. Paul, F.C.S., and I. Drummond. 3 vols. 8vo, cloth. London, 1854.....	20 00	LAMBORN, R. H. Metallurgy of Copper. (Weale's Series).....	Out of print.
BLOXHAM, C. L. Metals: their Properties and Treatment. New edition by Alfred K. Huntington. 12mo, cl. London, 1885.....	1 75	— Metallurgy of Silver and Lead. (Weale's Series. New edition preparing).....	Out of print.
CALLON, J. Lectures on Mining, delivered at the School of Mines, Paris. 3 vols. Now ready. 8vo, cloth, with atlases of plates. London, 1876-86..	29 70	LAMPADIUS. Manual de Metallurgie Generale, traduit de l'Allemand. Par G. A. Arnault. 2 vols. 8vo, paper... 5 60	
EDE, Geo. The Management of Steel, including Forging, Hardening, Tempering, Annealing, Shrinking, and Expansion; and also the Case-Hardening of Iron. 5th edition. 12mo, cloth. London, 1873.....	2 00	LANDRIN, M. Traite du Fer de la Fabrication du Fer. 8vo, paper, ill. Paris, 1864.....	4 00
EMANUEL, H. Diamonds and Precious Stones. 12mo. New edition. London, 1867.....	2 75	— A Treatise on Steel, comprising its theory, metallurgy, properties, practical working, and use. Translated. 12mo, cloth. Phila., 1868...	3 00
GILLION, A. Cours de Metallurgie Generale. 8vo, with atlas. Paris, 1869.....	2 65	LARKIN, J. Brass and Iron Founder's Guide. 12mo, cloth. Phila., 1881..	2 25
GREENWELL, G. C. Practical Treatise on Mine Engineering. 2d edition, re-written and enlarged. 4to, half morocco, ill. London, 1870.	6 00	LIEBER, O. M. Assayer's Guide; or, Practical Directions to Assayers, Miners, and Smelters. 16mo, cloth. Phila., 1881.....	1 25
GREENWOOD, W. H. Manual of Metallurgy. 2 vols. 12mo, cloth. London, 1877.....	2 00	LOCK, A. G. Gold; its Occurrence and Extraction, embracing the Geographical and Geological Distribution and the Mineralogical Characters of Gold-bearing rocks, the peculiar features and modes of working shallow placers, rivers and deep leads, hydraulicing the separation of quartz, etc. Illustrated. Thick 8vo, 1229 pages. London, 1882.....	Out of print.
GRIFFIN, J. J. System of Crystallography, with its application to Mineralogy. 8vo, cl. Glasgow, 1841.....	4 50	MAKINS, G. H. A Manual of Metallurgy, more particularly of the Precious Metals. 100 engravings. 2d edition, enlarged. 12mo. London, 1873.....	6 50
GRUNER, M. L. Manufacture of Steel. Translated from the French by Lenox Smith, with an Appendix on the Bessemer Process in the United States by the Translator. Illustrated with engravings on steel. 8vo, cloth. N. Y., 1872.....	3 50	MITCHELL, J. Manual of Practical Assaying. Edited by Wm. Crookes, F.R.S. 6th edition. 8vo, cl. London, 1881.....	10 00
HUNT, T. S. Chemical and Geological Essays. 2d edition, revised. Crown, 8vo, cloth. Salem, 1878.....	2 50	NAPIER, J. A Manual of Electro-Metallurgy, with the Application of the Art to Manufacturing Purposes. 5th edition. 12mo, cloth. London, 1876.....	Out of print.
JANNETTAZ, E. Diamant et Pierres Precieuses, Bigoux, Joyaux, Orfèveries, etc. 8vo, ill. and colored plates. Paris, 1881.....	7 00		

SCIENTIFIC BOOKS.

Published since our last Issue.

ASSAYING, METALLURGY, MINERALOGY, ETC.

- BRANNT, Wm. T.—The Metallic Alloys. A Practical Guide for the Manufacture of all kinds of Alloys, Amalgams, and Solders, used by Metal Workers; together with their Chemical and Physical Properties, and their Application in the Arts and in the Industries. With an Appendix on the Coloring of Alloys. Translated and edited chiefly from the German, with extensive additions. Illustrated by sixteen engravings. 1 vol., 12 mo, 428 pages..... 2 50
- BROWN, Walter Lee.—Manual of Assaying, Gold, Silver, Copper and Lead. 94 illustrations. 3d edition. 210 pages..... 2 50
- O'DRISCOLL, FLORENCE, Associate Member of Institute of Civil Engineers.—Notes of the Treatment of Gold Ores. 8vo, cloth..... 2 00
- GOWER, A. R.—An Elementary Text-book of Practical Metallurgy. 12mo, cloth. London, 1888..... Out of print.
- LEVY, Dr. S.—Of the University of Geneva. Introduction to the Preparation of Organic Compounds. Translated and Revised by Prof. P. T. Austen, Rutgers College, and N. J. State Scientific School..... Out of print.
- LOCK, G. G. W.—Practical Gold Mining: a Comprehensive Treatise on the Origin and Occurrence of Gold-Bearing Gravels, Rocks, and Ores, and the Methods by which the Gold is extracted, with 8 plates and 27 engravings in the Text. Royal 8vo, cloth. London, 1889..... 15 00
- MITCHELL, John.—A Manual of Practical Assaying. Edited by W. Crookes. 6th edition, revised and enlarged. 8vo, cl. London, 1888.. 10 00
- ROSENBUSCH, H.—Microscopical Physiography of the Rock-Making Minerals. An Aid to the Microscopical Study of Rocks. Translated and abridged for use in Schools and Colleges by Joseph P. Iddings. 121 woodcuts and 26 plates of photomicrographs. 8vo, cl. N. Y., 1888. 5 00
- STOCKBRIDGE, H. E.—Rocks and Soils. Their Origin, Composition and Characteristics—Chemical, Geological and Agricultural. 8vo, cloth. N. Y., 1888..... 2 50

CHEMISTRY AND PHYSICS.

- AUSTEN, Prof. P. T.—Professor of General and Applied Chemistry, Rutgers College, N. J. Chemical Lecture Notes. 12mo, cloth. N. Y., 1888... \$1 00
- ALLEN, Alfred H.—Commercial Organic Analysis. Vol. 3, part I. Acid Derivatives of Phenols, Aromatic Acids, Tannins, Dyes and Coloring Matters. 8vo, cloth. London, 1889. 4 50
- AVELING, E.—Chemistry of the Non-Metallics. 12mo, cloth. London, 1889..... 2 60
- BENEDIKT, R.—Chemistry of the Coal-Tar Colors. Translated from the German, and edited with Additions, by E. Knecht. 2d edition, revised and enlarged. 12mo, cloth, London, 1889..... 1 75
- BERNAYS, A. J.—Notes on Analytical Chemistry for Students in Medicine. Extracted from the fifth edition of "Notes for Students in Chemistry. 3d edition in separate form. 12mo, cloth. London, 1889..... 1 80
- BERNTHSEN, A.—A Text Book of Organic Chemistry. Translated by Geo. McGowan. 12mo. cloth. New York, 1889..... 2 50
- BERTHUSEN, A.—A Text Book of Organic Chemistry. Translated by Geo. McGowan, Ph. D. The original text specially brought up to date by the author for this edition. 544 pages. 12mo, cloth. London, 1889.. Out of print.
- BLAIR, A. A.—The Chemical Analysis of Iron. A complete account of all the best known methods for the Analysis of Iron, Steel, Pig Iron, Iron Ore, Limestone, Slag, Clay, Sand, Coal, Coke and Furnace and Producer Gases. 8vo. Phila., 1888.... 4 00
- CROSS, Geo. N.—Elementary Chemical Technics. A Hand-Book of Manipulation and Experimentation. 12mo, cloth. Boston, 1887..... 1 25
- CUTLER, Condit W.—Essentials of Physics and Chemistry. Written especially for the use of students in medicine. 3d edition, enlarged and revised. 12mo, cloth. N. Y., 1889.. 2 00
- EISSLER, M.—The Metallurgy of Silver; a Practical Treatise on the Amalgamation, Roasting and Lixivation of Silver Ores, including the Assaying, Melting and Refining of Silver Bullion. With 124 illustrations. 12mo, cloth. London, 1889.. 4 00

Chemistry and Physics.—Continued.

EVERETT, J. D., Prof.—Elementary Text-book of Physics. Fully illustrated. 4th edition. 12mo, cloth. London, 1888.....	1 40	ganic Chemistry. Translated from fifth German edition, by Prof. Peter T. Austen, Professor of Chemistry, Rutgers College, N. J. Second revised edition, 1889.....	1 50
FISHER, W. W.—A Class Book of Elementary Chemistry. With 60 engravings. 12mo, cloth. Oxford, 1888...	1 10	PRESCOTT, Prof. A. B., and Otis C. JOHNSON.—Qualitative Chemical Analysis. A Guide in the Practical Study of Chemistry and in the Work of Analysis. Fourth fully revised edition, with descriptive chemistry extended throughout. 8vo, cloth. N. Y., 1888.....	3 50
GALLOWAY, Rob't.—The Fundamental Principles of Chemistry practically taught by a new method. With 71 Woodcuts and numerous exercises and answers. 12mo, cloth. London, 1888.....	1 75	REMSEN, Professor W. A.—Inorganic Chemistry, (Advanced Course). 8vo, cloth. N. Y., 1889.....	2 80
GRABFIELD & BURNS, Drs.—Chemical Problems. 12mo, cloth. Boston, 1888.....	80	ROSCOE & SCHORLEMMER.—A Treatise on Chemistry. Vol. 3, part 4. The Chemistry of the Hydrocarbons and their Derivatives, or Organic Chemistry. 8vo, cloth N. Y., 1888.....	3 00
HIORNS, A. H.—A Text-book of Elementary Metallurgy for the use of Students. 12mo, cl. London, 1888.	1 00	ROSS, W. A.—The Blowpipe in Chemistry, Mineralogy and Geology, containing all known Methods of Anhydrous Analysis, many working examples, and instructions for making apparatus. With 120 illustrations. Second edition, revised and enlarged. 12mo, cloth. London, 1889.....	2 00
JAGNAUX, R.—Analyse Chimiques des Substances Commerciales, Minerals et Organiques, avec 64 Figures. 8vo., paper. Paris, 1888.....	7 00	SEXTON, A. H.—Elementary Inorganic Chemistry, Theoretical and Practical, with a course of Chemical Analysis and a Series of Examples in Chemical Arithmetic. 12mo, cloth. London, 1888.....	1 20
JOUBERT, J.—Traité Elementaire d'Electricité. With 321 illustrations. 12mo, cloth. Paris, 1887.....	Out of print.	— Outlines of Qualitative Analysis. With illustrations. 12mo, cl. London, 1888.....	1 40
LEFFMAN, H. & W. BEAM.—Examination of Water for Sanitary and Technical Purposes. Illus., 12mo, cloth. Philadelphia, 1889.....	1 25	— Outlines of Quantitative Analysis. Second edition, revised. London, 1888.....	1 20
MACAN H.—Elementary Introduction to Chemical Theory. Together with selected problems. 8vo, cl. London, 1888.....	40	THOMSON, Prof. J. J. Applications of Dynamics to Physics and Chemistry. 12mo, cloth. London, 1888...	1 90
MADAN, H. G.—Table of Qualitative Analysis. Quarto, cloth. London, 1888.....	1 75	VALENTIN'S TABLES, for the Qualitative Analysis of Simple and Compound Substances. 3d edition. Revised by Dr. Hodgkinson, assisted by H. Chapman-Jones and F. E. Matthews. 8vo, cloth. London, 1888..	1 00
MIXTER, Wm. G.—Professor of Chemistry, Sheffield Scientific School, Yale College. An Elementary of Chemistry. 12mo, cloth. N. Y., 1889.....	1 50	WATTS' DICTIONARY OF CHEMISTRY.—Revised and entirely re-written by H. Forster-Morley, M. A. D. Sc.; and M. M. Pattison Muir, M. A. F. R. S. E. Assisted by Eminent Contributors. (To be published in 4 vols). Vol. II. (Chenocholic Acid—Indigo). 8vo, 782 pages, half-bound. London, 1889..	\$14 50
MUIR, M. M. Pattison, M. A. A Treatise on the Principles of Chemistry. 2d edition. 8 vols. Cambridge, 1889	4 50		
O'BRINE, Prof. David.—Of Colorado State Agricultural College. A Laboratory Guide in Chemical Analysis. 2d edition, entirely rewritten and revised. 8 vo, cloth. N. Y., 1889....	2 00		
PICTET, A.—La Constitution Chimique des Alcaloides Végétaux. 8vo, paper. Paris, 1888.....	3 50		
PILLEY, J. J.—Inorganic and Organic Qualitation Analysis, with Equations and Notes. 12mo, cloth. London. 1888.....	1 20		
PINNER, ADOLPH, Ph. D.—Professor of Chemistry in Univ. of Berlin. An Introduction to the Study of Or-			

ELECTRICITY.

- ALLSOP, F. C.—A Practical Treatise on the Fitting up and Maintenance of Electric Bells, and all the necessary Apparatus. Nearly 150 illustrations. 8vo, paper. London, 1889. 1 25
- ATKINSON, Philip A. M., Ph. D.—The Elements of Electric Lightning, including electric Generation, Measurement, Storage & Distribution. Author of Elements of Static Electricity. 260 pages, 12mo, 104 illustrations. N. Y. 1 50
- BLAKESLEY, T. H.—Papers on Alternating Currents of Electricity for the Use of Students and Engineers. 2d edition, enlarged. 12mo, cl. London, 1889. 1 50
- CROFTS, Alfred.—How to Make a Dynamo. A Practical Treatise for Amateurs. Containing numerous illustrations, and detailed instructions for constructing a small dynamo to produce the electric light. 12mo, cloth. London, 1889. 80
- DUMONT, Georges.—Avec la collaboration de MM. Maurice Leblanc et E. De la Bedoyère. Dictionnaire théorique et pratique d'Electricité et de Magnétisme. Préface de M. Hippolyte Fontaine. L'ouvrage renferme: la Terminologie électrique (mots et locutions).—L'exposé complet de la Science électrique.—Les Applications de l'électricité.—La description et la figure de tous les appareils.—La biographie des Electriciens célèbres.—1260 gravures. 1 vol. Royal 8vo. Half mor. Paris, 1889. 12 50
- FLEMING, J. A.—Short Lectures to Electrical Artisans. Second edition. 12mo, cloth. London, 1888. 1 50
- FLEMING, J. A.—The Alternate Current Transformer in Theory and Practice. Vol. I. The Induction of Electric Currents. 500 pages; fully illustrated and with copious index. 8vo, cloth. London, 1889. 3 00
- FONTAINE, H.—Eclairage à Electricité. Renseignements pratiques. 3d edition, enlarged. With 326 illustrations. 8vo, paper. Paris, 1888. 5 00
- GEYMET, M.—Traité de galvanoplastie et d'électrolyse avec indications pratiques fondées sur les derniers découverts. 12mo, paper. Paris, 1889. 1 60
- GLEMENCAU, P.—Le Machines dynamo-électriques, de leur origine jusqu'aux derniers types industriels. Avec 116 figures. 12mo, paper. Paris, 1889. 1 75
- GRAY, Andrew, M. A.—The Theory and Practice of Absolute Measurements in Electricity and Magnetism. Vol. I. 12mo, cl. London, 1888. 3 25
- HOSPITALIER, E.—Formulaire Pratique de L'Electricien, septième édition. 12mo, cloth. Paris, 1891. 1 50
- HOUSTON, E. J.—A Dictionary of Electrical Words, Terms and Phrases. Fully Illustrated. 655 pages, 12mo, cloth. New York, 1889. The author has aimed to give a concise definition of the word, term or phrase, and a brief statement of the science involved in the definition, and to insert when possible a cut of the apparatus described or employed in connection with the word, term or phrase defined.
- LODGE, Oliver J.—Modern Views of Electricity. With Illustrations. 12mo, cloth. London, 1889. Nature Series. 2 00
- MASCART, E. et J. JOUBERT.—A Treatise on Electricity and Magnetism—translated by E. Atkinson, Ph. D. Vol. 2. Methods of Measurements and Applications. 8vo, cloth. London, 1888. each 7 50
- MONNIER, D.—Electricité Industrielle Production et Applications. 384 Illustrations. Royal 8vo, paper. Paris, 1889. 7 00
- REYNIER, Emile.—The Voltaic Accumulator. An Elementary Treatise. Translated from the French by J. A. Berly. With 62 Illustrations. 8vo, cloth. N. Y., 1889. 3 00
- SWINBURNE, J.—Practical Electrical Measurement. 55 illustrations. 8vo, cloth. London, 1888. 1 75
- THOMPSON, S. S.—Dynamo-Electric Machinery. A Manual for Students of Electrotechnics. 3d edition, enlarged and revised. Illus. 8vo, cl. London, 1888.
- URQUHART, J. W.—Electro-Plating. A Practical Hand-book on the Deposition of Copper, Silver, Nickel, Gold, Aluminum, Brass, Platinum, etc. With descriptions of the Chemicals, Materials, Batteries and Dynamo Machines used in the Art. Second edition; carefully revised, with additions. 12mo, cl. London, 1888. 2 00
- VAN RYSELBERGHE, F.—Théorie élémentaire de l'électricité et de magnétisme exposé spécialement au point de vue de la production, etc. Avec la collaboration de Lagrange et G. Royers. 8vo, paper. Paris, 1889. 4 20
- WALKER, Sydney F.—Electricity in our Homes and Workshops. A Practical Treatise on auxiliary electrical apparatus. With numerous illustrations. 12mo, cloth. London, 1889. 1 50
- The author aims to explain in simple terms the ordinary every day working of some of the forms of electrical apparatus that are in use by outsiders, and not under the supervision of electrical engineers. He appreciates that a connecting link is wanting between the electricity of the schools and the electrical engineering of practical life.
- WATSON, H. W. and BURBURY, S. H.—The Mathematical Theory of Electricity and Magnetism. Vol. II. 8vo, cloth. Oxford, 1889. 2 65 Vol. I 2 75

INDUSTRIAL ARTS, ETC.

<p>— A Hand-book for Sugar Manufacturers and their Chemists. Containing Practical Instruction in Sugar-House Control, the Diffusion Process, Selected Methods of Analyses, Reference Tables, etc. By Guilford L. Spencer, A.C., of the U. S. Department of Agriculture. 12mo, morocco flaps.....</p>		2 00
<p>ARNOLD, Dr. R.—Ammonia and Ammonium Compounds. Comprising their manufacture from gas-liquor and from spent-oxide, etc. Translated from the German by H. G. Colman. Illustrated. 12mo, cl. London, 1889.....</p>		2 00
<p>DIRECTORY and List of Products of the Chemical Industries of the German Empire. Edited by Otto Wenzel. 8vo, cloth. London, 1888.....</p>		10 00
<p>FISCHER, E.—Exercises in the Preparation of Organic Compounds. Translated from the Second German Edition, by Archibald Kling. With a Preface by W. Dittmar. 12mo, cloth. London, 1889.....</p>		1 00
<p>LOCK, Chas. G. W. and E. R. and J. A. K. NEWLANDS. Sugar. A Hand-book for Planters and Refiners. Being a comprehensive treatise on the culture of Sugar-yielding Plants, and on the manufacture, refining, and analysis of Cane, Palm, Maple, Melon, Beet, Sorghum, Milk, and Starch Sugars. With copious statistics of</p>		
<p>their production and commerce, and a chapter on the Distillation of Rum. 200 illustrations and many plates. 8vo, cloth. London, 1888.....</p>		10 00
<p>LIETZE, F.—Modern Heliographic Processes. A Manual of Instruction in the Art of Reproducing Drawings, Manuscripts, etc., by the Action of Light; for the use of Engineers, Architects, Draughtsmen, Artists and Scientists. With 32 illustrations, and 10 Specimen Heliograms. Royal 8vo, cloth. New York, 1888.....</p>		3 00
<p>MAERCKER, Dr. Max.—Traité de la fabrication de l'alcool. Traduit de la 4e édition allemande par E. Bosker et Ch. Warnery. Vol. I. 8vo (Lille). To be completed in 2 vols. Price of work, complete.....</p>		8 75
<p>MOONEY, Wm.—The American Gas Engineer's and Superintendent's Hand-book, consisting of Rules, Reference Tables and original matter pertaining to the manufacture, manipulation and distribution of Illuminating Gas. 12mo, mor. N. Y., 1888..</p>		3 00
<p>PULSIFER, W. H.—Notes for a History of Lead, and an Inquiry into the Development of the Manufacture of White Lead and Lead Oxides. 8vo, cloth. N. Y., 1888.....</p>		4 00
<p>REID, W. M.—The Culture and Manufacture of Indigo. 12mo, cl. Calcutta, 1888.....</p>		3 00

INDEX.

	PAGE		PAGE
Absorptiometer.....	1	Apparatus for moisture determination	13
Absorption Apparatus.....	1, 17, 27, 82	" " Carbon determination.	13, 34
Abel's Oil-Tester.....	183	" " Carbonic Acid Deter-	
Absorption Tubes.....	1	mination.....	10, 13-15, 194
Acetometers.....	1	" " " Classen.	24
Acid Bottles.....	1	" " Carbonic Acid Gener-	
" Brushes.....	1	ation.....	14, 27
" Dishes.....	1	" " Carbonic Acid Water..	15
" Jars.....	110, 111	" " Centre of Gravity.....	266
" Measures.....	2, 156	" " Chlorine Gas Generator	16
" Pitchers.....	2	" " Determination.	17
" Pots.....	2	" " Water.....	16
" Pumps.....	2, 3	" " Absorption...	17
" Vessels.....	3	" Chlorimetric Carbon	
Acidimeter.....	2	Tests.....	90
Acoustics.....	263, 268	" De- and Recombination	
Adapters.....	3	of Water, etc., Hof-	
Adhesion Discs.....	262	mann's.....	18-21
Adjusting Table.....	270	" Decomposition of Nitric Acid	20
Aeolipiles.....	4, 65	" Diffusion.....	113
Air Baths.....	4, 296	" Displacement of Gases	
" Pumps, various.....	4-9, 270	in water.....	16
" Testers.....	9, 41	" Dynamite analysis.....	22
" Thermometer Tubes.....	9	" Distilling Water.....	23, 24, 99-101
Albumenometer.....	34	" Electricity.....	263, 265-268
Alcoholometers.....	9, 158	" Electroplating.....	37, 102
Alkalimeters.....	10	" Elliot's, for Gas analysis..	28
Alembics.....	9	" for Etching.....	17
Allihn's Apparatus.....	100	" Exhausting and Com-	
Alkaloids, collection of.....	96	pressing Air.....	32
Amalgamator.....	10	" Eudiometric analysis.....	23
Anatomical Jars.....	10, 11	" Fract Distillation... 13, 133, 134	
Anemometers.....	11	" Fresenius'.....	10, 32, 130
Aneroid Barometers, see Barometers.		" for Gas Analysis... 14, 16, 22, 27-32	
Annealing Cups.....	11	" Gavalowsky's.....	13
Anthracen Bath.....	11	" for Gasolene Gas.....	37
Anvils.....	11	" Gore's, for Absorption....	22
Apparatus, different.....	12-41	" for Heating under Press-	
" for Acoustics... 263, 264, 267, 268		ure.....	35
" Ammonia Condens....	22	" Hempel's, for Gas analysis	29
" Arsenic Detection....	12	" Mohr's, for Absorption....	22
" Assay.....	256	" Richter's, ".....	22
" Analysis.....	248, 250	" for H. Cl. Decomposition,	
" Blow-pipe analysis....	12, 251	Roscoe & Schorlemmer	19, 22
" Bone-Black.....	14	" Hydrogen & Sulphuret	
" Allen's.....	270	of H. Generation 14, 16, 26, 27	
" Bacterioscopic.....	274	" Laboratories, with	
" Electrical.....	314-316	water, air and sand	
" Electrolytic.....	286	baths, closets, etc... 24	
" Extraction.....	286	" Ledebur's.....	12
" E. & A.'s for Hydro Sulph.	271	" for Liquid SO.....	21
" Finkner's.....	271	" Lunge's, for Gas analysis..	32
" Glaser's.....	271	" for Milk Analysis.....	23, 36, 37
" Kipp's, improved.....	271	" Melting Points.....	23
" Kjeldahl's.....	291	" Mitcherlich's, for Phos-	
" for Nitrogen Determination	291	phorus detection.....	17
" Photographic.....	307	" for Nitrogen Determina-	
" Polarizing.....	290	tion (Nitrometer) 34, 35, 43, 44	
" Raab's, for stirring.....	272	" the Determination of	
" Reinke & Zeiss'.....	271	Micro-organisms... 38-41	
" Short's, for Milk.....	271	" Orsat's.....	27
" Steenbuch's.....	271	" for Osmose.....	113
" for Vacuum.....	273	" for Oxygen Generation... 15, 25, 26	
" weighing on tared filters	273	Determination.....	13
" Bunsen's.....	17, 23, 30, 32	" Oxyhydrogen.....	16
" Bunte's.....	32	" Organic analysis. 24, 92, 98, 194	

	PAGE		PAGE
Apparatus, Physical.....	263-266	Beaufay's Crucibles.....	106
" for Pneumatro-Hydrostatics,	23	Bee-hive Shelves.....	62
" Pressure.....	35	Bell Glasses.....	63
" Proving composition of		Bell Jars.....	63
Ammonia.....	20	Bells, Electric.....	64-65
Regnault's.....	13	Bells in Vacuo.....	262
Richard's.....	32	Bells on Stand.....	263
for Soil Analysis.....	35	Bellows.....	63-64
" Spec. Grav. of Cement	13	Bennert's Apparatus.....	117
" " of Gases..	13	Berzelius, Beakers.....	62
" Sugar analysis ..	261	" Filter Paper.....	127
" Sulphur Determination	12	" Lamps.....	165
Thorne's.....	22	Binding Clamps.....	65
Tyndall's Electrical.....	269	" Posts.....	65
Ullgreen's.....	14	" Screws.....	65
for Urinary analysis. 17, 32, 34, 250		Bink's Burettes.....	81
" use with the Leyden		Bladders.....	65
Jar.....	266-268	Blasts, Plattner's.....	80
" Vapor Density..... 19, 24, 35		Blast Arrangement.....	279
" Volumetric Analysis..	250	" Attachment for Blow-pipes.....	65
Winkler's.....	31	" Blow-pipes.....	66, 67, 69
and Chemicals for Apple-		" Furnaces.....	147
ton's Young Chemist....	242	" Herapath.....	66
and Chemicals for Coe-		" Lamps.....	65-68
ley's Elementary Guide		" Tables.....	68
to Chemistry.....	244	Blood Circulation Apparatus.....	68
and Chemicals for Steele's		Blower.....	32, 68
Chemistry.....	243	Blow-pipes.....	67, 68, 69, 70
and Chemicals for Rem-		" Oxyhydric.....	69
sen's Briefer Course of		Blow-pipe Apparatus.....	251
Chemistry.....	247	" Balance.....	53
and Chemicals for Steel		" for Brazing.....	70
analysis after Troilius..	259	" Cabinet.....	70
for Qualitative Analysis..	248, 249	" Case.....	251
" Quantitative ".....	248	" Lamp.....	69, 90
Hofmann's, different.....	18-21	" Reagents.....	254
for Water analysis.....	15	" Tables.....	68
Approximative Tubes, Murray's.....	33	" Tip.....	70
Archimede's Principle.....	264	" Spoon.....	70
Areometers.....	42, 158	" Stand.....	69
Arsenic Plates.....	42	Boiling Sheet.....	70
" Tubes.....	42	Boiler.....	19, 208
Asbestos.....	42	Bologna Flasks.....	70
Aspirators.....	42, 273	Bolt Heads.....	71
" Bottles.....	43	Books on Chemistry, etc., etc.....	317-329 ✓
Assay Outfit.....	256	Botanical Case.....	71
" Flasks.....	132	Bottles, Acid.....	1
Attachment.....	43	" Aspirator.....	42, 43
Attwater's Desiccators.....	112	" Cobalt.....	72
Azotometers..... 34, 35, 43, 44, 273, 274		" Compressing.....	79
Babo's Tubes.....	120, 200, 227	" Ether.....	233
Bacchus Illustrations ..	267	" Gas.....	149
Bacterioscopic Apparatus.....	38-41, 244	" Glass-stoppered.....	72
Balances, Analytical, Blow-pipe, As-		" Gutta percha.....	77
say, Bullion, Mohr's, Westphal's,		" Homœopathic.....	77
etc. (See also Scales).	45-54, 275-278	" for Leyden Jars.....	73
Weights for same.....	54-56, 278	" Mixing.....	79
Balloons.....	56	" Plain.....	71
Bar Magnet.....	169	" Reagent.....	73-77, 279
Barometer.....	57	" Salt-mouth.....	72
" Tubes.....	57	" Sample and Specimen.....	77
Basins.....	292	" Separatory.....	203
Baskets of Lead.....	57	" Specific Gravity.....	78, 280
Baths, Air.....	4, 292	" for Spectral analysis.....	78
" Drying.....	118, 119, 293	" Tincture.....	72, 279-280
" Oil.....	201, 292, 293	" Tubulated, on foot.....	133
" Sand.....	201, 292, 293	" for Vapor Density Determin.	79
" Water.....	234-237, 294, 313	" Volumetric.....	133
Batteries, Electric.....	58-61, 279	Bottles, Weighing.....	78, 79
Battery Jars.....	57	" Woulff's.....	240
Beakers.....	61-62	Bottle Brushes.....	80
Beaker Flasks.....	132	Boxes, Paper, Wood, etc.....	79

	PAGE		PAGE
Bricks, Fire Clay.....	79	Charcoal Borers, Saws, Sticks, Crucibles, Holders, Capsules, etc....	91
Brushes, Acid.....	1, 80	Charts.....	91, 282
" of all kinds.....	80	Chemicals, (see Special List)	
" for Test Tubes.....	80, 222	Chemical Label Book.....	164
Buckskins.....	80	Chevalier's Apparatus.....	104
Bulbs, Different.....	80	Chime, Electric.....	263
Bulb Tubes.....	81	Chimneys, Iron, etc.....	91
Bullion Scale.....	50	Chisels.....	92
Bunte's Gas Burettes.....	32	Chladni's Figures.....	265
Burette Attachment, etc.....	83	Chloride Calcium Jars, Tubes.....	92
Burette Clamps.....	94, 95	Chlorine Apparatus.....	93
" Floats.....	83, 134	" Gas Generator. (See list of Chemical Stoneware).....	93
" Stands, Supports and Holders.....	212-214	Clamps for Condensers, Carbons, Test Tubes, Burettes, Flasks, Retorts, etc.....	93-95, 283
" Tips.....	83	Clamps for Watch Glasses.....	95, 234
Burettes.....	81, 280	Classen Electrolytic Apparatus.....	121
" Hempel's.....	152	" Platin. Plate.....	188
" Winkler's.....	31	Clay Capsules, Crucibles.....	106, 252
Burners.....	83-88, 281	" Cylinders (see Porous Cnps)	
" Blast.....	84, 85	" " Erdman's.....	95
Burner Attachment, Chimney, Tip.....	88	Cleaners for Test Tubes.....	80, 95
Bursting Squares.....	88	Clips for Watch Glasses.....	234
Button Brushes.....	88	Coal Capsules.....	105
" Forceps.....	88	" Covers.....	252
" Nippers.....	88	" Crucibles.....	105, 253
Cabinet, Portable.....	176	" Squares.....	253
Calcium Lights.....	88, 90	Cobalt Bottles.....	72
Calipers.....	88	" Colored Glass.....	95
Calorimeter, Fischer's and Bunsen's.....	88	Cohesion Plates.....	262
Camera, Photo-Micro.....	176, 305	Coils for Induction, Ruhmkorff's.....	161
" Landscape.....	307	Colanders.....	95
" Zeiss.....	316	Cold Chisel.....	92
Canada Balsam.....	88	Collections of Alkaloids, Metal, Minerals, Chemical Apparatus.....	96, 283, 284, 290
Candle Bombs.....	88	" Crystal Models.....	178
Candles, Standard.....	89	" Physical Apparatus, see Appendix.....	262
Caoutchouc.....	88	Collision Balls.....	267
" Stoppers.....	88, 199	Color Comparator.....	97
Capillary Tubing.....	89, 155	Colored Glass.....	95
" Plates.....	266	Collodion Balloons.....	56
Capsules.....	89	Colton's Hammer.....	157
" Combustion.....	89, 97	Combination Spectroscope.....	206, 207
" Glass.....	89	Combination Foil, Netting.....	102, 103
" Horn.....	89	Combustion Furnaces, Tubes, Spoons, Boats, Tubing.....	97-99, 284
" Iron.....	115	Compasses.....	99
" Lead.....	116	Compound Bar.....	262
" Mixing.....	89	Compressed Gases.....	148
" Nickel.....	116	Compressors.....	93, 99
" Platinum.....	116, 189, 190	Condensers.....	99-101, 291
" Porcelain.....	89, 114-116	" Stands.....	214, 215
" Silver.....	116	Condensing Pumps.....	4
" Stoneware.....	151	" Tubes.....	101, 226
Carbons, for Batteries.....	89	Conductometer.....	267
" " Electric Lights.....	89	Conductor, Insulated.....	267
Carbonic Acid Generator.....	14, 15	Cones, Platinum or Steel.....	102
" " Liquified.....	148	Connection Tubes.....	102
Carbon Filter.....	89	Connections for Zinc Batteries, etc.....	102
" Plates.....	89	Connectors for Gas Bags.....	102
" Tubes.....	90	" " Tubing.....	102
Carboys.....	89	" " Wires.....	65
Carius' Furnace.....	147	Cooper's Mercurial Receiver.....	102
Cartesian Imps.....	89	Copper Foil, Wire, Gauze.....	102-103
Cascade, Gassiot's.....	316	Corks.....	103
Casseroles, different.....	90, 91	Cork Borers, Plates, Presses, Sharpeners, Extractors, etc.....	103-104
Cases for Scales.....	89, 202	" Files.....	102
" " Filters.....	89		
Cat Skin.....	205		
Cathetometers.....	281		
Cells, Porous.....	91, 194		
Centre of Gravity.....	266		
Centrifugal Machines.....	282		
Chalk Sticks, for Drummond's light.....	91		
Chamois Skins.....	91, 205		

	PAGE		PAGE
Covers, Convex	104	Electrical Discharger	265
“ for Microscopes	175	Electrolytic Apparatus	121, 122, 286
Creamometers	104	Electrodes Platin	121
Cream Tubes	36	Electrometer	266
Crook's Apparatus	151, 196	Electro-plating Outfits	122
Crown for Burner	88	Electro Magnet	263-5-7
Crucibles	105-108, 284, 309	Elliot's Drying Cylinder	119
“ Platinum	107, 188, 189	Elliot's Gas Apparatus	28
Crucible Tongs	108, 109, 284	Emery Cloth and Paper	122
Crushers	104, 105	Emmerling's Tubes	227
Cryophorus	109	Emulsion Machine	122
Crystal, Models of	178	Engler's Oil Tester	183
“ Strainers	109	Eolipile	65, 123
Crystallizing Dishes	114	Equilibrium Tubes	266-8, 271
Cultivation Tubes and Flasks	40	Erdman's Chimney	91
Cupels	109	“ Floats	123, 134
Cupel Furnace	109	“ Furnaces	122, 147
“ Holder, Moulds, Tongs, etc. .	109	Erlemeyer's Burners	85
Cups, for measuring Seidlitz Powder.	203	“ Flasks	132
“ Porous	194	“ Furnaces	147
Cylinders of Glass	110	“ Supports	219
“ Nessler's	111	Esbach's Albumenometer	34, 231
Dana's Hammer	157	Ettling's Pipettes	187
Decanting Jars	111	Ether Bottles	73, 123
Deflagmatisator	135	“ Extraction Apparatus	123
Deflagrating Tubes	111	“ Pipette	123, 124
“ Spoons	98	Eudiometers	125
Desiccating Apparatus, Pans, Tubes .	112, 113	“ Hofmann's	18
Desiccators, etc. .92-93, 112, 113, 117-20,	285	Evaporating Dishes	114, 115
Dialysers	113	Evaporators	125, 326
Diamond Mortars	113	Evolution Flasks	125, 149
Diamonds	113	Exsiccators, (see Desiccators.)	
Diamond Collection	96, 178	Exsiccator Pans, Tubes, (see Desiccating Apparatus	112, 113
Digesters	285	Extraction Apparatus	116, 123, 124, 286, 314
Digesting Bottles	79, 113	Eye Model	268
“ Flasks	113	Faraday's Washing Bottle	232
Dippers	113	Felt Filters	127
Dipping Batteries	60	Fermentation Saccharometer	34, 229
“ Needle	265	Feser's Apparatus	36, 165
Disc Apparatus	268	Figures, Steel	125
Discs	268	Files	125
Discharger, Electrical	263	File Handles	125
Dishes, Crystallizing, Evaporating, Etching, etc. .	114-116	Filtering Apparatus	125-131
“ Roasting	198	“ Paper	125-127, 287
Displacement Apparatus	116	Filter, Drying Bath, Hooks, Patterns, Pumps, Presses, Racks, etc. .	125-131
Distilling Apparatus	13, 23, 116, 133, 227, 285	“ Stands, Supports	215, 216
“ Flasks	133	Filters, Gooch's	188
Distributors, Gas	228	Finkner's Burners	85
Doebereiner's Hydrogen Lamps	117	Finger Cots	131
Doremus' Ureometer	33, 230	Fire Syringe	264
Draper's Urinary Apparatus	32, 250	Fischer's Calorimeter	88
Drexel's Apparatus	124, 203, 233	Flasks, Glass, etc.	132-134, 287
Dripping Cylinders	110	“ Copper	197
Dropping Bottles, Glasses, etc.	117, 280	“ for Carbonic Acid Determination	10, 132, 194
“ Pipettes	186	“ Gas	149
“ Tubes	117	Fletcher's Apparatus	64, 66, 67, 69, 70, 87, 98, 138, 143-145, 211, 238
Drummond's Lamps	69	Floats, Erdmann's	134
Drying Apparatus	117, 118	Florence Flasks, Receivers	134
“ Baths	118, 119	Flyer	268
“ Bath Regulator	152, 153	Foil, Aluminium, Copper, Tin, Gold, Silver, Platinum	134
“ Bottles	118, 233	“ Dutch Metal	167
“ Cylinders	118, 119	“ Lead, (See Chemical List.)	
“ Ovens	119, 286, 293	Forceps, different	135
“ Tubes	92, 93, 113, 117, 118, 120	Forge	138
Dumas' Nitrogen Apparatus	34	Forks	135
Dynamo Electric Machines	120, 314-316	Forms for Paper Cylinder	253
Educolorating Apparatus, Berzelius' .	120	Fractional Distilling App. 13, 133, 135, 226, 227	
Einhorn's Saccharometer	34, 229	Freezing Apparatus	135
Elastic Bands	120		
Electric Batteries	58, 61, 120		
“ Machines	121, 314		
Electricity	263-5-8		

	PAGE		PAGE
Friction Cylinder.....	263	Glaser's Furnace.....	98
Funnels, Copper, Glass, Porcelain,		Glass Balls.....	154
Rubber, Stoneware, Tin.....	136-8, 287	" Blowers' Tables.....	68
" Safety.....	138, 200	" " Lamps.....	66
" Separatory.....	137	" Cutters.....	113
Funnel Tubes, different.....	138, 200	" Drops.....	200
Furnaces, Assay.....	138-142, 288	" Ends for Burettes.....	154
" Battersea, Hibb's, Judson's,		" Beads, Powders, Rods, etc.....	154
Carius', Erlenmeyer's, Erd-		" Plates.....	154
man's.....	147	" Tubing.....	155
" Charcoal.....	147	" Wool.....	155
" Combustion.....	97, 98, 284	Glinisky's Tubes.....	227
" Crucible.....	139, 146	Glucose Tubes.....	155
" Cupelling.....	140, 142	Glue Kettles.....	155
" Fletcher's.....	143, 144	Gold Pans.....	156
" Gas.....	141-147	Goldbeaters' Skin.....	156
" Gasolene.....	143-145	Goniometer.....	156
" Hoskin's.....	145	Gooch's Crucibles.....	107, 188
" Hempel's.....	146	Graduates Glass, Porcelain, Tin.....	156
" Injector.....	144	Grind Stones.....	157
" Kerosene.....	144-145	Guibourg's Apparatus.....	116
" Ladle.....	147	Guinea and Feather Tube.....	267
" Melting.....	143	Gunpowder Cup.....	267
" Monitor.....	142	Gutta percha Tissues.....	157
" Muffle.....	139, 146	Gyroscope.....	268
" Petroleum.....	144-146	Habermann & Sulkowsky's Apparatus	117
" Roasting.....	143	Haematinometer.....	289
Fusibility Scale of Minerals.....	147	Haemometer.....	289
Gallipots.....	147	Hallock's Tubes.....	227
Galvanic Batteries.....	58-61	Hammers, Blowpipe, Geological, etc.	157
Galvanometer.....	148	Handles.....	158
Galvanoplastic Apparatus.....	148	Hardness Scales.....	158
Gas Analysis Apparatus.....	27, 29, 149	Harvard Microscope.....	172
" Bags.....	148	Heat.....	262, 264, 266, 268
" Blast.....	65, 180	Heliostats.....	290
" Bottles.....	148	Helix.....	265
" Burettes.....	149	Hemisphere, Magdeburg.....	268
" Burners.....	83-87	Hempel's Apparatus.....	28, 135, 146, 152, 183
" Combustion Tubes.....	99, 151	Hibb's Furnaces.....	139, 140
" Distributors.....	149, 288	" Muffles.....	181
" Furnaces.....	141-147, 210, 211	Hink's Lamp.....	166, 194
" Generator.....	14, 16, 26, 150	Hoffmann's Apparatus.....	18-21
" Jars.....	63, 111	" Bottles for Vapor Density	
" Jets.....	163	Determination.....	79
" Holder.....	150, 151, 288	" Burette Clamp.....	94-95
" Meter.....	151	" Pinch-cock.....	185, 186
" Power Engines.....	152	" Support for Burettes.....	213, 214
" Pipette, Hempel's.....	152	" " " Condensers.....	214
" Tubes.....	149, 151	Hofmeister's Capsules.....	89, 116
" Regulator.....	152, 153	Holders for Burettes, Condensers, etc	212
" Washing Bottle.....	150, 153	" " Blowpipe Dishes.....	253
Gasometer, (see Gas Holder).....	150	" " Flasks.....	94
" Tubes.....	151	" " Funnels.....	216, 218
Gases, Compressed.....	148	" " Matresses.....	253
Gasogenes.....	15	" " Pipettes.....	217
Gasolene Generators.....	143	" " Platina Wire, Thermom-	
Gauge Tubes.....	153	eters, etc.....	159, 214, 253
Gauze, Brass, Copper and Iron.....	153, 154	" " Platina Spoons.....	158
Gavalowski's Apparatus.....	124	" " Retorts.....	216
" Burettes.....	83	" " Test Tubes.....	94, 218, 219
Gay Lussac's Burettes.....	81	" " Universal.....	218
" Supports.....	217	Holtz Electric Machines.....	121
Geissler's Alcoholometer.....	231	Homeopathic Vials.....	77
" Alkalimeters.....	10	Hot Water Funnels.....	137
" Bottles.....	78	Hour Glasses.....	158
" Burettes.....	81	Hufner's Ureometer.....	34
" Carbon. Acid Apparatus.....	10	Hydraulic Press.....	158, 311
" Ganges.....	153	Hydrogen Generator.....	15-16
" Potash Bulbs.....	194	" Gas, Compressed.....	148
" Pumps.....	7	" Jets.....	158, 163
" Stopcocks.....	209	" Lamps.....	117
" Tubes.....	154, 289		

	PAGE		PAGE
Hydrometers, Acid, Alkali, Milk, Alcohol, Coal Oil, Sugar, etc.	158-160, 290	Lead Tray	167
" Nichol's	42	Leaf, Dutch Metal, Gold, Silver	167
" Jars	110, 111	Lebel & Henninger's Tubes	227
Hydrostatic Balance	160	Leclanché's Batteries	59, 60
Hydrostatics	53, 160	Leed's Apparatus	97, 113
Hygrometers	160	Lenses, different	167
Ice Machines	22, 135, 161	" Antiplastic Group	308
Ice Machine System	161	Letters, Steel	167
Ignition Bulb Tubes	161	Levels	168
Inertia Apparatus	266	Levison's Voltameter	232
Inclined Plane	262	Leveling Screw	168
Induction Coils and Wires	161	Leyden Jars	168
Influence Machine	121	Lightning Rods	168
Infusion Pot	162	Liebig's Condensers	99, 100
Ingot Moulds	180	" Supports for Condensers	215
Insulated Wires	240	" Chlorine Calcium Tubes	92
Jackets	162	Liebig & Mitcherlich's App.	118, 120, 194, 234
Jars, Agateware	163	Lime Points for Calc. Lights	91
" Anatomical	10	Lingke's Apparatus	69
" Battery	57, 59	Litmus	168
" China, Earthen, Glass, etc.	162, 163	" Paper	168
" Decanting	111	Litre Flasks	168
" Graduated	111	Loadstone	169
" Hydrometer	160	Luhme's Lamp	166
" Nessler's	162	Lunge's Gas Burette	32
" Ointment	163	" Azotometer	43
" Preparation	10, 162, 195	Machines for Cutting and Grinding	
" Precipitating	195	Minerals	290
" Specie, Sectional, etc.	162	Magdeburg's Hemispheres	264
Jets, Blow-pipe	163	Magnesium Powder, Ribbon and Wire	168
" Bunsen's Burner	88	Magnetic Needles	168
" Hydrogen	163	Magnets	168
" Platinum	224	Magnet Stone	169
Jeweller's Outfit	122	Magnifiers	169
Johnson's Nitrometer	35	Manometer	153, 169
Judson's Tongs	109, 203	Mansfeld's Platina Plates	188
Jugs, Gutta percha	294	Maps, Technological	282
Kaleidoscope	263	Marchand's Chloride Calcium Tubes	92
Kekulé's Apparatus	236	Marine Glue	169
Kellogg's Burners	86	Marsh's Apparatus	12, 169
Kemp's Apparatus	153	Matrasses	169
Kettles	163, 164, 293	Maynard's Hammer's	157
Kipp's Apparatus, H., S.	26, 271	Measures, Glass, Parcelain	156
Kirchhoff-Bunsen's Apparatus	134, 206, 207	" Tape	169, 170
Kjeldahl's Apparatus	113, 234, 291	" Tin, Wood	169, 170
Knife for Corks	164	Mechanics	262, 264, 266, 268
" for Glass	291	Medicine Chests	170
Knopp-Wagner's Nitrometer	35	Mercury Troughs	170
Knorr's Extractor	414	Meyer's Vapor Density Apparatus	35
Koch's Apparatus	38, 41, 137	Micrometer	174
Kohlrausch's Flasks	134	Microscopes, B. & L.	170-173, 177
Kraussler's Apparatus	124, 139, 147	" Zeiss'	297-302
Kuehne's	124	Microscopic Accessories	174, 175, 303
Labels, Blank, Chemical, Glass, etc.	164	Microtomes	304
Label Books	164	Milk Testers	36, 37, 177
Lactobutyrometer	36, 165	Mills	177, 300
Lactometer	159, 165	Millimeter Tubes	177
Lactodensimeter	36	Minerals, (See our List of Minerals.)	
Lactoscope	36, 165, 177	" Collection of, (see our List of Minerals)	96
Ladenburg Flasks	133	" for Blow-pipe Specimens	96
Ladles	165, 294	Mineralogical Hammers	157
Lamps of all descriptions	165-167, 295	Minim Glasses	156
Lamp Plates	167	" Pipettes	186
" Stands	166	Mirrors	263, 264
" Wicks	167	Mitcherlich's Apparatus	150, 193, 194
Lanterns, Experimenter's, Moaton's and Photographer's	167	Mixing Bottles	79
" Magic	296	" Capsules	178
Laurent's Saccharometer	193	" Jars	111
Lead Baskets	57, 167	Mixer's Chloride Calcium Tubes	93
		Models of Crystals	96
		" Precious Stones	178

	PAGE		PAGE
Models of Steam Engines, etc.....	178	Photo-micro Camera.....	176, 305-306
Moeller, Robertson's.....	178	Picnometers.....	78
Mohr's Clamps for Burettes.....	95	Pill Boxes.....	79
" Condensers.....	100	" Boards.....	78
" Extraction App. 123, 124, 184, 185, 186	178	" Rollers, Silverer Tiles.....	185
Mordanted Cloth.....	178	Pincers, see Forceps.....	135
Mortars, of all descriptions.....	178, 179	Pinchcocks.....	185, 186
Morton's Generator.....	154	Pipettes of all kinds.....	185, 187, 322
" Stove.....	211	" Supports.....	217
Motor, Hydraulic.....	179	Pith Balls.....	187
Moulds of all kinds.....	180	Pitcher.....	2
" Cupel.....	109	Plate and Rubber.....	187
Mouth-piece for Blow-pipes.....	180	Plates, Glass.....	154
Muenke's Filtering Pump.....	129	" Iron, Porcelain.....	187, 284, 309
" Gas Washing Jar.....	153, 233	" Streak for Mineralogists.....	187, 312
" Blast and Pump.....	32	Platinum, Boats, Cones, Crucibles,	
Muffle Furnaces.....	139-141, 144, 146	Dishes, Foil, Retorts, Fun-	
Muffles, Battersea and French.....	181	nels, Spatulas, Bottles,	
Murray's approximative Tubes.....	33	Spoons, Wire, etc.....	187, 192, 309
Nessler's Jars.....	162	Plattner's Apparatus.....	69, 70, 105, 109, 113
Neubauer & Vogel's Urinometer.....	321	Pliers.....	192
Nicholson's Hydrometer.....	42	Plumbago Crucibles.....	105
Nickel Foil.....	181	Pneumatics.....	262, 264, 266, 268
Nippers.....	181	Pneumatic Pumps.....	4
Nitrogen Bulbs and Tubes.....	182, 306	" Troughs.....	192
Nitrometer.....	43	Pokers.....	192
Nitrous Oxide Liquefied, See Gases..	148	Polariscopes.....	192, 193, 310
Nivellation supports.....	40	" Lamp.....	194
Normal Instruments.....	182	" Quartz Plates.....	194
Oil Tester.....	182, 183	Polaristrobometer.....	193
Oil Reservoir.....	182	Polarization Apparatus.....	193
Oleometer.....	182	Porcelain Colors.....	194
Optics, see Physical App. in Appendix.		Porous Cups.....	194
Organ Tube.....	264	Potash Bulbs.....	194
Orsat's Apparatus.....	27	Pouring Plates.....	180
Orsat-Muenke's Gas Apparatus.....	28	Precipitating Glasses.....	221
" " modified by Fisher.....	28	" Jars.....	195
Otto's Acetometer.....	1	Preparation Jars.....	10, 11, 306
Outfit, Assayers'.....	256	Presses for pressing out Herbs, etc..	195
" Chemists', see Appendix.....		" " Corks.....	104
Overflow Pipettes.....	183	Pressure Bottles.....	195
Oxygen, Compressed.....	148	" of Liquids.....	262
Oxyhydric Blow-pipes.....	69	Prisms.....	195, 311
Oxygen Apparatus.....	25	Probangs.....	195
" Retorts.....	197	Proctor's Apparatus.....	197
Ozonometer.....	182	Proof Glasses.....	158-160
Pails.....	183	Pulleys.....	262
Palladium Tubes.....	183	Pulse Glasses.....	195
Palette Knives.....	205	Pumps, Exhaust, Pneumatic, etc.....	4, 8
Pans, Horn and Rubber.....	183	" Bunsen's, for quick filtrations	128, 130
" Iron.....	156, 183	" Fisher's, ".....	128, 130
" Scale.....	183	" Small Models, all Glass.....	195, 262
Paper, for absorbing milk.....	306	" Sprengler's.....	8
" Chinese and Japanese.....	127, 183	" Vacuum.....	311
" Filtering.....	125-127, 287	Push Buttons.....	196
" Glazed and Parchment.....	183	Pyrometers.....	196
" Litmus.....	168, 221	Qualitative and Quantitative Set.....	248
" Munkel's.....	127	" Blow-pipe Set.....	251
" Pulp.....	290	Quartz Plates.....	194
" Swedish.....	127	Quevennes' Lactodensimeter.....	36
" Prat Dumas'.....	126	Radiometers.....	196
" Schleicher & Schuell's.....	125-127	Rammelsberg's Apparatus.....	119
" Test.....	183, 221	Ranvier's Apparatus.....	117
" Tumeric.....	183, 221	Rasps.....	125
Parting Flasks.....	132, 183	Reagents, see List of Chemicals and	
Pasteur's Apparatus.....	184, 237	Reagent Bottles.....	73-77, 196
Pencils, Carbon.....	184	Receivers, Gas.....	196
" for writing on Glass.....	184	Reduction Tubes.....	81, 197
Pendulum.....	267	" Crucibles, Rose's.....	105
Percolators.....	184	Regulating Disc.....	197
Photographic Apparatus.....	320-321	Reflectors.....	172
Photometer.....	184, 185, 308	Reichert's Gas Regulator.....	152

	PAGE		PAGE
Resonant Jar.....	267	Seti of Apparat. according to Remsen..	247
Rests of Porcelain.....	197	" " Rickets.....	256
Retorts, Bohemian, Copper, Glass,		" " Steele.....	243
Iron, Lead, etc.....	197, 198, 311	" " Troilus.....	259
Retort Stands and Supports.....	216	" " Tyndall.....	269
Richard's Blast and Pump.....	32, 129	" Lenses.....	264
Ricket's Furnace, etc.....	140	" Apparatus for Assayers.....	256
Riders.....	198	" " Blow-piping.....	251
Rings, Iron, Copper, etc.....	198	" " Physics.....	262, 269
" Straw.....	212	" " Qualitative An-	
Roasting Dishes.....	198	alysis.....	248
Roberts' Urinary Apparatus.....	33	" " Quantitative An-	
Roscoe and Schorlemmer's Decompo-		alysis.....	248-249
sition Apparatus.....	22	" " Sugar Analysis.....	261
Rose Burner.....	58, 59	Shades, Glass.....	203
Rose's Crucibles.....	105	Shaking Flasks.....	133
" Lamp.....	165	Shears, Cutting.....	204
Rotators.....	198	Shellbach's Supports.....	217
Rubber Bags.....	65, 148	Shovels.....	182
" Bulbs.....	80	Shuster's Apparatus.....	120
" Caps, Cloth, Sheet, Stoppers,		Siemen's Apparatus.....	182, 314
Tissue and Tubing.....	199, 200	Sieve, Silk, from \$2.00 to \$6.00 per y'd.	
Rubber and Plate.....	187	Sifting Machines.....	204
Ruhmkoff's Coil.....	161	Silliman's Washing Bottle.....	233
Rules, different.....	200	" Drying Cylinders.....	119
Rupert's drops.....	200	Silver Crucibles.....	108
Saccharometers.....	159, 160, 192, 193	" Dishes.....	116
Safety Funnels.....	200	" Foil, (see Chemicals.)	
" Lamp.....	200	Skins.....	205
" Tubes.....	138, 200	Sodium Spoons.....	207
Sampling Pans.....	201	Soldering Copper and Iron.....	205
Sand Baths, Iron.....	201	Sonometer.....	267
" Glasses.....	201	Soxhlet's Apparatus for milk testing.....	23, 126
" Paper.....	201	Spatulas.....	205, 312
Sartorius' Hydrostatic Balance.....	278	Specific Gravity Balances.....	53
Saw Charcoal.....	201	" " Bottles.....	78
Scale Cases.....	202	" " Tubes.....	312
" Pans.....	183, 202, 203	Specimen Bottles.....	77
" Strings.....	202	Specimen Jars.....	10, 11
" Supports.....	202	" Tubes.....	206
Scales, Analytical, etc, see Balances,		Spectral Tubes.....	207
also.....	201	Spectroscopes.....	206
Scheibler's Apparatus.....	14, 112, 117, 124, 193	Spectroscopic Charts.....	207
Schiele's Manometer.....	168	" Cells.....	207
Schmitz's Apparatus.....	120	Spiral Balance, Jolly's.....	53
Schiff's Azotometer.....	35	Spiral Tube.....	267
Schleicher & Schuell's Filter Paper.....	125-127	Spirit Level.....	168
Schrötter's Apparatus.....	113	Spoons.....	207, 312
Schultz's Apparatus.....	35	" Deflagration.....	207
Schwarz's Apparatus.....	124	" Ivory.....	207
Scissors, Pocket and Lamp.....	202	" Platinum.....	190
Scoops, Copper, Horn, Tin.....	202	Sponges, Cleaning.....	208
Scorifiers.....	202, 203	Sprengel's Mercury Air Pump.....	8
Scorification Moulds.....	180	Squibbs' Apparatus.....	184, 218, 231
" Tongs.....	203	Standard Candles.....	206
Scraper.....	203	Stammer's Apparatus.....	97
Screens.....	204, 239	Steam Boilers.....	208, 312
Screw Press.....	171, 172	Stereopticon.....	296
Sea Sand.....	203	Sterilization Apparatus.....	38, 41, 312
Sefstroem's Apparatus.....	147, 203	Stills of Copper.....	23, 24
Segner's Water Wheel.....	138	Stirrers.....	208
Seidlitz Powder Cup.....	203	Sropcocks, Brass.....	208
Separating Apparatus.....	116, 203	" Glass, Stoneware.....	209, 210
" Bottles.....	203	Stoves, Gas and Kerosene.....	210-212
" Funnels.....	137	Strainers.....	212
Sets of Apparat according to Appleton	242	Straw Rings.....	212
" " Cooley.....	244	Streak Plates.....	212
" " Draper.....	250	Supports for Burettes, Condensers,	
" " Flint.....	250	Funnels, etc.....	213-220, 313
" " Fresenius.....	249	" for Electrolytic Apparatus.....	121, 122
" " Piffard.....	250	Support Tables.....	220
" " Plattner.....	255	Surface Evaporator.....	313

	PAGE		PAGE
Swedish Filter Paper.....	127	Tubes, V.....	226
Syphon Extractor.....	313	“ for Fractional Distillation....	226, 227
Syphons, Acid.....	220, 221	“ for Water Analysis.....	228
Syringes.....	221	Tubing, Glass.....	155
Tables of Assay values.....	221	“ Porcelain.....	99, 228
Tables for Glass Blowers.....	68	“ Rubber.....	199, 200
Tanks, Glass, Pneumatic, etc.....	192	“ Parchment Paper.....	306
Tantalus Cup.....	264	Turmeric Paper.....	228
Tapers.....	221	Twine.....	228
Telegraphic Instruments.....	221, 269	Tyndall's Electric Apparatus.....	269
Terquem's Burners.....	83, 84	“ Batteries.....	59
Test Chests, see Appendix.....	251	Underplates.....	228
“ Glasses.....	221	Ure's Audiometer.....	231
“ Lead Measures.....	254	Urine Test Apparatus.....	32, 33, 34, 229, 231
“ “ Sieve.....	254	Uriometers.....	229, 231
“ Marsh's Arsenic.....	12	Vacuum Apparatus.....	273
“ Tapers.....	221	“ Tubes.....	153
“ Tubes.....	221, 222	Vapor Density Apparatus.....	24, 35, 231
“ Tube Brushes and Cleaners.....	222	Ventilation.....	268
“ “ Clamps and Holders.....	222	Vials, see Bottles.....	71
“ “ Supports.....	218, 219	“ Homoeopathic.....	77
Thermometers.....	222, 223	Vibrating Plate.....	268
Thermometer Tubes, see Glass Tubing	155	Vise.....	232
Thistle, Tubes.....	138	Violoncello Bow.....	264, 268
Thorn's Apparatus.....	116, 123	Vogel's Tubes.....	138, 149, 200, 233
Thoerner “.....	232	Vollhard Apparatus.....	93
Tindall's Battery.....	59	Voltameter.....	232
Tiles, Bunsen's.....	224	Volumeter.....	232
Tin foil.....	224	Volumetric Analysis.....	250
Tips for Blowpipes.....	224	Wall Maps.....	282, 283
Toepler-Holtz, Electrical Machine....	121	Washing Apparatus, Bottles, Bulbs,	
Tongs, Cork.....	104	“ etc.....	232-234
“ Crucible.....	106, 109	“ Bottle, Liebig.....	120
“ Cupel.....	109	“ “ Woulf's.....	240, 241
“ Platinum.....	192	“ Sifting and Separating Ap-	
“ Scorifier.....	203	paratus.....	233, 234
Tool Chest.....	224	Watch Glasses.....	234
Tools for Blow-piping.....	251	“ Glass Holders, Clips.....	234
“ Carpenters.....	251	Watch Springs.....	234
Tourmaline Tongs, \$7.50 to \$10.00....		Water Blast.....	32, 314
Toweling.....	224	“ Baths.....	234-237, 313
Towels.....	224	“ Filter.....	337
Trays, Photographers.....	224	“ Hammer.....	239
“ Lead.....	167	“ Heater, see Additional.....	238
“ for Coal or Dirt.....	224	“ Oven.....	118, 119
Triangles.....	224	“ Decomposition Apparatus.....	18-20
“ Platinum.....	224	“ Wheels.....	238
Tripods.....	224, 225	Wedge.....	267
Troughs, Mercury.....	170	Weighing Bottles and Tubes.....	78, 79
“ Pneumatics.....	192	“ Capsules.....	239
“ Porcelain and Stoneware.....	192	Weights.....	54, 56, 278
Tube Brushes.....	112, 128	Weil's Filtering Apparatus.....	128
“ Apparatus.....	226	Wet Chambers.....	40
Tubes, Arsenic.....	226	Weston's Apparatus.....	120
“ for Blow-piping.....	88, 228	Whirling Ring.....	268
“ Bulb.....	182	Wild's Apparatus.....	193
“ Chloride Calcium.....	92, 93, 120	Wicks, Different.....	239
“ Combustion.....	97, 99	Wick Holders.....	239
“ Condensing.....	226	Wiesnegg's Apparatus.....	66, 146
“ Drying.....	92	Will & Varrentrapp's Apparatus for	
“ for Extraction.....	123	Nitrogen determination....	34
“ for Filtering.....	130, 227	Winkler's Gas Apparatus.....	31
“ Funnel.....	138	Wire of all descriptions.....	239, 240
“ Nitrogen.....	182	“ Holders.....	158
“ Reduction.....	81	Wolcott Gibb's Burners.....	84
“ T.....	228	Works of Chemistry, etc.....	317-329
“ U.....	226	Woulf's Apparatus.....	16
“ U, with Bulbs.....	92	“ Bottles.....	240, 241
“ W.....	226	Wurtz Apparatus.....	227
“ Y.....	228	Zincs, for Batteries.....	58, 241
“ Specimen.....	206		

